

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 11/10/2017 Revision date 11/08/2017 Version 1

1 Identification

Product identifier

Product name: Hafnium powder

Stock number: 00674 **CAS Number:** 7440-58-6

EC number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



B GHS02 Flame

Self-heat. 1 H251 Self-heating: may catch fire. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Danger
Hazard statements
H251 Self-heating: may catch fire.
Precautionary statements
P280 Wear protective gloves / eye protection / face protection.
P235+P410 Keep cool. Protect from sunlight.
P420 Store away from other materials.
P407 Maintain air gap between stacks/pallets.
WHMIS classification

WHMIS classification
B6 - Reactive flammable material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1

| Health (acute effects) = 1
| Flammability = 4
| Flammability = 2

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7440-58-6 Hafnium powder Concentration: ≤100% Identification number(s): EC number: 231-166-4

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.

(Contd. on page 2)

Product name: Hafnium powder

Information for doctor

(Contd. of page 1)

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Spontaneously flammable in air. If this product is involved in a fire, the following can be released: Hafnium oxide Advice for firefightors

Hatnium oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up: Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: 1.5 mg/m3
PAC-2: 17 mg/m3
PAC-3: 99 mg/m3

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Information about storage in one common storage facility
Store away from air.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert gas.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7440-58-6 Hafnium powder (100.0%)

Long-term value: 0.5 mg/m³ as Hf PEL (USA)

Long-term value: 0.5 mg/m³ as Hf REL (USA)

Long-term value: 0.5 mg/m³ as Hf TLV (USA)

EL (Canada) Long-term value: 0.5 mg/m³ as Hf

EV (Canada) Long-term value: 0.5 mg/m³

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonalically appropriate working any important.

wasn nanus perore preaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Unpervise claves

Impervious gloves

(Contd. on page 3)

Product name: Hafnium powder

(Contd. of page 2)

Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR.

Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm

Glove trickness. 6. 17 min Eye protection: Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Odor: Powder Odorless Odor threshold: Not determined

Change in condition

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto institue: 2222 °C (4032 °F) 5400 °C (9752 °F) Not determined Not determined Not determined Not determined

Spontaneously flammable in air. Auto igniting:

Not applicable

Not determined.

Danger of explosion: Explosion limits:

Explosion infins:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density
Vapor density
Evaporation rate Not determined Not determined

Not applicable. 13.09 g/cm³ (109.236 lbs/gal) Not determined.

Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable.

Water: Insoluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable.

Not applicable. Not applicable. No further relevant information available. kinematic: Other information

10 Stability and reactivity

Reactivity Catches fire spontaneously if exposed to air.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Spontaneously flammable in air.

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Hazardous decomposition products: Hafnium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes: Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. on page 4)

Product name: Hafnium powder	
Other adverse effects No further relevant information available. (Contd. of page 3)	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN2545
UN proper shipping name DOT ADR IMDG, IATA	Hafnium powder, dry 2545 Hafnium powder, dry HAFNIUM POWDER, DRY
Transport hazard class(es) DOT	
*	4.2 Substance liable to engetone and combustion
Class Label ADR	4.2 Substances liable to spontaneous combustion 4.2
Class Label IMDG, IATA	4.2 (S4) Substances liable to spontaneous combustion 4.2
Class Label	4.2 Substances liable to spontaneous combustion 4.2
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Segregation groups Stowage Category Handling Code Segregation Code	Warning: Substances liable to spontaneous combustion F-G,S-M Powdered metals D H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information: DOT Quantity limitations Marine Pollutant (DOT):	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
	UNIOS AS LIA SAULINA DOLA/DED DDY 4 A A "

UN 2545 HAFNIUM POWDER, DRY, 4.2, II

15 Regulatory information

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

Signal word Danger
Hazard statements
H251 Self-heating: may catch fire.
Precautionary statements
P280 Wear protective gloves / eye protection / face protection.
P235+P410 Keep cool. Protect from sunlight.
P420 Store away from other materials.
P407 Maintain air gap between stacks/pallets.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

Product name: Hafnium powder

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal dosce, 50 percent
LD50: Lethal dosce, 50 percent
LD50: Lethal dosce, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
ARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Self-heat. 1: Self-heating substances and mixtures – Category 1

USA