

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier CALCIUM PERIODATE, REAGENT

Other means of identification

Product code 522

**Recommended use** professional, scientific and technical activities: scientific research and development

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company name Address**GFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065

**United States** 

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

**Emergency phone** Emergency Assistance Chemtrec 800-424-9300

number

# 2. Hazard(s) identification

**Physical hazards** Oxidizing solids Category 2

Health hazardsNot classified.Environmental hazardsNot classified.OSHA defined hazardsNot classified.

**Label elements** 



Signal word Danger

**Hazard statement** May intensify fire; oxidizer.

**Precautionary statement** 

**Prevention** Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution

to avoid mixing with combustibles. Wear protective gloves/eye protection/face protection.

**Response** In case of fire: Use water to extinguish. **Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: CALCIUM PERIODATE, REAGENT

### 3. Composition/information on ingredients

### **Substances**

Chemical name	Common name and synonyms	CAS number	%
CALCIUM PERIODATE		77353-51-6	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

522 Version #: 01 Revision date: Issue date: October-12-2016 1 / 8

**Skin contact** IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Wash off with soap and water. Get medical attention if irritation develops and

persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special treatment needed

Treat symptomatically.

**General information** Take off all contaminated clothing immediately. Contact with combustible material may cause fire.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water, Water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

**Special protective equipment** 

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk. Use water spray to cool unopened containers.

Specific methods **General fire hazards**  Cool containers exposed to flames with water until well after the fire is out. May intensify fire; oxidizer. Contact with combustible material may cause fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Minimize dust generation and accumulation. Wear appropriate protective equipment and clothing during clean-up. This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

**Precautions for safe handling** 

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat. Store in a cool, dry place out of direct sunlight, Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

**Occupational exposure limits** 

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering** controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Material name: CALCIUM PERIODATE, REAGENT 2/8 522 Version #: 01 Revision date: Issue date: October-12-2016

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection** 

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Frequent change is advisable.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid.

**Form** Crystalline powder.

Color White. Odor Odorless. **Odor threshold** Not available. pН Not available. Not available. Melting point/freezing point Initial boiling point and Not available.

boiling range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Not available. Vapor density **Relative density** Not available.

Solubility(ies)

Solubility (water) Slightly soluble. Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive. Molecular formula Ca3(H5IO6)2.4H2O

Molecular weight 640.11

Oxidizing properties May intensify fire; oxidizer.

### 10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Material name: CALCIUM PERIODATE, REAGENT 3/8 522 Version #: 01 Revision date: Issue date: October-12-2016

**Conditions to avoid** Heat. Contact with incompatible materials. **Incompatible materials** Combustible material. Reducing agents.

**Hazardous decomposition** 

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

### Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity**The toxicological properties of this material have not been fully investigated and its handling and

use may be hazardous.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**US OSHA Hazard Categories (1)** 

Not regulated.

**US OSHA Hazard Categories (10)** 

Not regulated.

**US OSHA Hazard Categories (2)** 

Not regulated.

**US OSHA Hazard Categories (3)** 

Not regulated.

**US OSHA Hazard Categories (4)** 

Not regulated.

**US OSHA Hazard Categories (5)** 

Not regulated.

**US OSHA Hazard Categories (6)** 

Not regulated.

**US OSHA Hazard Categories (7)** 

Not regulated.

**US OSHA Hazard Categories (8)** 

Not regulated.

**US OSHA Hazard Categories (9)** 

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Material name: CALCIUM PERIODATE, REAGENT

522 Version #: 01 Revision date: Issue date: October-12-2016 4 / 8

# 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available. **Mobility in soil**No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

**UN number** UN1479

**UN proper shipping name** Oxidizing solid, n.o.s. (CALCIUM PERIODATE)

Transport hazard class(es)

Class 5.1
Subsidiary risk Label(s) 5.1
Packing group II

**Special precautions for** 

user

Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 62, IB8, IP2, IP4, T3, TP33

Packaging exceptions 152
Packaging non bulk 212
Packaging bulk 240

**IATA** 

**UN number** UN1479

**UN proper shipping name** Oxidizing solid, n.o.s. (CALCIUM PERIODATE)

Transport hazard class(es)

Class 5.1
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 5L

Special precautions for

user Other information Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN1479

UN proper shipping name OXIDIZING SOLID, N.O.S. (CALCIUM PERIODATE)

Transport hazard class(es)

Class 5.1
Subsidiary risk Packing group II
Environmental hazards

Material name: CALCIUM PERIODATE, REAGENT

Marine pollutant No.
EmS F-A, S-Q

522 Version #: 01 Revision date: Issue date: October-12-2016 5 / 8

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

# SARA 304 Emergency release notification

Not regulated.

# **US OSHA Hazard Categories (1)**

Not regulated.

# **US OSHA Hazard Categories (2)**

Not regulated.

# **US OSHA Hazard Categories (3)**

Not regulated.

# **US OSHA Hazard Categories (4)**

Not regulated.

# **US OSHA Hazard Categories (5)**

Not regulated.

### **US OSHA Hazard Categories (6)**

Not regulated.

# **US OSHA Hazard Categories (7)**

Not regulated.

### **US OSHA Hazard Categories (8)**

Not regulated.

### **US OSHA Hazard Categories (9)**

Not regulated.

### **US OSHA Hazard Categories (10)**

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Not regulated.

### **US. New Jersey Worker and Community Right-to-Know Act**

Not listed

#### **US. Pennsylvania Worker and Community Right-to-Know Law**

Not listed.

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** October-12-2016

Version # 01

Material name: CALCIUM PERIODATE, REAGENT

522 Version #: 01 Revision date: Issue date: October-12-2016 7 / 8

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Disclaimer** GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision information** Product and Company Identification: Physical States

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Material name: CALCIUM PERIODATE, REAGENT

522 Version #: 01 Revision date: Issue date: October-12-2016 8 / 8