

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/11/2010

1 Identification

Product identifier

Product name: Molybdenum(VI) fluoride

Stock number: 22713 **CAS Number:** 7783-77-9

EC number: 232-026-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P280
Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309
IF exposed or if you feel unwell:
P310
Immediately call a POISON CENTER/doctor/...
P402+P404
Store in a dry place. Store in a closed container.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects





HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 0

ACTIVITY 2 Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7783-77-9 Molybdenum(VI) fluoride Identification number(s): EC number: 232-026-5

LISA (Contd. on page 2)

Product name: Molybdenum(VI) fluoride

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

Seek Immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Rub in calcium gluconate solution or calcium gluconate gel immediately.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

Reacts with water

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Metal oxide fume

Advice for firefightors

Metal oxide furne
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Unsuitable material for container: ceramic, glass

Information about storage in one common storage facility: Do not store together with acids.

Store away from water/moisture.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.

Specific end use(s) No further relevant information available

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Fluorides (as F) n3 2.5 2.5 2.5 2.5 2.5 2.5 2.5 1; 2-STEL 3.5 0.6 mg/m3 ACGIH TLV Austria MAK Belgium TWA Finland TWA France TWA Germany MAK
Hungary TWA
Netherlands MAC-K
Norway TWA

(Contd. on page 3)

(Contd. of page 2)

Product name: Molybdenum(VI) fluoride

Poland TWA 1; 3-STEL
Sweden NGV 2
Switzerland MAK-W 1.5; 3-KZG-W
United Kingdom TWA 2.5
Russia TWA 2
Denmark TWA 2.5
USA PEL 2.5 Molybdenum and compounds (as Mo) mg/m3 5 15 5 5 ACGIH TLV ACGIH TLV Austria MAK Belgium TWA Denmark TWA Finland TWA 5 5 Finiand TWA 5
France VME 5
Germany MAK 5
Netherlands MAC-TGG 5
Sweden NGV 10 (total dust)
5 (respirable dust)
Switzerland TWA 5
United Kingdom TWA 10; 20-STEL
USA PEL 5
Additional information: No data Additional information: No data Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection:
Tightly sealed goggles
Full face protection: Protective work clothing. Exposure controls

9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Liquid Pale yellow Not determined Color: Odor: Odor threshold: Not determined. pH-value: Not determined Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 17 °C (63 °F) 37 °C (99 °F) Not determined Flash point: Not applicable

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined. Not determined Not determined Auto igniting: Not determined

Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower:

Not determined

Upper: Vapor pressure at 35 °C (95 °F): Density at 20 °C (68 °F): Relative density Not determined 1010.8 hPa (758 mm Hg) 2.3 g/cm³ (19.194 lbs/gal) Not determined Not determined Not determined

Vapor density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not miscible or difficult to mix

Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: kinematic: Not determined. Not determined.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity Contact with acids liberates very toxic gas.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Contact with acids liberates very toxic gas.
Very toxic Hydrogen fluoride gas evolved in the presence of strong acids.
Conditions to avoid No further relevant information available.
Incompatible materials:
Bases

(Contd. on page 4)

(Contd. of page 3)

Product name: Molybdenum(VI) fluoride

Water/moisture **Hazardous decomposition products:** Hydrogen fluoride Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: Fatal if inhaled. Fatal if inhaled.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach

LD/LC50 values that are relevant for classification:

Inhalative LC50/4H 333 mg/m3/4H (rat)

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Germ cell mutagenicity: No effects known.
Carcinogenicity:
IARC-3: Not classifiable as to carcinogenicity to humans.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Acute molybdenum poisoning may cause severe gastrointestinal irritation, diarrhea, coma and death from cardiac failure.
Chronic molybdenum poisoning in laboratory animals has caused loss of weight, anorexia, anemia, deficient lactation, male sterility, osteoporosis and bone joint abnormalities.

abnormalities.
Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

De not allow material to be released to the environment without proper de-

General notes:
Do not allow material to be released to the environment without proper governmental permits.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN3289

UN proper shipping name DOT_____ IMDG, IATA

Toxic liquid, corrosive, inorganic, n.o.s. (Molybdenum(VI) fluoride) TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (Molybdenum(VI) fluoride)

Transport hazard class(es)

DOT





Class Label Class Label 6.1 Toxic substances.

6.1+8 6.1 (TC3) Toxic substances 6.1+8

ĪMDG, IATA



6.1 Toxic substances. 6.1+8 Label

Packing group DOT, IMDG, IATA Environmental hazards:

Not applicable.

Special precautions for user

Warning: Toxic substances F-A,S-B

EMS Number:

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 5)

Product name: Molybdenum(VI) fluoride	
	(Contd. of page 4
Transport/Additional information:	
DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3289, Toxic liquid, corrosive, inorganic, n.o.s. (Molybdenum(VI) fluoride), 6.1 (8), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Mational regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Subst All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal done, 50 percent
LD50: Lethal done, 60 percent
LD50: Lethal done, 60 percent
LD50: Armerican Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

LISA