

Page 1/6 Printing date 12/18/2017 Revision date 12/15/2017 Version 1

1 Identification

Product identifier

Product name: Arsenic(III) chloride

Stock number: 11681 CAS Number: 7784-34-1 EC number: 232-059-5 Index number:

33-002-00-5
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.


#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger Hazard statements

H301+H331 Toxic if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H350 May cause cancer.

H350 May cause can Precautionary statements

Precautionary statements
Do not breathe dusts or mists.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

Dispose of contents/container in accordance with it

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 4 Flammability = 0

ACTIVITY 1 Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. of page 1)

#### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7784-34-1 Arsenic(III) chloride

Concentration: ≤100% Identification number(s): EC number: 232-059-5 Index number: 033-002-00-5

#### 4 First-aid measures

# Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Toxic if inhaled. Toxic if swallowed.

Toxic if swallowed.
Causes serious eye damage.
May cause cancer.
Suspected of causing cancer by inhalation.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCI)

Arsenic oxides
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Protective Action Criteria for Chemicals
PAC-1: 0.91 mg/m3
PAC-2: 10 mg/m3
PAC-2: 240 mg/m3

**PAC-2**: 10 mg/m3 **PAC-3**: 240 mg/m3

# 7 Handling and storage

Handling Precautions for safe handling

Herecautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompanionnes
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from water/moisture.
Do not store together with acids.
Store away from strong bases.
Store away from oxidizing agents.
Store away from metal powders.
Store away from metals.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

(Contd. on page 3)

Protect from humidity and water. Specific end use(s) No further relevant information available

(Contd. of page 2)

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7784-34-1 Arsenic(III) chloride (100.0%)

Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018 Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A PEL (USA)

REL (USA)

Long-term value: 0.01 mg/m³ as As; BEI TLV (USA)

Long-term value: 0.01 mg/m³ as As; ACGIH A1, IARC1 EL (Canada)

Short-term value: 0.05 mg/m³ Long-term value: 0.01 mg/m³ as As EV (Canada)

### Ingredients with biological limit values:

#### 7784-34-1 Arsenic(III) chloride (100.0%)

BEI (USA) 35 µg As/L Medium: urine

Time: end of workweek Parameter: Inorganic arsenic plus methylated metabolites

#### Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:
Tightly sealed goggles
Full face protection

Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Odor: Odor threshold: Pungent, makes eyes water Not determined.

Not determined. pH-value:

-16 °C (3 °F) 130.2 °C (266 °F) Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: Not determined.

Not determined Not determined Not determined.

Danger of explosion: Explosion limits: Lower: Not determined.

Not determined Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined 13 hPa (10 mm Hg) 2.163 g/cm³ (18.05 lbs/gal) Not determined

Vapor density Evaporation rate Solubility in / Miscibility with Not determined. Not determined.

Water: Reacts

Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not determined.

kinematic: Not determined. Other information No further relevant information available.

USA

(Contd. of page 3)

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids Actor Bases Oxidizing agents Metal powders Metals Water/moisture

Hazardous decomposition products:

Hydrogen chloride (HCl) Arsenic oxides (As2Ox)

#### 11 Toxicological information

#### Information on toxicological effects

Acute toxicity: Toxic if inhaled. Toxic if swallowed.

TOXIC IT SWAILLINGER.
SWAILOWING WILL lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 37.5 mg/kg (rat) Dermal LD50 80 mg/kg (rat)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Corrigonalists:

Carcinogenicity:
May cause cancer.
EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

Carcinogen as defined by OSHA. NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General potes:

General notes:

General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

UN-Number DOT, IMDG, IATA

UN1560

UN proper shipping name DOT ADR

IMDG, IATA

Arsenic trichloride 1560 Arsenic trichloride ARSENIC TRICHLORIDE

(Contd. on page 5)

Version 1

#### Product name: Arsenic(III) chloride (Contd. of page 4) Transport hazard class(es) DOT 10000 Class 6.1 Toxic substances Label ADR 900 6.1 (T5) Toxic substances 6.1 Class Label IMDG, IATA Class Label 6.1 Toxic substances Packing group DOT, ADR, IMDG, IATA Not applicable. Environmental hazards: Special precautions for user EMS Number: Stowage Category Warning: Toxic substances F-A,S-Ă B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden 1 lbs, 0.454 kg Quantity limitations Hazardous substance Marine Pollutant (DOT): Remarks: This material is poisonous by inhalation in Hazard Zone B. **IMDG** Limited quantities (LQ) Excepted quantities (EQ) Code: E5 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 300 ml UN "Model Regulation": UN 1560 ARSENIC TRICHLORIDE, 6.1, I

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS06 GHS08

# Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H350 May cause cancer.

Precautionary statements
P260 Do not breathe dusts or mists.
P260 Do not breathe dusts or mists.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take of immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

# SARA Section 313 (specific toxic chemical listings)

7784-34-1 Arsenic(III) chloride

California Proposition 65 Prop 65 - Chemicals known to cause cancer

7784-34-1 Arsenic(III) chloride

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed

Substance is not listed.

(Contd. on page 6)

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 5)

16 Other information
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMMS: Workplace Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Destination of the American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
Acute Tox. 3: Acute toxicity – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Carc. 1A: Carcinogenicity – Category 1A

USA