

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 06/27/2017 Revision date 06/26/2017 Version 1

1 Identification

Product identifier

Product name: 1-Naphthyl isocyanate

Stock number: L15771 CAS Number: 86-84-0 **EC number:** 201-703-7

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health. Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Skin Irrit. 2 H315 Causes skin irritation. H319 Causes serious eye irritation.

Eye Irrit. 2A STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified Lachrymator

I abel elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS06 GHS08

Signal word Danger
Hazard statements
H331 Toxic if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
Procautionary statements

Precautionary statements

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves / protective clothing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 1
Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 86-84-0 1-Naphthyl isocyanate

(Contd. on page 2)

Product name: 1-Naphthyl isocyanate

Concentration: ≤100% Identification number(s): EC number: 201-703-7 (Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes skin irritation.
Causes serious eye irritation.
Toxic if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. This product is a lachrymator.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed.

PAC-2: Substance is not listed.

PAC-3: Substance is not listed.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Prevent formation of aerosols.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: Refrigerate

Information about storage in one common storage facility: Protect from heat. Store away from water/moisture.

Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive

Keep container tightly sealed. Protect from humidity and water.

Specific end use(s) No further relevant information available

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

(Contd. of page 2)

Product name: 1-Naphthyl isocyanate

Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Do not inhale gases / furnes / aerosols.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).
Protection of hands:
Impervious gloves

Impervious gloves
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor:

Odor threshold:

Irritating
Not determined.

pH-value:

Not determined.

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

4 °C (39 °F) 269 °C (516 °F) Not determined

Flash point: Flammability (solid, gaseous)

135 °C (275 °F) Not determined

Ignition temperature:
Decomposition temperature:

Not determined Not determined

Auto igniting:

Not determined Not determined.

Danger of explosion: Explosion limits: Lower:

Upper:

Not determined Not determined

Not determined 1.177 g/cm³ (9.822 lbs/gal) Not determined.

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not determined

Not determined

Evaporation rate Solubility in / Miscibility with

Not miscible or difficult to mix Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic:

kinematic:

Not determined.

Other information

No further relevant information available

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Water/moisture

Oxidizing agents

Heat Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

Information on toxicological effects
Acute toxicity: Toxic if inhaled.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation

Expe irritation or corrosion: May cause irritation
Expe irritation or corrosion:
This product is a lachrymator.
Lachrymator. Produces tears and temporary eye irritation.
Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No locassification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. on page 4)

USA

Product name: 1-Naphthyl isocyanate

(Contd. of page 3)

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

Mobility in Soil No further relevant information available.
Additional ecological information:
General notes: Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN2206
UN proper shipping name DOT ADR IMDG, IATA	Isocyanates, toxic, n.o.s. (1-Naphthyl isocyanate) 2206 Isocyanates, toxic, n.o.s. (1-Naphthyl isocyanate) ISOCYANATES, TOXIC, N.O.S. (1-Naphthyl isocyanate)
Transport hazard class(es)	
DOT	
The state of the s	
Class Label ADR	6.1 Toxic substances 6.1
Class Label IMDG, IATA	6.1 (T1) Toxic substances 6.1
Class Label	6.1 Toxic substances 6.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Toxic substances F-A,S-A
Stowage Category Stowage Code	E SW1 Protected from sources of heat. SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L
Marine Pollutant (DOT):	On cargo aircraft only: 220 L No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2206 ISOCYANATES, TOXIC, N.O.S. (1-NAPHTHYL ISOCYANATE), 6.1, III
on modernegulation.	3N 2200 1300 TANATES, TOATO, N.O.S. (1-NAI TITTLE 1300 TANATE), 0.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger Hazard statements H331 Toxic if inhaled. H315 Causes skin irritation.

(Contd. on page 5)

(Contd. of page 4)

Product name: 1-Naphthyl isocyanate

H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.

Precautionary statements

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves / protective clothing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor.
National regulations

P310 Immediately call a POISON CENTER/doctor.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department is suing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Marzardous Materials Identification System (USA)
WFMIS: Workplace Hazardous Materials information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
EDF: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
Skin Intl. 2: Skin corrosion/irritation – Category 2
Skin Intl. 2: Skin corrosion/irritation – Category 2A
Resp. Sens. 1: Respiratory sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3