

TCI AMERICA SAFETY DATA SHEET

Revision number: 2.2 Revision date: 10/09/2015

IDENTIFICATION

Product name: Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan Petroleum Institute,

Olefins Content 5vol% level (5ml*3)

Product code: S0333

Product use: For laboratory research purposes. Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Germ Cell Mutagenicity [Category 1B]

Carcinogenicity [Category 1A] Aspiration Hazard [Category 1] Flammable Liquids [Category 2]

Signal word: Danger!

Hazard Statement(s): Highly flammable liquid and vapor

May be fatal if swallowed and enters airways

May cause cancer May cause genetic defects

Pictogram(s) or Symbol(s):





Precautionary Statement(s):

Obtain special instructions before use. Do not handle until all safety precautions have been read and [Prevention] understood. Wear protective gloves, protective clothing, eye protection and face protection. Keep away

from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear

protective gloves, eye protection and face protection.

If exposed: Call a poison center or doctor. If exposed or concerned: Get medical advice or attention. If [Response]

swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of fire: Use dry

chemical, CO2, water spray or alcohol-resistant foam to extinguish.

Store locked up. Store in a well-ventilated place. Keep cool. [Storage]

Dispose of contents and container in accordance with US EPA guidelines for the classification and [Disposal]

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan Petroleum Institute, Olefins Content 5vol% level **TCI AMERICA**

Page 2 of 6

(5ml*3) 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:

Mixture

Components:

Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan Petroleum Institute,

Olefins Content 5vol% level (5ml*3)

Percent:

CAS Number: 86290-81-5

Chemical Formula:

4. FIRST-AID MEASURES

Inmediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed.

Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical

personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact: For severe burns, immediate medical attention is required. Immediately call a poison center or doctor.

Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect

themselves.

Eye contact: If this chemical contacts the eyes, immediately wash (irrigate) the eyes with large amounts of water, occasionally lifting the lower and upper eyelids. If eye irritation persists get medical advice/attention. Move

victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical

personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion: Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be

delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: Cough.
Delayed: May ca

May cause heritable genetic damage in humans. Possibly carcinogenic to humans.

Immediate medical attention: CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration.

Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of

the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO₂, water spray, or alcohol-resistant foam. Consult with local fire authorities before

attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: None

Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use

spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn

unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

TCI AMERICA

Page 3 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal protective equipment:

Splash goggles. Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves

(nitrile).

Emergency procedures:

(5ml*3)

Isolate area until gas has dispersed. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Avoid contact -

obtain special instructions before use. Avoid prolonged or repeated exposure. Avoid contact with skin and eves. Normal measures for preventive fire protection. Avoid exposure - obtain special instructions before use. Do not ingest. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources

of ignition.

Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of

ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent

leakage. Avoid prolonged storage periods.

Storage incompatibilities: Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Wear protective gloves. Hand protection:

Eye protection: Splash goggles.

Skin and body protection: Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liauid

No data available Form: No data available Color: Odor: Petroleum-like Odor threshold: No data available

Melting point/freezing point: No data available :Ha No data available 24.5kPa (37.8°C/100°F) Boiling point/range: No data available Vapor pressure: **Decomposition temperature:** No data available Vapor density: No data available 0.7647g/cm3 (15°C/59°F) Relative density: **Dynamic Viscosity:** No data available

Kinematic Viscosity: No data available Partition coefficient: No data available **Evaporation rate:**

No data available n-octanol/water (log Pow) (Butvl Acetate = 1)

Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan

TCI AMERICA

Page 4 of 6

Gasoline by FIA Certified by The Japan Petroleum Institute, Olefins Content 5vol% level (5ml*3)

9. PHYSICAL AND CHEMICAL PROPERTIES

Flash point: No data available Autoignition temperature: No data available

Flammability (solid, gas):

No data available

Flammability or explosive limits:

Lower:

No data available

Upper: No data available

Solubility(ies):

Water: Insoluble

10. STABILITY AND REACTIVITY

Reactivity: Not Available.

Chemical Stability: Stable under recommended storage conditions. (See Section 7)

Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture.

Conditions to avoid:
Incompatible materials:

Avoid excessive heat and light.
Acids, Bases, Combustibles, Halogens, Oxidizing agents

Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

orl-mus LD50:60 mL/kg orl-rat LD50:13.6 g/kg

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity: spm-rat-ihl 300 mg/m³/10W-l

spm-rat-ihl 300 mg/m²/10W dns-mam-orl 100 mg/kg

Carcinogenicity:

No data available

IARC: No data available NTP: No data available OSHA: No data available

Reproductive toxicity:

No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

No specific information is available in our data base regarding the toxic effects of this material for humans. However, exposure to any chemical should be kept to a minimum. Always follow safe industrial hygiene practices and wear proper protective equipment when handling this compound.

Potential Health Effects:

No specific information available; skin and eye contact may result in irritatation. May be harmful if inhaled or ingested.

Aspiration hazard: May be fatal if swallowed and enters airways.

Target organ(s): No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish:No data availableCrustacea:No data availableAlgae:No data available

Persistence and degradability:

Bioaccumulative potential (BCF):

Mo data available

No data available

No data available

Partition coefficient:

No data available

n-octanol/water (log Pow)

Soil adsorption (Koc): No data available

Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan Petroleum Institute, Olefins Content 5vol% level (5ml*3)

TCI AMERICA

Page 5 of 6

12. ECOLOGICAL INFORMATION

Henry's Law: constant (PaM³/mol) No data available

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Observe all federal, state and local regulations when disposing of the substance.

DOT (US)

WN number: Proper Shipping Name: Class or Division: Packing Group:

UN1203 Gasoline 3 Flammable liquid II

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1203 Motor spirit 3 Flammable liquid II

<u>IMDG</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1203 Motor spirit 3 Flammable liquid II

EmS number: F-E, S-E

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

- (i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.
- (ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Not Listed SARA 302: Not Listed

State Regulations

State Right-to-Know

MassachusettsNot ListedNew JerseyNot ListedPennsylvaniaNot ListedCalifornia Proposition 65:Not Listed

Other Information

NFPA Rating:HMIS Classification:Health:2Health:2Flammability:3Flammability:3Instability:0Physical:0

International Inventories

WHMIS hazard class: B2: Flammable Liquid.

D2B: Materials causing other toxic effects. (Toxic)

D1A: Materials causing immediate and serious toxic effects. (Very Toxic)

16. OTHER INFORMATION

Revision date: 10/09/2015

Reference Material of Hydrocarbon Types in Gasoline by FIA Certified by The Japan Petroleum Institute, Olefins Content 5vol% level (5ml*3)

TCI AMERICA

Page 6 of 6

16. OTHER INFORMATION

Revision number: 2.2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.