Printing date 19.07.2013 Revision: 15.07.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Stock number

n-Dodecylzinc bromide, 0.5M in THF

1.2 Relevant identified uses of the substance or mixture and uses advised against. Identified use:

No further relevant information available. SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com www.alfa.com

Informing department: 1.4 Emergency telephone number:

www.ana.com
Product safety Tel + +049 (0) 7275 988687-0
Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS02 flame

H225 Highly flammable liquid and vapour. Flam. Liq. 2

Water-react. 2 H261 In contact with water releases flammable gases.

GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Xn; Harmful

R40: Limited evidence of a carcinogenic effect.

Xi; Irritant

R37: Irritating to respiratory system.

B F; Highly flammable

R11-15: Highly flammable. Contact with water liberates extremely flammable gases.

May form explosive peroxides. Information concerning particular hazards for human and environment:

Other hazards that do not result in

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

classification

No information known.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Signal word

The product is classified and labelled according to the CLP regulation. GHS02, GHS05, GHS07, GHS08

Danger

Hazard-determining components of

labelling:

Tetrahydrofuran

Hazard statements

Precautionary statements

Tetrahydrofuran n-Dodecylzinc bromide H225 Highly flammable liquid and vapour. H261 In contact with water releases flammable gases. H314 Causes severe skin burns and eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H335 May cause respiratory irritation. H336 May cause respiratory irritation. H337 P231+P232 Farable under inert gas. Protect from moisture. H338 P338+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. W305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

present and easy to do. Continue rinsing. Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

EUH019 May form explosive peroxides

Additional information:

2.3 Other hazards

Results of PBT and vPvB assessment PRT-

vPvB:

Not applicable. Not applicable.

DE/E (Contd. on page 2) Printing date 19.07.2013 Revision: 15.07.2013

Trade name n-Dodecylzinc bromide, 0.5M in THF

(Contd. of page 1)

SECTION 3: Composition/information of	on ingredients	
3.2 Mixtures		
Dangerous components:		
CAS: 109-99-9 EINECS: 203-726-8	Xn R40; Xi R36/37; F R11 R19 ♦ Flam. Lig. 2, H225; ♦ Carc. 2, H351; ♦ Eye Irrit. 2, H319; STOT SE 3, H335	84,3%
CAS: 869589-06-0 n-Dodecylzinc bromide	C R34; F R15 Water-react. 1, H260; Skin Corr. 1B, H314	15,7%
Additional information	None known.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information After inhalation

Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms

persist. Seek immediate medical advice.

After skin contact Instantly wash with water and soap and rinse thoroughly.

After eye contact After swallowing
4.2 Most important symptoms and effects,

both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor.

No further relevant information available No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing

agents
5.2 Special hazards arising from the

substance or mixture

Water

If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr)

Seek medical treatment.

Metal oxide

5.3 Advice for mens... Protective equipment: 5.3 Advice for firefighters

Wear self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to item 13. Dispose of contaminated material as waste according to item 13 Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

Prevention of secondary hazards:

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against

explosions and fires:

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Information about storage in one common storage facility:

Refrigerate

Store away from air.

Further information about storage

conditions:

Store away from all.
Protect from heat.
Store away from water.
Store away from strong bases.
Store away from oxidizing agents.

Store under dry inert gas.
This product is moisture sensitive.
This product is air sensitive.
Protect from humidity and keep away from water.
Avoid contact with air / oxygen (formation of peroxide).
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Refrigerate
Check container pressure periodically to prevent explosive peroxides.
No further relevant information available.

7.3 Specific end use(s)

DE/E (Contd. on page 3) Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2013 Revision: 15.07.2013

Trade name *n-Dodecylzinc bromide, 0.5M in THF*

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

109-99-9 Tetrahydrofuran (84,3%)

150 mg/m³, 50 ppm 2(I);DFG, EU, H, Y AGW (Germany)

PEL (USA) 590 mg/m3, 200 ppm REL (USA)

Short-term value: 735 mg/m³, 250 ppm Long-term value: 590 mg/m³, 200 ppm Short-term value: 295 mg/m³, 100 ppm Long-term value: 147 mg/m³, 50 ppm TLV (USA)

Ingredients with biological limit values:

109-99-9 Tetrahydrofuran (84,3%)

BGW (Germany) 2 mg/l

b Tetrahydrofuran

2 mg/L urine BEI (USA) end of shift

Tetrahydrofuran Additional information:

No data

8.2 Exposure controls Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Do not inhale dust/smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Breathing equipment: Protection of hands:

Impervious gloves

Material of gloves Penetration time of glove material Eye protection:

Not determined Tightly sealed safety glasses.

Full face protection Protective work clothing. **Body protection:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information

Appearance: Form:

Colour: Yellow to brown to black

Smell: Not determined Odour threshold: Not determined Not determined. pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Not determined Not determined

-17 °C (THF) Flash point: Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability: Not determined. 230 °C Not determined

Product is not selfigniting.

Danger of explosion:

May form explosive peroxides. Do not distill to dryness.

Critical values for explosion: Lower:

1,5 Vol % Upper: 12,0 Vol % 200 hPa Steam pressure at 20 °C: Density Not determined Relative density
Vapour density
Evaporation rate
Solubility in / Miscibility with
Water: Not determined. Not determined. Not determined.

Partition coefficient (n-octanol/water): Viscosity: dynamic:

Not determined. Not determined.

Not determined

Contact with water releases flammable gases

Solvent content: Organic solvents:

kinematic:

84,3 % 15,7 %

Solids content: 9.2 Other information No further relevant information available

SECTION 10: Stability and reactivity

10.1 Reactivity

In contact with water releases flammable gases which may ignite spontaneously. May form explosive peroxides.
Stable under recommended storage conditions.

10.2 Chemical stability

Thermal decomposition / conditions to be

avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 4)

(Contd. of page 3)

Printing date 19.07.2013 Revision: 15.07.2013

Trade name *n-Dodecylzinc bromide, 0.5M in THF*

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents Contact with water releases flammable gases Forms peroxides

10.5 Incompatible materials:

Bases Oxidizing agents

Heat Water/moisture 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrogen bromide Metal oxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product

LD/LC50 values that are relevant for classification:

109-99-9 Tetrahydrofuran Oral

LD50 1650 mg/kg (rat) Inhalative LC50/2H 72000 mg/m3/2H (rat)

Skin irritation or corrosion: Eye irritation or corrosion:

Sensitization: Germ cell mutagenicity: Causes severe skin burns.

Causes serious eye damage.
No sensitizing effect known.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this

Carcinogenicity:

Suspected of causing cancer.
EPA-S: Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker route(s) of autimistration, at site(s), or histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this product.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

No effects known.

Specific target organ system toxicity - repeated exposure: Specific target organ system toxicity - single

Reproductive toxicity:

exposure: Aspiration hazard:

Experience with humans:

May cause respiratory irritation.

No effects known.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Corrosive Irritant

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil

Additional ecological information: General notes:

No further relevant information available. No further relevant information available No further relevant information available

No further relevant information available

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow unditated produce or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: vPvB:

12.6 Other adverse effects

Not applicable.

Not applicable. No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

ADR, IMDG, IATA

14.2 UN proper shipping name

ADR IMDG, IATA UN3399

3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (n-Dodecylzinc bromide, TETRAHYDROFURAN) ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (n-Dodecylzinc bromide, TETRAHYDROFURAN)

14.3 Transport hazard class(es)

ADR



UN-Number

Class 4.3 (WF1) Substances which, in contact with water, emit flammable gases.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2013 Revision: 15.07.2013

ade name <i>n-Dodecylzinc bromide</i> ,	0.5M in THF
	(Contd. of page
Label IMDG, IATA	4.3+3
(b) (b)	
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3+3
Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number:	Warning: Substances which, in contact with water, emit flammable gases.
EMS Number:	F-G,S-M
14.7 Transport in bulk according to Ann Code	nex II of MARPOL73/78 and the IBC Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ):	E2
Excepted quantities (EQ): Limited quantities (LQ) Transport category	500 ml
Tunnel restriction code	Ď/E
UN "Model Regulation":	UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (n-Dodecylzinc bromide, TETRAHYDROFURAN), 4.3 (3), II
SECTION 15: Boardstory information	
SECTION 15: Regulatory information 15.1 Safety, health and environmental re-	egulations/legislation specific for the substance or mixture
Australian Inventory of Chemical Subst	
109-99-9 Tetrahydrofuran Standard for the Uniform Scheduling of	Druge and Paicone
None of the ingredients is listed.	Drugs and Poisons
National regulations Information about limitation of use:	For use only by technically qualified individuals
Classification according to VbF:	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. A I
Technical instructions (air):	Class Share in %
	NK 84,3
Water hazard class: Other regulations, limitations and prohi	Water hazard class 1 (Self-assessment): slightly hazardous for water.
ELINCS (European List of Notified Cher	nical Substances)
None of the ingredients is listed.	2) according to DEACH Article 57
Substances of very high concern (SVHO None of the ingredients are listed.) according to REACH, Article 57
REACH - Pre-registered substances	
109-99-9 Tetrahydrofuran 15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information Employers should use this information only	y as a supplement to other information gathered by them, and should make independent judgement of suitability o protect the health and safety of employees. This information is furnished without warranty, and any use of the pro-
this information to ensure proper use and in conformance with this Material Safe	protect the health and safety of employees. This information is furnished without warranty, and any use of the pro ty Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Relevant phrases	H225 Highly flammable liquid and vapour.
	H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage.
	H319 Causes serious eye irritation. H335 May cause respiratory irritation.
	H351 Suspected of causing cancer.
	R11 Highly flammable. R15 Contact with water liberates extremely flammable gases.
	R19 May form explosive peroxides. R34 Causes burns.
	R36/37 Irritating to eyes and respiratory system. R40 Limited evidence of a carcinogenic effect.
Department issuing SDS:	Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
Abbreviations and acronyms:	Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	R36/37 Irritating to eyes and respiratory system. R40 Limited evidence of a carcinogenic effect. Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent
	VDF. Vertorating uper prefittion of the resident Continuance on the storage of compustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose 50 percent
	LD50: Lethal dose, 50 percent — DF