

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 04/25/2017 Revision date 04/24/2017 Version 2

## 1 Identification

Product identifier

Product name: 2,4,6-Trimethylaniline

**Stock number:** A13049, L01684 **CAS Number:** 88-05-1

**EC number:** 201-794-3

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department
Fmergency telephone number:

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

### 2 Hazard(s) identification

## Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



## GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. H335 May cause respiratory irritation Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



# GHS06

Signal word Danger
Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.
H315 Causes skin irritation.
H379 Causes serious eye irritation.
H335 May cause respiratory irritation.

May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 1
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 88-05-1 2,4,6-Trimethylaniline

Concentration: ≤100%

(Contd. on page 2)

## Product name: 2,4,6-Trimethylaniline

Identification number(s): EC number: 201-794-3

(Contd. of page 1)

## 4 First-aid measures

## Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Seek Immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes skin irritation. Harmful if swallowed.

Causes serious eye irritation. Ḥarṃfu̯l in contact with skin.

Toxic if inhaled

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOX)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

### 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 0.26 ma/m3

PAC-1: 0.26 mg/m3 PAC-2: 2.9 mg/m3 PAC-3: 10 mg/m3

## 7 Handling and storage

Handling

Precautions for safe handling

Recautions for sale naturing
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

(Contd. on page 3)

Version 2

(Contd. of page 2)

## Product name: 2,4,6-Trimethylaniline

Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or Protection of hands:

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Butyl rubber, BR

Material of gloves Butyl rubber, BR

Penetration time of glove material (in minutes) 480
Glove thickness: 0.3 mm
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor:

Odor threshold:

Not determined Not determined.

Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

-5 °C (23 °F) 232-234 °C (450-453 °F)

Not determined

Flash point:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting:

96 °C (205 °F) Not determined Not determined

Auto igniting:

Not determined Not determined.

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density

Product does not present an explosion hazard.

Not determined

Not determined Not determined 0.962 g/cm³ (8.028 lbs/gal) Not determined.

Vapor density Evaporation rate Solubility in / Miscibility with

Not determined Not determined.

Not miscible or difficult to mix

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic:

Not determined.

kinematic: Other information

Not determined. No further relevant information available.

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong conditions agents

Conditions to succeed the further release to provide the succeeding the succeeding to specifications.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

## 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful in contact with skin. Harmful if swallowed. Toxic if inhaled.

Danger through skin absorption. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

## LD/LC50 values that are relevant for classification:

Oral LD50 743 mg/kg (rat)

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: The Registry of Toxic Enects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

IARC-3: Not classifiable as to carcinogenicity to humans.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

(Contd. on page 4)
USA

## Product name: 2,4,6-Trimethylaniline

(Contd. of page 3)

Subacute to chronic toxicity:
Absorption into the body may lead to the formation of methemoglobin, producing cyanosis, and marked fall in blood pressure leading to collapse, coma and possibly death. Onset may be delayed 2-4 hours or longer.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN2810
UN proper shipping name DOT ADR IMDG, IATA	Toxic, liquids, organic, n.o.s. (2,4,6-Trimethylaniline) 2810 Toxic, liquids, organic, n.o.s. (2,4,6-Trimethylaniline) TOXIC LIQUID, ORGANIC, N.O.S. (2,4,6-Trimethylaniline)
Transport hazard class(es)	
DOT	
Class Label ADR	6.1 Toxic substances 6.1
Class Label IMDG, IATA	6.1 (T1) Toxic substances 6.1
Class Label	6.1 Toxic substances 6.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Stowage Category Stowage Code	Warning: Toxic substances F-A,S-A A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	е пот арріїсаріе.
Transport/Additional information: DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2810 TOXIC, LIQUIDS, ORGANIC, N.O.S. (2,4,6-TRIMETHYLANILINE), 6.1, III

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

## Product name: 2,4,6-Trimethylaniline

#### Hazard pictograms

(Contd. of page 4)



Signal word Danger Hazard statements

H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breath

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Department Issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO: International Air Transport of Dangerous Goods
ICAO: International Air Transport of Dangerous Goods by Road)
ICAO: International Air Transport of Dangerous Goods by Road)
ICAO: International Air Transport of Dangerous Goods by Road)
ICAO: International Air Transport of Dangerous Goods
ICAO: International A