

# Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 02/08/2018 Revision date 02/07/2018 Version 1

1 Identification

Product identifier

Product name: 1,2-Dichlorobenzene

Stock number: 19385 CAS Number: 95-50-1 **EC number:** 202-425-9 Index number:

602-034-00-7
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department
Fmergency telephone number:

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid. Hazards not otherwise classified No information known.

Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning

Signal word warning
Hazard statements
H227 Combustible liquid.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
Eep away from the

Precautionary statements
P210 Keep away from flames and hot surfaces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMMING classification

WHMIS classification

B3 - Combustible liquid

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



FALTH P Health (acute effects) = 2
RE P Flammability = 2
Flammability = 1
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 95-50-1 1,2-Dichlorobenzene Concentration: ≤100%

(Contd. on page 2)

## Product name: 1,2-Dichlorobenzene

Identification number(s): EC number: 202-425-9 Index number: 602-034-00-7

(Contd. of page 1)

#### 4 First-aid measures

#### Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed

Causes skin irritation. Harmful if swallowed.

Causes serious eve irritation.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Hydrogen chloride (HCI)

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 50 ppm

PAC-2: 170 ppm

PAC-3: 1,000 ppm

## 7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Prevent formation of aerosols.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

95-50-1 1,2-Dichlorobenzene (100.0%)

Ceiling limit value: 300 mg/m³, 50 ppm PEL (USA) Ceiling limit value: 300 mg/m³, 50 ppm REL (USA) Short-term value: 301 mg/m³, 50 ppm Long-term value: 150 mg/m³, 25 ppm TLV (USA)

Short-term value: 50 ppm Long-term value: 25 ppm EL (Canada)

Short-term value: 50 ppm Long-term value: 25 ppm EV (Canada)

Additional information: No data

(Contd. on page 3)

## Product name: 1,2-Dichlorobenzene

(Contd. of page 2)

Version 1

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or Protection of hands:

Protection of hands:

Impervious gloves.
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Fluorocarbon rubber (Viton)
Penetration time of glove material (in minutes) 480

Glove thickness: 0.7 mm

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Liquid Pungent Not determined Odor: Odor threshold: pH-value: Not determined.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -18 °C (-0 °F) 180 °C (356 °F) Not determined

Flash point:

68 °C (154 °F) Not determined. 640 °C (1184 °F) Not determined Flammability (solid, gaseous)

Ignition temperature: Decomposition temperature: Auto igniting: Not determined

Danger of explosion: Explosion limits:

Lower: Upper:

2.2 Vol %

2.2 V01 /% 12 V01 /% 1.33 hPa (1 mm Hg) 1.306 g/cm³ (10.899 lbs/gal) Not determined.

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Not determined

Vapor density

Evaporation rate

Solubility in / Miscibility with

Water at 20 °C (68 °F):

Partition coefficient (n-octanol/water): Not determined.

Viscosity dynamic at 20 °C (68 °F): 1.32 mPas

kinematic: Other information

Not determined.

Not determined. No further relevant information available.

## 10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCI)

#### 11 Toxicological information

Information on toxicological effects Acute toxicity:

Acture toxicity. Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (rat)
Inhalative LC50/4H 8.15 mg/l/4H (rat)

Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: The Registry of Toxic Enects of Grishinal Gustainess (T. 125), standard transfer of Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

(Contd. (Contd.

(Contd. on page 4)

(Contd. on page 5)

DOT

IMDG

Quantity limitations Hazardous substance: Marine Pollutant (DOT):

Limited quantities (LQ)

# Version 1 Product name: 1,2-Dichlorobenzene (Contd. of page 3) The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: Additional ecological information. General notes: Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT. Not applicable PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN1591 UN proper shipping name DOT o-Dichlorobenzene ADR IMDG, IATA 1591 o-Dichlorobenzene o-DICHLOROBENZENE Transport hazard class(es) DOT 6.1 Toxic substances 6.1 Class Label ADR 900 6.1 (T1) Toxic substances Class Label IMDG, IATA 6.1 Toxic substances 6.1 Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Warning: Toxic substances F-A,S-A Special precautions for user EMS Number: Segregation groups Liquid halogenated hydrocarbons Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L 100 lbs, 45.4 kg

5L

### Product name: 1,2-Dichlorobenzene

	(Contd. of page 4)
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1591 O-DICHLOROBENZENE, 6.1, III

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning Hazard statements

Hazara statements
H227 Combustible liquid.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P210

P210 Keep away from flames and hot surfaces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/contains in accordance with a contact lense of contact

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Mational regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

## SARA Section 313 (specific toxic chemical listings)

#### 95-50-1 1.2-Dichlorobenzene California Proposition 65

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation

INTA: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
INTA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Destination, 50 percent
LD50: Lethal dose, 50 percent
COSHA: Occumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent, Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
INTP: National Toxicology Program (USA)
ARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Fiam. Lig. 4: Flammable liquids — Category 4
Acute Tox. 4: Acute toxicity — Category 4
Acute Tox. 4: Acute toxicity — Category 2
Eye Intl. 24: Serious eye damage/eye irritation — Category 2
Eye Intl. 24: Serious eye damage/eye irritation — Category 2
Eye Intl. 24: Serious eye damage/eye irritation — Category 2
Eye Intl. 24: Serious eye damage/eye irritation — Category 3