SAFETY DATA SHEET

Version 6.0 Revision Date 05/25/2018 Print Date 11/12/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : <|>o</>-Toluidine

Product Number : 45979

Brand : Sigma-Aldrich Index-No. : 612-091-00-X

CAS-No. : 95-53-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Serious eye damage (Category 1), H318

Carcinogenicity (Category 1B), H350

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger Hazard statement(s) H227 Combustible liquid. Toxic if swallowed or if inhaled. H301 + H331 H318 Causes serious eye damage. H350 May cause cancer. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to P370 + P378 extinguish. P391 Collect spillage. Store in a well-ventilated place. Keep container tightly closed. P403 + P233 Store in a well-ventilated place. Keep cool. P403 + P235

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Store locked up.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

P405

P501

Formula : C₇H₉N

Molecular weight : 107.15 g/mol

CAS-No. : 95-53-4

EC-No. : 202-429-0

Index-No. : 612-091-00-X

Hazardous components

Component	Classification	Concentration
o-Toluidine		
	Flam. Liq. 4; Acute Tox. 3; Eye Dam. 1; Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; H227, H301 + H331, H318, H350, H410	<= 100 %

Dispose of contents/ container to an approved waste disposal plant.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich- 45979 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

Sigma-Aldrich- 45979 Page 3 of 9

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Store under inert gas. Air sensitive.

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
	Remarks		Potential Occupational Carcinogen			
		See Appendix A				
		Potential for dermal absorption				
o-Toluidine	95-53-4	TWA	2.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Substances for which there is a Biological Exposure Index or Indices				
		(see BEI® s	for Methemoglobin Inducers			
		Confirmed animal carcinogen with unknown relevance to humans				
		Danger of co	utaneous absorption	on		
		TWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Substances	Substances for which there is a Biological Exposure Index or Indices			
			(see BEI® section), see BEI® for Methemoglobin Inducers			
		Confirmed a	Confirmed animal carcinogen with unknown relevance to humans			
		Danger of cutaneous absorption				
		TWA	5.000000 ppm	USA. Occupational Exposure Limits		
			22.000000	(OSHA) - Table Z-1 Limits for Air		
			mg/m3	Contaminants		
		Skin designation				
			The value in mg/m3 is approximate.			
		Potential Occupational Carcinogen				
			See Appendix A			
		Potential for	1			
		TWA	5 ppm	USA. Occupational Exposure Limits		
			22 mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
S		Skin designa	Skin designation			
		The value in mg/m3 is approximate.				
		PEL	2 ppm	California permissible exposure		
			9 mg/m3	limits for chemical contaminants		
			J	(Title 8, Article 107)		
		Skin				

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. **Personal protective equipment**

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: light yellow

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing

point

Melting point/range: -28 °C (-18 °F)

) Initial boiling point and boiling range

199 - 200 °C (390 - 392 °F) at 1013 hPa 89 - 90 °C (192 - 194 °F) at 15 hPa

g) Flash point 85 °C (185 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Lower explosion limit: 1.5 %(V)

flammability or explosive limits

k) Vapour pressure 0.88 hPa at 38 °C (100 °F)

0.35 hPa at 25 °C(77 °F)

I) Vapour density 3.7 - (Air = 1.0)
 m) Relative density 0.998 g/cm3
 n) Water solubility slightly soluble
 o) Partition coefficient: n- log Pow: 1.32

octanol/water

Sigma-Aldrich- 45979 Page 5 of 9

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 3.7 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 670 mg/kg

Remarks: Blood:Normocytic anemia. Blood:Pigmented or nucleated red blood cells. Blood:Methemoglobinemia-Carboxyhemoglobin.

LC50 Inhalation - Rat - 4 h - 862 ppm

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Cyanosis

LD50 Dermal - Rabbit - 3,244 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation - 24 h

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Found positive for carcinogenicity in EPA Genetox program.

Sigma-Aldrich- 45979 Page 6 of 9

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (o-Toluidine)

NTP: Known - Known to be human carcinogenThe reference note has been added by TD based on

the background information of the NTP. (o-Toluidine)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: XU2975000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC0 - Leuciscus idus melanotus - 30 mg/l - 48.0 h(o-Toluidine)

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0.31 - 0.86 mg/l - 48 h(o-Toluidine)

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 3.9 mg/l - 72 h(o-Toluidine)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Cyprinodontidae - 48 h

- 450 mg/l(o-Toluidine)

Bioconcentration factor (BCF): 2.2

12.4 Mobility in soil

No data available(o-Toluidine)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

Sigma-Aldrich- 45979 Page 7 of 9

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1708 Class: 6.1 Packing group: II

Proper shipping name: Toluidines, liquid Reportable Quantity (RQ) : 100 lbs

Marine pollutant: no

Poison Inhalation Hazard: No

ALL INNER PACKAGINGS MUST BE IN METAL CANS FOR FXG

IMDG

UN number: 1708 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: TOLUIDINES, LIQUID Marine pollutant: yesMarine pollutant: yes

IATA

UN number: 1708 Class: 6.1 Packing group: II

Proper shipping name: Toluidines, liquid

ALL INNER PACKAGINGS MUST BE IN METAL CANS FOR FX AIR

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

o-Toluidine CAS-No. Revision Date 95-53-4 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

o-Toluidine	95-53-4	2007-07-01
o-Toluidine	CAS-No. 95-53-4	Revision Date 2007-07-01
0-1 olululi le	93-33-4	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
o-Toluidine	95-53-4	2007-07-01

CAS-No.

Revision Date

o-Toluidine CAS-No. Revision Date 95-53-4 2007-07-01

o-Toluidine CAS-No. Revision Date 95-53-4 2007-07-01

Sigma-Aldrich- 45979 Page 8 of 9

New Jersey Right To Know Components

o-Toluidine CAS-No. Revision Date 95-53-4 2007-07-01

CAS-No.

Revision Date

o-Toluidine 95-53-4 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

o-Toluidine

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H227 Combustible liquid. H301 Toxic if swallowed.

H301 + H331 Toxic if swallowed or if inhaled. H318 Causes serious eye damage.

H331 Toxic if inhaled. H350 May cause cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.0 Revision Date: 05/25/2018 Print Date: 11/12/2018

Sigma-Aldrich- 45979 Page 9 of 9