



Page 1/6 Printing date 04/04/2017 Revision date 04/03/2017 Version 1

#### 1 Identification

Product identifier

Product name: o-Phenylenediamine

Stock number: A11946 CAS Number: 95-54-5 **EC number:** 202-430-6 Index number: 612-145-00-2

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

70 Annual Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. Carc. 2



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. **Hazards not otherwise classified** No information known.

#### Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS06 GHS08

## Signal word Danger

Signal word Danger
Hazard statements
H301 Toxic if swallowed.
H312+H332 Harmful in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.

H351 Suspected of causing cancer.

Precautionary statements
P201 Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P308+P313 IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

WHMIS classification
D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 1
Physical Hazard = 1

(Contd. of page 1)

## Product name: o-Phenylenediamine

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 95-54-5 o-Phenylenediamine Concentration: ≤100% Identification number(s): EC number: 202-430-6 Index number: 612-145-00-2

#### 4 First-aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes serious eye irritation.
Harmful if inhaled.
Harmful in contact with skin.

Toxic if swallowed. Suspected of causing cancer.

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

Nitrogen oxides (NOX)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 0.3 mg/m3

PAC-2: 35 mg/m3

PAC-3: 210 mg/m3

## 7 Handling and storage

Handling Precautions for safe handling

Headle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Intermation about storage in one common storage Store away from air.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert gas.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

## Product name: o-Phenylenediamine

(Contd. of page 2)

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

95-54-5 o-Phenylenediamine (100.0%)

TLV (USA) Long-term value: 0.1 mg/m<sup>3</sup> EL (Canada) Long-term value: 0.1 mg/m3

EV (Canada) Long-term value: 0.1 mg/m3

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes, and skip

Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480
Glove thickness: 0.11 mm
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Crvstals/flakes Not determined Odor:

Odor threshold:

Not determined. Not applicable

pH-value:

Flash point:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

100-103 °C (212-217 °F) 256-258 °C (493-496 °F)

Not determined

136 °C (277 °F) Not determined

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Not determined Not determined

Auto igniting:

Not determined

Not determined.

1.5 Vol % Not determined

Danger of explosion: Explosion limits: Lower: Upper:

Vapor pressure: Density at 20 °C (68 °F): Relative density

Not applicable. 1.27 g/cm³ (10.598 lbs/gal) Not determined.

Not applicable

Not applicable.

Vapor density
Vapor density
Evaporation rate
Solubility in / Miscibility with
\_ Water at 20 °C (68 °F):

Water at 20 °C (68 °F): 40 g/l Partition coefficient (n-octanol/water): Not determined.

Viscosity.

kinematic:

Not applicable.

Not applicable.

Other information

No further relevant information available.

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Air

Air
Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide

(Contd. on page 4)

## Product name: o-Phenylenediamine

(Contd. of page 3)

Version 1

## 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled.

Hamfull in contact with skin.

Toxic if swallowed.

Danger through skin absorption.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Ever irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity:
Suspected of causing genetic defects.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:

Carcinogenicity:
Suspected of causing cancer.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

## 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Vary toy's for aquatic organisms.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Trans	nort	inforn	nation

UN-Number DOT, IMDG, IATA	UN1673	
UN proper shipping name DOT ADR IMDG, IATA	Phenylenediamines 1673 Phenylenediamines PHENYLENEDIAMINES	
Transport hazard class(es)		

6.1 Toxic substances 6.1

٩

6.1 (T2) Toxic substances 6.1 Class Label IMDG. IATA

Class 6.1 Toxic substances 6.1

Packing group DOT, ADR, IMDG, IATA III

(Contd. on page 5)

Product name: o-Phenylenediamine				
	(Contd. of page 4)			
Environmental hazards:	Not applicable.			
Special precautions for user EMS Number: Stowage Category	Warning: Toxic substances F-A,S-A A			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
Transport/Additional information:				
DOT Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg			
Marine Pollutant (DOT):	No			
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g			
UN "Model Regulation":	UN 1673 PHENYLENEDIAMINES, 6.1, III			

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H301 Toxic if swallowed.
H312+H332 Harmful in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.

Precautionary statements
Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/va
Wear protective gloves/protective cloth

P201 Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/international regulations

P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) 95-54-5 o-Phenylenediamine

California Proposition 65

Prop 65 - Chemicals known to cause cancer

95-54-5 o-Phenylenediamine

95-34-5 O-Prenylenealamine
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
D50: Lethal dose, 50 percent
CSYHC: Substances of Very High Concern
VPWS: very Persistent, Bloaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicoology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

(Contd. on page 6)



Page 6/6 Printing date 04/04/2017 Revision date 04/03/2017 Version 1

# Product name: o-Phenylenediamine

Acute Tox. 3: Acute toxicity — Category 3 Acute Tox. 4: Acute toxicity — Category 4 Eye Irrit: 24: Serious eye damage/eye irritation — Category 2A Skin Sens. 1: Skin sensitisation — Category 1 Muta. 2: Germ cell mutageni

(Contd. of page 5)

USA