

# Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 05/17/2013

#### 1 Identification

Product identifier

Product name: 2,4-Dimethylaniline

Stock number: A17409 CAS Number:

95-68-1 **EC number:** 202-440-0 Index number: 612-027-00-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

## Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to the liver and the bladder through prolonged or repeated exposure. Route of exposure: Oral.

H227 Combustible liquid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





# GHS06 GHS08

# Signal word Danger

Hazard statements
H227 Combustible liquid.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H351 Suspected of causing cancer.
H373 May cause damage to the liver and the bladder through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/nation

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **WHMIS classification** 

B3 - Combustible liquid D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 2
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

#### Product name: 2,4-Dimethylaniline

(Contd. of page 1)

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 95-68-1 2,4-Dimethylaniline Identification number(s): EC number: 202-440-0 Index number: 612-027-00-0

#### 4 First-aid measures

#### Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOX)
Advice for firefighters

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

### 7 Handling and storage

Handling Precautions for safe handling

Reep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.

(Contd. on page 3)

#### Product name: 2,4-Dimethylaniline

(Contd. of page 2)

Recommended filter device for short term use:
Use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing.

### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Liquid

Colorless to yellow to red Not determined Color: Odor:

Odor threshold: Not determined. Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range:

16 °C (61 °F) 98-101 °C (208-214 °F) (11mm) Not determined

Sublimation temperature / start:

90 °C (194 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined Not determined.

Danger of explosion: Explosion limits: Lower:

Not determined Upper:

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density

Not determined 0.11 hPa 0.977 g/cm³ (8.153 lbs/gal) Not determined.

Vapor density Evaporation rate Solubility in / Miscibility with Not determined Not determined.

Water: Not determined Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic: Not determined.

Not determined Other information No further relevant information available.

#### 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide.

Carbon monoxide and carbon dioxide Nitrogen oxides

#### 11 Toxicological information

Information on toxicological effects
Acute toxicity:
Toxic in contact with skin.
Toxic if inhaled.

Toxic if swallowed

Toute in Swallowed. Danger through skin absorption. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

# LD/LC50 values that are relevant for classification:

Oral LD50 467 mg/kg (rat)

Oral LD50 | 467 mg/kg (rat)

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

Suspected of causing cancer.

IARC-3: Not classifiable as to carcinogenicity to humans.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

May cause damage to the liver and the bladder through prolonged or repeated exposure. Route of exposure: Oral.

Specific target organ system toxicity - single exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

#### Product name: 2,4-Dimethylaniline

Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT. Not applied to

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

| 14 Transport information                       |  |  |
|--|--|--|
| UN-Number<br>DOT, IMDG, IATA                   | UN1711   |  |
| UN proper shipping name<br>DOT<br>IMDG, IATA   | Xylidines, liquid<br>XYLIDINES, LIQUID                           |  |
| Transport hazard class(es)                     |  |  |
| DOT  |  |  |
| TODO   |  |  |
| Class<br>Label<br>Class<br>Label<br>IMDG, IATA | 6.1 Toxic substances.<br>6.1<br>6.1 (T1) Toxic substances<br>6.1 |  |

|   | 1 |    |   |   |
|---|---|----|---|---|
| 1 |   | ×  | 1 | Ų |
| 1 |   |    | 1 | Ì |
|   | J | w. | / |   |

6.1 Toxic substances. Class Label

Packing group DOT, IMDG, IATA

Environmental hazards: Environmentally hazardous substance, liquid

Special precautions for user EMS Number: Warning: Toxic substances F-A,S-A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT Marine Pollutant (DOT):

UN "Model Regulation": UN1711, Xylidines, liquid, 6.1, II

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements H227

Hāzard statements
H227 Combustible liquid.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H351 Suspected of causing cancer.
H373 May cause damage to the liver and the bladder through prolonged or repeated exposure. Route of exposure: Oral.

P361 May cause damage to the liver and the bladder through prolon Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not breathe dust/fume/gas/mist/vapours/spray.
P361 P361 Take off immediately all contaminated clothing.
P501 Dispose of contents/container in accordance with local/regional/nation.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

# Product name: 2,4-Dimethylaniline

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department Issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent UPVB: very Persistent and very Bioaccumulative PVPB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) NTP: National Toxicology Program (USA)

MRC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)