

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Catalog No.
L04770

Product Name: **2-Imidazolidinethione, 98%**
Synonyms: Ethylenethiourea

Manufacturer/Supplier Name: Alfa Aesar - A Johnson Matthey Company
Address: 30 Bond St.
Ward Hill, MA 01835

Business Phone: 978-521-6300
Business Fax: 978-521-6350
For information in North America, call: 978-521-6300

CHEMTREC Numbers:
For emergencies in the US, call CHEMTREC: 800-424-9300
For emergencies outside US, call INTERNATIONAL: (703)527-3887
For Nonemergency, call: (800)262-8200

[To Top of page](#)

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

Catalog No. L04770

Chemical Name 2-Imidazolidinethione
CAS# 96-45-7
% Weight (Typical) 98

[To Top of page](#)

SECTION 3 : HAZARDS IDENTIFICATION

Catalog No. L04770

Emergency Overview: Carcinogen. Reproductive effects. Mutagen. Irritant.

2-Imidazolidinethione:

Route of Exposure: Eyes.

Potential Health Effects:

Eye Contact: Causes eye irritation.

Skin Contact: Causes skin irritation.

Inhalation: Causes respiratory tract irritation.

Ingestion: No data

Target Organs: Eyes. Reproductive System. Liver. Thyroid.

[To Top of page](#)

SECTION 4 : FIRST AID MEASURES**Catalog No. L04770**

Eye Contact:	Immediately flush eyes with plenty of water for at least 20 minutes. Assure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention if irritation persists, or symptoms of overexposure become apparent.
Skin Contact:	Immediately wash skin with plenty of water for at least 20 minutes, while removing contaminated clothing and shoes. Get medical attention especially, if irritation develops, persists, or symptoms of overexposure become apparent.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Keep warm. Get immediate medical attention.
Ingestion:	If swallowed, call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed by medical personnel. Get medical attention.

[To Top of page](#)

SECTION 5 : FIRE FIGHTING MEASURES**Catalog No. L04770**

Flash Point:	252°C (485.6°F)
Extinguishing Media:	Use dry powder or carbon dioxide when fighting a fire involving this material.
Unsuitable Media:	Water extinguishers are not recommended.
Protective Equipment:	As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH (approved or equivalent) and full protective gear.

[To Top of page](#)

SECTION 6 : ACCIDENTAL RELEASE MEASURES**Catalog No. L04770**

Personal Precautions:	Use proper personal protective equipment as listed in section 8.
Spill Cleanup Measures:	Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Refer to section 13 for disposal requirements.
Environmental Precautions:	Do not allow material to enter drains or streams.

[To Top of page](#)

SECTION 7 : HANDLING and STORAGE**Catalog No. L04770**

Handling:	This product should be handled only by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals, who should take into account the fire, health and chemical hazard data. It should always be handled in an efficient fume hood or equivalent system. The user should consider that the toxicological and physiological properties of many compounds are not yet well determined and that new hazardous products may arise from reactions between chemicals. Care should be taken to prevent any chemical from coming into contact with the skin or eyes and from contaminating personal clothing.
Storage:	Store in a cool, dry, well ventilated area away from sources of heat and incompatible substances. Keep container tightly closed when not in use.
Hygiene Practices:	Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling dust.

[To Top of page](#)

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTIONCatalog No. L04770

Guideline Type: NIOSH REL-STEL
Guideline Information: Lowest feasible concentration.

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

Skin Protection Description: Wear suitable protective clothing to prevent contact with skin.

Hand Protection Description: Wear appropriate protective gloves. Consult glove manufacturers for glove permeability data.

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

Respiratory Protection: A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited to airborne concentrations that are typically within 10 times the exposure limit. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirators use.

Other Protective: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Ingredient Guidelines

Ingredient: 2-Imidazolidinethione

[To Top of page](#)

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIESCatalog No. L04770

Physical State/Appearance: Solid

Color: White

Flash Point: 252°C (485.6°F)

Boiling Point: No data

Melting Point: 197-200°C (386.6-392°F)

n-Octanol/water partition coefficient: -0.66

Solubility in Water: 20 g/L @ 30°C (86°F)

Density: No data

Molecular Formula: C₃H₆N₂S

Molecular Weight: 102.16

[To Top of page](#)

SECTION 10 : STABILITY and REACTIVITYCatalog No. L04770

Conditions to Avoid: High temperatures, flames and sparks.

Incompatibilities with Other Materials: Oxidizing agents.

Possible Decomposition Product: Carbon monoxide. Hydrogen cyanide, oxides of nitrogen. Sulphur dioxide.

[To Top of page](#)

SECTION 11 : TOXICOLOGICAL INFORMATIONCatalog No. L04770

2-Imidazolidinethione :

RTECS Number:	NI9625000
Eye Effect:	Eye - rabbit: 500 mg/24H; Mild irritation. (RTECS)**\$\$**
Skin Effects:	No data reported in the cited references as of the revision date.
Ingestion Effects:	Oral - rat LD50: 1832 mg/kg (RTECS); Oral - mouse LD50: 3 gm/kg (RTECS)
Inhalation Effects:	No data reported in the cited references as of the revision date.
Chronic Ingestion Effects:	Oral - rat TDLo: 220 mg/kg/7W-C Behavioral - food intake (animal) Endocrine - changes in thyroid weight Nutritional and Gross Metabolic - weight loss or decreased weight gain; Oral -rat TDLo: 3600 mg/kg/17W-C Endocrine - other changes Endocrine - changes in thyroid weight Nutritional and Gross Metabolic - weight loss or decreased weight gain; Oral -rat TDLo: 297 mg/kg/28D-C Endocrine - other changes Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol); Oral -rat TDLo: 764 mg/kg/90D-C Endocrine - other changes Endocrine - changes in thyroid weight Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol) (RTECS)
Carcinogenicity:	NIOSH Carcinogen. Reasonably anticipated to be a human carcinogen by NTP (NTP-R category). IARC-2B Carcinogen - Possibly Carcinogenic to Humans. Carcinogenic and equivocal tumorigenic agent by RTECS criteria.
Mutagenicity:	Mutation data reported. (RTECS).
Teratogenicity:	Teratogenic effects. (RTECS)
Reproductive Toxicity:	Reproductive effects. (RTECS); Reproductive effects: animal sufficient evidence. (Supplier data)
Other Toxicological Information:	Intraperitoneal - mouse LD50: 200 mg/kg

[To Top of page](#)

SECTION 12 : ECOLOGICAL INFORMATIONCatalog No. L04770

Ecotoxicity:	LC50 Semotilus atromaculatus 7000 mg/L/24H. Not expected to be harmful to aquatic organisms.
Bioaccumulation:	Not expected to bioaccumulate and/or bioconcentrate in aquatic organisms. Estimated BCF 2.3. Mobility: Not expected to persist in the environment.
Biodegradation:	Readily oxidised and biodegraded in soil and water, 100% after 21 days. Vapors are readily photodegradable in the atmosphere, estimated half-life 205 hours.
Environmental Stability:	No information provided.

[To Top of page](#)

SECTION 13 : DISPOSAL CONSIDERATIONSCatalog No. L04770

Waste Disposal:	Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines, by a licensed disposal company.
EPA Waste Number:	U116 for 2-Imidazolidinethione CAS Number: 96-45-7

[To Top of page](#)

SECTION 14 : TRANSPORT INFORMATIONCatalog No. L04770

DOT Shipping Name: Toxic solids, organic, n.o.s. (2-Imidazolidinethione)
DOT Hazard Class: 6.1
DOT Identification Number: UN2811
DOT Packing Group: III
DOT Subpart E Labeling Requirement: 6.1

[To Top of page](#)

SECTION 15 : REGULATORY INFORMATIONCatalog No. L04770

2-Imidazolidinethione :

TSCA 8(b): Inventory Status: Listed on the TSCA inventory.

TSCA 12(b): Export Notification None of the chemicals are listed under TSCA Section 12b.

Section 302 Extremely Hazardous Substances (RQ): CAS# 96-45-7: final RQ = 10 pounds (4.54 kg)

Section 112(r): Clean Air Act CAS# 96-45-7 is listed as a hazardous air pollutant (HAP). This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

State: 2-Imidazolidinethione can be found on the following state right to know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts. The following statement(s) is(are) made in order to comply with the California Safe Drinking Water Act: WARNING: This product contains 2-Imidazolidinethione, a chemical known to the state of California to cause cancer. WARNING: This product contains 2-Imidazolidinethione, a chemical known to the state of California to cause birth defects or other reproductive harm. California No Significant Risk Level: CAS# 96-45-7: no significant risk level = 20 ug/day

Risk Phrases: R61 May cause harm to the unborn child.
R22 Harmful if swallowed.

Safety Phrase: S53 Avoid exposure obtain special instructions before use.
S45 In case of accident or if you feel unwell, seek medical advice immediately

[To Top of page](#)

MSDS Preparation Date: January 1, 2002, Version 1

MSDS Revision Date: April 14, 2003.

MSDS Author: Actio Corporation.

Disclaimer:

This Health and Safety Information is correct to the best of our knowledge and belief at the date of its publication but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is reasonably practicable, that any revision of this Data Sheet is sent to all customers to whom we have directly supplied this substance, but must point out that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the ultimate user. The information given in the Data Sheet is designed only as a guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this data sheet. We welcome any additional information about our products that customers have obtained by personal experience.

References:

1. American Chemical Society, STN Easy Online Database
2. Brethericks Reactive Chemical Hazards Database. Version 2.
3. Gassarett and Doulls Toxicology, The Basic Science of Poisons.
4. Hawleys Condensed Chemical Dictionary, Thirteenth Edition
5. IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, WHO International Research on Cancer.
6. Industrial Hygiene and Toxicology, by F.A. Patty.
7. National Library of Medicine, Department of Health and Human Services, Hazardous Substances Data Bank (HSDB).
8. National Toxicology Program (NTP) Eighth Report on Carcinogens, 1997.
9. NIOSH Registry of Toxic Effects of Chemical Substances (RTECS) and Pocket Guide to Chemical Hazards.
10. OSHA Hazard Communication Standard, 1910.1200 and Z Tables.
11. Sax Dangerous Properties of Industrial Materials. Tenth Edition.
12. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company. Twelfth Edition 1998.
13. Threshold Limit Values for Chemical Substances and Physical Agents in the Work Environment and Biological Exposure Indices. TLV Booklet, 2001.