SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0 Revision Date 01/03/2009 Print Date 12/07/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 2',4'-Dimethylacetoacetanilide

Product Number : 537411 Brand : Aldrich

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C12H15NO2 Molecular Weight : 205.26 g/mol

CAS-No.	EC-No.	Index-No.	Concentration		
2',4'-Dimethylacetoacetanilide					
97-36-9	202-576-0	-	-		

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Harmful by ingestion.

Target Organs

Liver

HMIS Classification

Health Hazard: 1
Chronic Health Hazard: *
Flammability: 1
Physical hazards: 0

NFPA Rating

Health Hazard: 1 Fire: 1 Reactivity Hazard: 0

Potential Health Effects

InhalationSkinMay be harmful if inhaled. May cause respiratory tract irritation.May be harmful if absorbed through skin. May cause skin irritation.

Sigma-Aldrich Corporation www.sigma-aldrich.com Page 1 of 5

Eyes May cause eye irritation. **Ingestion** Harmful if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 171 °C (340 °F) - closed cup

Ignition temperature 524 °C (975 °F)

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions

Do not let product enter drains.

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. For prolonged or repeated contact use protective gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder
Colour off-white

Safety data

pH no data available

Melting point 89 - 91 °C (192 - 196 °F)

Boiling point 265 °C (509 °F) at 1.013 hPa (760 mmHg)

Flash point 171 °C (340 °F) - closed cup

Ignition temperature 524 °C (975 °F)

Lower explosion limit no data available

Upper explosion limit no data available

Density 1.240 g/cm3

Water solubility no data available

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 800 mg/kg

Irritation and corrosion

Skin - rabbit - No skin irritation Eyes - rabbit - Mild eye irritation

Sensitisation

no data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Harmful if swallowed.

Target Organs Liver,

Additional Information RTECS: AK4585000

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Biodegradability Biotic/Aerobic

Result: 95 % - Readily biodegradable.

Ecotoxicity effects

Toxicity to fish LC50 - Brachydanio rerio (zebra fish) - 250 - 350 mg/l - 96 h

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Harmful by ingestion.

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

2',4'-Dimethylacetoacetanilide	97-36-9	1991-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
2',4'-Dimethylacetoacetanilide	97-36-9	1991-07-01
New Jersey Right To Know Components		
014175; 41-1-4-4-4-1111	CAS-No.	Revision Date
2',4'-Dimethylacetoacetanilide	97-36-9	1991-07-01

0 4 0 AL

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.