Revision: 21.06.2012 Printing date 02.07.2013 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name Phenylmagnesium bromide, 3M in 2-MeTHF Stock number 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development 1.3 Details of the supplier of the safety data sheet Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com Manufacturer/Supplier: www.alfa.com www.arra.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 Informing department: 1.4 Emergency telephone number: SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🕰 C; Corrosive Causes burns. R34: B F; Highly flammable Highly flammable. R11: Reacts violently with water. May form explosive peroxides. R14-19: Information concerning particular hazards The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. for human and environment: Other hazards that do not result in classification No information known. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. GHS02, GHS05 Danger Hazard pictograms Signal word Hazard-determining components of henylmagnesium bromide labelling: Henyimagnesium broninge
H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin Hazard statements Precautionary statements with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
EUH014 Reacts violently with water. Additional information: 2.3 Other hazards Results of PBT and vPvB assessment PBT: EUH019 May form explosive peroxides. Not applicable. vPvB: SECTION 3: Composition/information on ingredients 3.2 Mixtures **Dangerous components:** CAS: 100-58-3 54.3% Phenylmagnesium bromide C R34 Skin Corr. 1B, H314
F R11
R19 45,7% AS: 96-47-9 2-Methyltetrahydrofuran EINECS: 202-507-4 Flam. Liq. 2, H225 Additional information None known SECTION 4: First aid measures 4.1 Description of first aid measures Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Seek immediate medical advice. General information After inhalation

After eve contact

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical tréatment.

Instantly wash with water and soap and rinse thoroughly. After skin contact Seek immediate medical advice

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available

(Contd. on page 2)

(Contd. of page 1)

Printing date 02.07.2013 Revision: 21.06.2012

Trade name Phenylmagnesium bromide, 3M in 2-MeTHF

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents
For safety reasons unsuitable extinguishing

5.2 Special hazards arising from the substance or mixture

Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide

Hydrogen bromide (HBr)

Metal oxide

5.3 Advice for firefighters Protective equipment:

Wear self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

6.3 Methods and material for containment

and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.

Prevention of secondary hazards: 6.4 Reference to other sections

Dispose of contaminated material as waste according to item 13 Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Keep away from ignition sources.

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Do not distill to dryness. Explosive peroxides may form, handle container cautiously.

.2 Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and containers:

Information about storage in one common

storage facility:

Store in cool location.

Store away from air. Store away from water. Store away from strong bases. Store away from oxidizing agents.

Further information about storage

conditions:

Store under dry inert gas.
This product is moisture sensitive.
This product is air sensitive.
Protect from humidity and keep away from water.
Store in cool, dry conditions in well sealed containers.
Avoid contact with air / oxygen (formation of peroxide).
Store in a locked cabinet or with access restricted to technical experts or their assistants.

Check container pressure periodically to prevent explosive peroxides. No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require

monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

8.2 Exposure controls

Breathing equipment: Protection of hands:

Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

and varies from manufacturer to manufacturer.

Material of gloves Penetration time of glove material Impervious gloves Not determined

Eye protection:

Tightly sealed safety glasses. Full face protection

(Contd. on page 3)

Printing date 02.07.2013 Revision: 21.06.2012

Trade name Phenylmagnesium bromide, 3M in 2-MeTHF

Body protection: Protective work clothing.

Not determined.

Not determined.

Reacts violently Not determined.

Not determined.

(Contd. of page 2)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information

Appearance: Form:

Liauid Colour: Not determined. Smell: Not determined Odour threshold: Not determined

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature: Not determined Not determined Not determined Not determined. Not determined Not determined

Decomposition temperature: Self-inflammability: Product is not selfigniting.

May form explosive peroxides. Do not distill to dryness. Danger of explosion:

Critical values for explosion: Not determined Upper: Not determined Steam pressure: Density Relative density Not determined Not determined Not determined. Not determined.

Vapour density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):

Viscosity: dynamic:

kinematic: Not determined Solvent content: Organic solvents: 0.0 %

54,3 % Solids content:

9.2 Other information No further relevant information available

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

10.3 Possibility of hazardous reactions

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Reacts violently with water. May form explosive peroxides. Stable under recommended storage conditions.

No decomposition if used and stored according to specifications. Reacts with strong oxidizing agents
Reacts violently with water

Forms peroxidés

Air Bases

Oxidizing agents
Water/moisture
Carbon monoxide and carbon dioxide

Hydrogen bromide Metal oxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

esophaguš and stomach.

LD/LC50 values that are relevant for classification:

96-47-9 2-Methyltetrahydrofuran

4500 mg/kg (rabbit) Dermal LD50 Inhalative LC50/4H 6000 ppm/4H (rat)

Skin irritation or corrosion: Eye irritation or corrosion: Causes severe skin burns. Causes serious eye damage. Sensitization: Germ cell mutagenicity: No sensitizing effect known. No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA

or ACGIH.

No effects known. Reproductive toxicity:

Specific target organ system toxicity repeated exposure: Specific target organ system toxicity - single No effects known.

exposure: Aspiration hazard: No effects known No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Corrosive

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential No further relevant information available. No further relevant information available. No further relevant information available. 12.4 Mobility in soil No further relevant information available.

Additional écological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 4)

Printing date 02.07.2013 Revision: 21.06.2012

Trade name Phenylmagnesium bromide, 3M in 2-MeTHF

(Contd. of page 3) Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

vPvR-

12.6 Other adverse effects

Not applicable. Not applicable. No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA UN2924

14.2 UN proper shipping name ADR

2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. FLAMMABLE LIQUID, CORROSIVE, N.O.S. IMDG, IATA

14.3 Transport hazard class(es)

ADR





Class Label IMDG, IATA 3 (FC) Flammable liquids.



Label

3 Flammable liquids. 3+8

Packing group ADR, IMDG, IATA

Ш

14.5 Environmental hazards: Marine pollutant:

14.6 Special precautions for user

Warning: Flammable liquids. 338

Kemler Number:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Not applicable.

Transport/Additional information:

ADR

E2

Excepted quantities (EQ): Limited quantities (LQ) Transport category
Tunnel restriction code

1L

D/E

UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances

96-47-9 2-Methyltetrahydrofuran

Standard for the Uniform Scheduling of Drugs and Poisons

None of the ingredients is listed

National regulations Information about limitation of use:

Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals. Not applicable

Classification according to VbF:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Water hazard class: Water hazard Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances) None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

REACH - Pre-registered substances

All ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other informationEmployers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases

H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage.

Highly flammable.

Reacts violently with water. May form explosive peroxides.

R19 May form explosive peroxides.
R34 Causes burns.

Department issuing data specification sheet: Health, Safety and Environmental Department.
Abbreviations and acronyms:

ABR: Accord evropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDE: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page to DE/E

Printing date 02.07.2013 Revision: 21.06.2012

Trade name Phenylmagnesium bromide, 3M in 2-MeTHF

(Contd. of page 4)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

DE/E