



# N-Butyl Lithium 1.6M in Hexane CAS No 109-72-8

# MATERIAL SAFETY DATA SHEET SDS/MSDS

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : N-Butyl Lithium 1.6M in Hexane

CAS-NO : 109-72-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House New Delhi-10002

**INDIA** 

Telephone : +91 11 49404040

Email : <u>care@cdhfinechemical.com</u>

1.4 Emergency telephone number

Emergency Phone # +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Pyrophoric liquids (Category 1), H250

Substances and mixtures, which in contact with water, emit flammable gases (Category 2), H261

Skin corrosion (Category 1B), H314

Reproductive toxicity (Category 2), H361f

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H250 Catches fire spontaneously if exposed to air.
H261 In contact with water releases flammable gases.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.

H336 May cause drowsiness or dizziness.
H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P222 Do not allow contact with air.

P231 + P232 Handle under inert gas. Protect from moisture.

P261 Avoid breathing vapours.

P273 Avoid release to the environment. P422 Store contents under inert gas.

Supplemental Hazard information (EU)

EUH014 Reacts violently with water.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Reacts violently with water.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Synonyms : Lithium-1-butanide

n-BuLi

n-BuLi n-Butyllithium solution Butyl lithium Lithium-1-butanide

Formula : C4H9Li Molecular weight : 64.06 g/mol

## Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Hexanes, isomers

CAS-No. 92112-69-1 Flam. Liq. 2; Skin Irrit. 2; Repr. >= 80 - < 90 %

2; STOT SE 3; STOT RE 2; Asp. Tox. 1; Aquatic Chronic 2; H225, H315, H361f, H336,

H373, H304, H411

Butyllithium

CAS-No. 109-72-8 Pyr. Sol. 1; Water-react. 2; >= 10 - < 20 %

EC-No. 203-698-7 Skin Corr. 1B; H250, H261,

H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Lithium oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not flush with water. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Recommended storage temperature 2 - 8 °C

Handle under nitrogen, protect from moisture. Reacts violently with water.

Storage class (TRGS 510): Pyrophoric and self-heating hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

h) Evaporation rate

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	-26 °C - closed cup

No data available

i) Flammability (solid, gas) No data availablej) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 0.68 g/cm3 at 25 °Cn) Water solubility No data available

o) Partition coefficient: noctanol/water

No data available

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Reacts violently with water.

# 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to moisture

## 10.5 Incompatible materials

Strong oxidizing agents, Reacts violently with water., Chlorine, Fluorine, Perchlorates.

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Lithium oxides Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

# Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, Aspiration or inhalation may cause chemical pneumonitis., pulmonary edema, Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., Lung irritation, chest pain, Gastrointestinal disturbance, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Warning: contains n-hexane (CAS#110-54-3) a suspected neurotoxin., May cause nervous system disturbances.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

## 14.1 UN number

ADR/RID: 3394 IMDG: 3394 IATA: 3394

# 14.2 UN proper shipping name

ADR/RID: ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

(Butyllithium, Hexanes, isomers)

IMDG: ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

(Butyllithium, Hexanes, isomers)

Organometallic substance, liquid, pyrophoric, water-reactive (Butyllithium, Hexanes, isomers) IATA:

Passenger Aircraft: Not permitted for transport Cargo Aircraft: Not permitted for transport

## 14.3 Transport hazard class(es)

ADR/RID: 4.2 (4.3) IMDG: 4.2 (4.3) IATA: 4.2 (4.3)

14.4 Packaging group

IATA: -ADR/RID: I IMDG: I

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### 14.6 Special precautions for user

No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

EUH014 H225 H250 H261 H304 H314	Reacts violently with water. Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage.
H315 H336 H361f H373 H411	Causes skin irritation.  May cause drowsiness or dizziness.  Suspected of damaging fertility.  May cause damage to organs through prolonged or repeated exposure if inhaled.  Toxic to aquatic life with long lasting effects.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.