Safety Data Sheet acc. to OSHA HCS



Page 1/6 Printing date 03/07/2018 Revision date 03/02/2018 Version 2

1 Identification

Product identifier

Product name: Diethylamine

Stock number: A11716 CAS Number: 109-89-7 EC number: 203-716-3 Index number:

filder filmiser. 612-003-00-X Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier. Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms









Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapor. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

H314 Causes Precautionary statements

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260

Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B2 - Flammable liquid

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 3
VIY1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

Product name: Diethylamine

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 109-89-7 Diethylamine Concentration: ≤100% Identification number(s): EC number: 203-716-3 Index number: 612-003-00-X

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed.

Harmful if inhaled. Harmful in contact with skin.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Advice for firefighters

Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Keep away from ignition sources

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 15 ppm

PAC-2: 330 ppm

PAC-3: 2000* ppm

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility:
Store away from air.
Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas. This product is air sensitive.

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

HSA

Product name: Diethylamine

(Contd. of page 2)

Version 2

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

109-89-7 Diethylamine (100.0%)
PEL (USA) | Long-term value: 75 mg/m³, 25 ppm

REL (USA)

Short-term value: 75 mg/m³, 25 ppm Long-term value: 30 mg/m³, 10 ppm Short-term value: 45 mg/m³, 15 ppm Long-term value: 15 mg/m³, 5 ppm TLV (USA)

Skiň

EL (Canada)

Short-term value: 15 ppm Long-term value: 5 ppm Skin

Short-term value: 15 ppm Long-term value: 5 ppm EV (Canada)

Additional information: No data

Exposure controls

Use a respirator with multi-purpose combination (US) or type AXBEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves
Check protection of values.
Impervious gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Fluorocarbon rubber (Viton)

Eye protection:
Tightly sealed goggles

Full face protection

Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information Appearance: Form:

Odor: Ammonia-like Odor threshold: Not determined.

pH-value: Not determined. Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -50 °C (-58 °F) 54-55 °C (129-131 °F) Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

-28 °C (-18 °F) Not determined 310 °C (590 °F) Not determined

Auto igniting:

Not determined. Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Danger of explosion: Explosion limits: Lower: Upper:

1.7 Vol % 10.1 Vol % 260 hPa (195 mm Hg) 0.706 g/cm³ (5.892 lbs/gal) Not determined.

Upper:
Vapor pressure at 20 °C (68 °F):
Density at 20 °C (68 °F):
Relative density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F):

Not determined Not determined.

Water at 20 °C (68 °F): 815 g/l Fully miscible Partition coefficient (n-octanol/water): Not determined. Viscosity.

Not determined

dynamic: kinematic: Other information

Not determined. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Diethylamine

Incompatible materials:

Air
Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful in contact with skin.

Harmful if confact with Skin.
Harmful if swallowed.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

LD50 540 mg/kg (rat) Oral LD50 580 mg/kg (rabbit) Dermal

Inhalative LC50/4H 12167 mg/m3/4H (rat)

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen: Inadeguate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, IMDG, IATA

UN proper shipping name DOT

ADR IMDG, IATA

UN1154

Diethvlamine 1154 Diethylamine DIETHYLAMINE

3 Flammable liquids 3, 8

Transport hazard class(es)

DOT

















3 (FC) Flammable liquids 3+8

3 Flammable liquids

(Contd. on page 5)

Product name: Diethylamine	
	(Contd. of page 4)
Label IATA	3/8
Class Label	3 Flammable liquids 3 (8)
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-C
Stowage Category	E
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information: DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
Hazardous substance:	On cargo aircraft only: 5 L 100 lbs, 45.4 kg
Marine Pollutant (DOT):	No '
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1154 DIETHYLAMINE, 3 (8), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS05 GHS07

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapor. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)

(Contd. on page 6)



Page 6/6 Printing date 03/07/2018 Revision date 03/02/2018 Version 2

Product name: Diethylamine

NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Lig. 2: Flammable liquids — Category 2
Acute Tox. 4: Acute toxicity — Category 4
Skin Corr. 1A: Skin corrosion/irritation — Category 1A

(Contd. of page 5)

USA