according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

ROTH

Calcium acetate hydrate ≥99 %, USP, extra pure

article number: **0260** date of compilation: 2015-08-14 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Calcium acetate hydrate

Article number 0260

Registration number (REACH) 01-2119987569-11-xxxx

EC number 200-540-9

CAS number 114460-21-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

: Department Health, Safety and Environment

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

Signal word not required

United Kingdom (en) Page 1 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Calcium acetate hydrate

Registration number (REACH) 01-2119987569-11-xxxx

EC number 200-540-9

CAS number 114460-21-8

Molecular formula $C_4H_6CaO_4*xH_2O$

Molar mass $158,2^{9}/_{mol}^{*} X H_{2}0$

Remarks

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 2 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 3 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Hygroscopic solid.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Not required.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of agent | CAS No | Notation | Identifier | TWA [mg/m³] | STEL [mg/m³] | Source |
|--------------|---------------|--------|----------|------------|----------------|-----------------|-----------|
| UK | dust | | i | WEL | 10 | | EH40/2005 |
| UK | dust | | r | WEL | 4 | | EH40/2005 |

Notation

i Inhalable fractionr Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|-------------------------|------------------------------------|-------------------|----------------------------|
| DNEL | 69,44 mg/kg | human, dermal | worker (industry) | acute - systemic effects |
| DNEL | 6.122 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 11,57 mg/kg | human, dermal | worker (industry) | chronic - systemic effects |

United Kingdom (en) Page 4 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

environmental values

| Endpoint | Threshold level | Environmental compartment | Exposure time |
|----------|-----------------|------------------------------|------------------------------|
| PNEC | 0,964 mg/l | freshwater | short-term (single instance) |
| PNEC | 0,0964 mg/l | marine water | short-term (single instance) |
| PNEC | 0,7 g/l | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 0,726 mg/kg | freshwater sediment | short-term (single instance) |
| PNEC | 0,0726 mg/kg | marine sediment | short-term (single instance) |
| PNEC | 0,154 mg/kg | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)







Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

· type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm.

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 5 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid (crystalline)

Colour colourless

Odour faintly perceptible like: Acetic acid

Odour threshold No data available

Other physical and chemical parameters

pH (value) $6,3 - 9,6 \text{ in } 50^{9}/_{1} \text{ water at } 20 ^{\circ}\text{C}$

Melting point/freezing point not determined

Initial boiling point and boiling range This information is not available.

Flash point not applicable

Evaporation rate no data available

Flammability (solid, gas)

Non-flammable

Explosive limits

• lower explosion limit (LEL) (250 g/m³)

upper explosion limit (UEL)
 this information is not available

Explosion limits of dust clouds these information are not available

Vapour pressure This information is not available.

Density $1,5^{9}/_{cm^3}$

Vapour density This information is not available.

Bulk density 400 kg/m³

Relative density Information on this property is not available.

Solubility(ies)

Water solubility 300 ⁹/₁ at 100 °C

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature 680 °C

Decomposition temperature >160 °C

Viscosity not relevant (solid matter)

United Kingdom (en) Page 6 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

Explosive properties none

Oxidising properties none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Acids

10.4 Conditions to avoid

Keep away from heat. - Decompostion takes place from temperatures above: >160 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Exposure route | Endpoint | Value | Species |
|----------------|----------|------------------------------------|---------|
| oral | LD50 | 4280 ^{mg} / _{kg} | rat |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

United Kingdom (en) Page 7 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

· Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

· If swallowed

data are not available

• If in eves

causes slight to moderate irritation

If inhaled

data are not available

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

None.

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|---------------------------------|----------------|--------|---------------|
| EC50 | 7,2 ⁹ / _I | microorganisms | ECHA | 16 h |

12.2 Process of degradability

The substance is readily biodegradable. Theoretical Oxygen Demand: 0,7081 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,113 ^{mg}/_{mg}

| Process | Degradation rate | Time |
|-------------|------------------|------|
| DOC removal | 86 % | 7 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

United Kingdom (en) Page 8 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Slightly hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| 14.1 | UN number | (not subject to transport regulations) |
|------|-----------|--|
|------|-----------|--|

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) not relevant

Class

14.4 Packing group not relevant

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous

goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

United Kingdom (en) Page 9 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)
 Not listed.
- Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 10 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Calcium acetate hydrate ≥99 %, USP, extra pure

article number: 0260

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EH40/2005 | EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| vPvB | very Persistent and very Bioaccumulative |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EÚ GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

not relevant.

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 11 / 11