according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: **5636** date of compilation: 2015-06-23 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Article number 5636

Registration number (REACH)

This information is not available.

Index No 033-004-00-6

EC number 215-116-9

CAS number 12044-50-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

and uses advised against

laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data

sheet

: Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS Section Hazard class and cat-**Hazard class** Hazard stateegory ment 3.10 (Acute Tox. 3) H301 acute toxicity (oral) 3.11 acute toxicity (inhal.) (Acute Tox. 3) H331 (Carc. 1A) H350 3.6 carcinogenicity H400 4.1A (Aquatic Acute 1) hazardous to the aquatic environment - acute hazard

United Kingdom (en) Page 1 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 1)	H410

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms







Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Precautionary statements - response

P304+P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: get medical advice/attention.

Precautionary statements - storage

P405 Store locked up.

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







United Kingdom (en) Page 2 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

H301+H331 Toxic if swallowed or if inhaled.

H350 May cause cancer.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P281 Use personal protective equipment as required.

P304+P340 IF INHALED: remove person to fresh air and keep at rest in a position comfortable for breathing.

P308+P313 IF exposed or concerned: get medical advice/attention.

P405 Store locked up.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Arsenic(V) oxide hydrate

Index No 033-004-00-6

EC number 215-116-9

CAS number 12044-50-7

Molecular formula As₂O₅ * H₂O

Molar mass 247,9 ⁹/_{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider. Take off immediately all contaminated clothing.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

United Kingdom (en) Page 3 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

4.2 Most important symptoms and effects, both acute and delayed

Pulmonary oedema, Cough, Nausea, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

non-combustible.

Hazardous combustion products

May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Control of dust. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

United Kingdom (en) Page 4 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Do not to eat, drink and smoke in work areas. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	Notation	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
UK	dust	i	WEL	10		EH40/2005
UK	dust	r	WEL	4		EH40/2005
UK	arsenic compounds	As	WEL	0,1		EH40/2005

Notation

As Calculated as As (arsenic) i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average

United Kingdom (en) Page 5 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

8.2 Exposure controls

Individual protection measures (personal protective equipment)







Eye/face protection

Use safety goggle with side protection.

Skin protection

· hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

· type of material

NBR (Nitrile rubber)

material thickness

0.4 mm.

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid (powder)

Colour white

Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point 315 °C

Initial boiling point and boiling range

This information is not available.

United Kingdom (en) Page 6 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

Flash point not applicable

Evaporation rate no data available

Flammability (solid, gas)

Non-flammable

Explosive limits

lower explosion limit (LEL)
 this information is not available

• upper explosion limit (UEL) this information is not available

Explosion limits of dust clouds these information are not available

Vapour pressure This information is not available.

Density $4,32 \, {}^{9}/_{cm^3}$ at 25 $\, {}^{\circ}\text{C}$

Vapour density This information is not available.

Relative density Information on this property is not available.

Solubility(ies)

Water solubility $660^{9}/_{1}$ at 20 °C

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature Information on this property is not available.

Viscosity not relevant (solid matter)

Explosive properties none

Oxidising properties none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 7 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

10.3 Possibility of hazardous reactions

Violent reaction with: Reducing agents, Acids

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

aluminium, zinc

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data available.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes slight to moderate irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Carcinogenicity:

May cause cancer.

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, gastrointestinal complaints

• If inhaled

pulmonary oedema

• If on skin

data are not available

United Kingdom (en) Page 8 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

Other information

This information is based upon the present state of our knowledge.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	30,5 ^{mg} / _I	fish	GESTIS	96 hours

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Strongly hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulation.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 9 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

SECTION 14: Transport information

14.1 UN number **1559**

14.2 UN proper shipping name ARSENIC PENTOXIDE

14.3 Transport hazard class(es)

Class 6.1 (toxic substances)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1559

Proper shipping name ARSENIC PENTOXIDE

Particulars in the transport document UN1559, ARSENIC PENTOXIDE, 6.1, II, (D/E), envir-

onmentally hazardous

Class 6.1

Classification code T5

Packing group II

Danger label(s) 6.1 + "fish and tree"



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E4

Limited quantities (LQ) 500 g

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 60

United Kingdom (en) Page 10 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

International Maritime Dangerous Goods Code (IMDG)

UN number 1559

Proper shipping name ARSENIC PENTOXIDE

Particulars in the shipper's declaration UN1559, ARSENIC PENTOXIDE, (diarsenic pentaox-

ide), 6.1, II, MARINE POLLUTANT

Class 6.1

Marine pollutant yes (hazardous to the aquatic environment)

Packing group II

Danger label(s) 6.1 + "fish and tree"



Special provisions (SP)

Excepted quantities (EQ) E4

Limited quantities (LQ) 500 g

EmS F-A, S-A

Stowage category A

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
- Regulation 850/2004/EC on persistent organic pollutants (POP)
 Not listed.
- List of substances subject to authorisation (REACH, Annex XIV) not listed
- Seveso Directive

96/82/EC (Seveso II)				
No	Dangerous substance/hazard categories	Qualifying qua	ntity (tonnes)	Notes
1	very toxic	5	20	

United Kingdom (en) Page 11 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

2012/18/EU (Seveso III) Qualifying quantity (tonnes) for the application of lower and upper-tier require-No Dangerous substance/hazard categories **Notes** ments H2 acute toxic (cat. 2 + cat. 3, inhal.) 50 200 41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

United Kingdom (en) Page 12 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Arsenic(V) oxide hydrate ROTI®METIC 99,999 % (5N)

article number: 5636

Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	toxic if swallowed
H331	toxic if inhaled
H350	may cause cancer
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 13 / 13