

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.5 Revision Date 24.02.2021 Print Date 08.11.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Adipic acid

Product Number : A26357 Brand : Sigma

Index-No. : 607-144-00-9

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 124-04-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich (Shanghai) Trading Co.Ltd.

509 Renging Road

Zhangjiang High Tech East Park, Pudong

SHANGHAI

201201 SHANGHAI

CHINA

Telephone : +86 21 6141-5566 Fax : +86 21 6141-5567

1.4 Emergency telephone

Emergency Phone # : +86 532 83889090

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Sigma- A26357 Page 1 of 10



Signal word Warning

Hazard statement(s)

H319 Causes serious eye irritation.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Warning
Hazard statement(s) none
Precautionary none

statement(s)

Supplemental Hazard

Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : Hexanedioic acid

ADI-PURE® high purity adipic acid ADI-PURE® LGA adipic acid

Component		Classification	Concentration
adipic acid			
CAS-No. EC-No. Index-No.	124-04-9 204-673-3 607-144-00-9	Eye Irrit. 2; H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## **5.4** Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.



Sigma- A26357 Page 3 of 10

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

No data available

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

# **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Sigma- A26357 Page 4 of 10



Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

protective clothing

## Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odor odorless

c) Odor Threshold No data available

2,7 at 23 g/l at 25 °C d) pH

e) Melting Melting point/range: 151 - 154 °C - lit.

point/freezing point

f) Initial boiling point 265 °C at 133 hPa - lit.

and boiling range

g) Flash point 196 °C - closed cup h) Evaporation rate No data available

Flammability (solid, May form combustible dust concentrations in air.

gas)

Upper/lower No data available j)

Sigma- A26357 Page 5 of 10



flammability or explosive limits

k) Vapor pressure 0,097 hPa at 18,5 °C

I) Vapor density 5,04

m) Relative density 1,36 at 25 °C n) Water solubility 15 g/l at 20 °C

o) Partition coefficient: log Pow: 0,081 at 25 °C - Bioaccumulation is not expected.,

n-octanol/water (IUCLID)

p) Autoignition No data available

temperature

q) Decomposition 338 °C -

temperature

r) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Minimum ignition > 100 mJ

energy

Bulk density ca.700 kg/m3

Relative vapor 5,04

density

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Strong oxidizing agents

# **10.6 Hazardous decomposition products**

In the event of fire: see section 5

Sigma- A26357 Page 6 of 10



## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male and female - 5.560 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 7,7 mg/l

(OECD Test Guideline 403)

LD0 Dermal - Rabbit - male and female - 7.940 mg/kg

Remarks: (ECHA)

## Skin corrosion/irritation

Skin - Rabbit

Result: slight irritation (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: Does not cause skin sensitization.

## Germ cell mutagenicity

Ames test S. typhimurium Result: negative

Chromosome aberration test in vitro

fibroblast

Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster fibroblasts

Result: negative Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## 11.2 Additional Information

RTECS: AU8400000

Sigma- A26357

Page 7 of 10



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 97 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

LC50 - Daphnia magna (Water flea) - 46 mg/l - 48 h

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 59

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - 4.747 mg/l - 3 h

(OECD Test Guideline 209)

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 30 d

Result: 83 % - Readily biodegradable.

(OECD Test Guideline 301D)

Theoretical oxygen 1.423 mg/g

demand

Remarks: (IUCLID)

Ratio BOD/ThBOD 36 %

Remarks: (Lit.)

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

## **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Sigma- A26357 Page 8 of 10



## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

REACH - Restrictions on the manufacture, : Not applicable placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

## National legislation

Seveso III: Directive 2012/18/EU of the : Not applicable European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

## Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.

Sigma- A26357 Page 9 of 10



#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma- A26357 Page 10 of 10

