

1 Identification

Product identifier

Product name: **Cobalt (II) selenide**

Stock number: 40224

CAS Number:
1307-99-9

EC number:
215-155-1

Index number:
034-002-00-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06 GHS08

Signal word

Danger

Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 0 Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

1307-99-9 Cobalt (II) selenide

Identification number(s):

EC number: 215-155-1

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------------------|--|-------|-----------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|---------------|-------------|-----|---------|----------|-------------|-----|-----------|-----|-----------|-----|---------------------|-----|------------|---------------|------------|-----|-------------------|-----|--------------------|-----|---------|-----|
| Product name: Cobalt (II) selenide | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Index number: 034-002-00-8 | (Contd. of page 1) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Toxic metal oxide fume Hydrogen selenide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from strong bases. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Selenium and selenium compounds (as Se) <table><tr><td></td><td>mg/m3</td></tr><tr><td>ACGIH TLV</td><td>0.2</td></tr><tr><td>Austria MAK</td><td>0.1</td></tr><tr><td>Belgium TWA</td><td>0.2</td></tr><tr><td>Denmark TWA</td><td>0.1</td></tr><tr><td>Finland TWA</td><td>0.1; 0.3-STEL</td></tr><tr><td>Germany MAK</td><td>0.1</td></tr><tr><td>Hungary</td><td>0.1-STEL</td></tr><tr><td>Ireland TLV</td><td>0.1</td></tr><tr><td>Japan OEL</td><td>0.1</td></tr><tr><td>Korea TLV</td><td>0.2</td></tr><tr><td>Netherlands MAC-TGG</td><td>0.1</td></tr><tr><td>Poland TWA</td><td>0.1; 0.3-STEL</td></tr><tr><td>Sweden NGV</td><td>0.1</td></tr><tr><td>Switzerland MAK-W</td><td>0.1</td></tr><tr><td>United Kingdom TWA</td><td>0.1</td></tr><tr><td>USA PEL</td><td>0.2</td></tr></table> Cobalt, elemental & inorganic compounds, as Co | | | mg/m3 | ACGIH TLV | 0.2 | Austria MAK | 0.1 | Belgium TWA | 0.2 | Denmark TWA | 0.1 | Finland TWA | 0.1; 0.3-STEL | Germany MAK | 0.1 | Hungary | 0.1-STEL | Ireland TLV | 0.1 | Japan OEL | 0.1 | Korea TLV | 0.2 | Netherlands MAC-TGG | 0.1 | Poland TWA | 0.1; 0.3-STEL | Sweden NGV | 0.1 | Switzerland MAK-W | 0.1 | United Kingdom TWA | 0.1 | USA PEL | 0.2 |
| | mg/m3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ACGIH TLV | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Austria MAK | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belgium TWA | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Denmark TWA | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Finland TWA | 0.1; 0.3-STEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Germany MAK | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hungary | 0.1-STEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ireland TLV | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Japan OEL | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Korea TLV | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Netherlands MAC-TGG | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Poland TWA | 0.1; 0.3-STEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sweden NGV | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Switzerland MAK-W | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| United Kingdom TWA | 0.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| USA PEL | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (Contd. on page 3) USA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Product name: **Cobalt (II) selenide**

(Contd. of page 2)

mg/m³

ACGIH TLV 0.02; Confirmed animal carcinogen
Austria Carcinogen
Belgium TWA 0.05
Denmark TWA 0.05
Finland TWA 0.05 (skin)
Germany Carcinogen
Hungary TWA 0.1; 0.2-STEL
Japan OEL 0.05; 2B Carcinogen
Korea TLV 0.02; Confirmed animal carcinogen
Ireland TWA 0.1
Netherlands MAC-TGG 0.05
Norway TWA 0.05
Poland TWA 0.05; 0.2-STEL
Russia 0.5-STEL
Sweden NGV 0.05
Switzerland MAK-W 0.1; Carcinogen
United Kingdom TWA 0.1
USA PEL 0.1 (dust and fume)

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use self-contained respiratory protective device in emergency situations.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Powder

Color: Grey

Odor: Weak

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flash point: Not applicable

Flammability (solid, gaseous): Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 7.65 g/cm³ (63.839 lbs/gal)

Relative density: Not determined.

Vapor density: Not applicable.

Evaporation rate: Not applicable.

Solubility in / Miscibility with

Water: Insoluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions May form hydrogen selenide on contact with acids.

Conditions to avoid No further relevant information available.

Incompatible materials: Bases

Hazardous decomposition products:

Toxic metal oxide fume

Hydrogen selenide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Toxic if inhaled.

Toxic if swallowed.

(Contd. on page 4)
USA

Product name: **Cobalt (II) selenide**

(Contd. of page 3)

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritating effect.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.
IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.
Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure:
May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.
Cobalt is an experimental neoplastigen and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compounds are classified as an animal carcinogen by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of ducts and fumes may cause irritation of the respiratory tract and labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible.
Chronic ingestion may result in pericardial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.



12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxicological effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

| | |
|---|--|
| UN-Number DOT, IMDG, IATA | UN3283 |
| UN proper shipping name DOT IMDG, IATA | Selenium compound, solid, n.o.s. (Cobalt (II) selenide) SELENIUM COMPOUND, SOLID, N.O.S. (Cobalt (II) selenide) |
| Transport hazard class(es) DOT  | 6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1 |
| Class Label Class Label IMDG, IATA  | 6.1 Toxic substances. 6.1 |
| Packing group DOT, IMDG, IATA | III |
| Environmental hazards: | Environmentally hazardous substance, solid |
| Special precautions for user | Warning: Toxic substances |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 5)
USA

Product name: Cobalt (II) selenide

(Contd. of page 4)

Transport/Additional information:

| | |
|--------------------------------|---|
| DOT | |
| Marine Pollutant (DOT): | No |
| UN "Model Regulation": | UN3283, Selenium compound, solid, n.o.s. (Cobalt (II) selenide), 6.1, III |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



Signal word Danger
Hazard statements

H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

1307-99-9 Cobalt (II) selenide

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains cobalt and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/23/2015 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)