

Creation Date 16-Nov-2010 Revision Date 01-Aug-2013 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Barium perchlorate, anhydrous

Cat No. 221270000; 221270050; 221271000; 221275000

Synonyms Barium Perchlorate

 CAS-No
 13465-95-7

 EC-No.
 236-710-4

 Molecular Formula
 Ba Cl2 O8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Oxidizing solids Category 1

Health hazards

Acute oral toxicity Category 4
Acute Inhalation Toxicity - Dusts and Mists Category 4

Environmental hazards

Based on available data, the classification criteria are not met

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s) Xn - Harmful

O - Oxidizing

R-phrase(s) R 9 - Explosive when mixed with combustible material

R20/22 - Harmful by inhalation and if swallowed

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

2.2. Label elements

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013



Signal Word Danger

Hazard Statements

H271 - May cause fire or explosion; strong oxidizer

H332 - Harmful if inhaled H302 - Harmful if swallowed

Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

P220 - Keep/Store away from clothing/ combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

2.3. Other hazards

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008	DSD Classification - 67/548/EEC
Barium perchlorate	13465-95-7	EEC No. 236-710-4	>95	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Ox. Sol. 1 (H271)	Xn; R20/22 O; R9

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination

4.2. Most important symptoms and effects, both acute and delayed

No information available

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Hydrogen chloride gas, Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ACR22127

Revision Date 01-Aug-2013

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

EU - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

UK - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

Component

Barium perchlorate

European Union	The United Kingdom	France	Belgium	Spain
TWA: 0.5 mg/m ³ 8 hr	STEL: 1.5 mg/m ³ 15 min	TWA / VME: 0.5 mg/m ³		TWA / VLA-ED: 0.5
	TWA: 0.5 mg/m ³ 8 hr	(8 heures). indicative limit		mg/m³ (8 horas)

Component

Barium perchlorate

Italy	Germany	Portugal	The Netherlands	Finland
	TWA: 0.5 mg/m ³ (8	TWA: 0.5 mg/m ³ 8 horas		TWA: 0.5 mg/m ³ 8
	Stunden). AGW -			tunteina
	exposure factor 1			
	TWA: 0.5 mg/m ³ (8			
	Stunden). MAK			
	Höhepunkt: 4 mg/m ³			

Component

Barium perchlorate

Austria	Denmark	Switzerland	Poland	Norway
STEL: 2 mg/m ³ 15		STEL: 1 mg/m ³ 15		TWA: 0.5 mg/m ³ 8 timer
Minuten		Minuten		_
TWA: 0.5 mg/m ³ 8		MAK: 0.5 mg/m ³ 8		
Stunden		Stunden		ļ

Component Barium perchlorate

Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
	TWA: 0.5 mg/m ³ 8			
	satima.			

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available.

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

Engineering Measures

Ventilation systems. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used and

maintained properly.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are

exceeded or if irritation or other symptoms are experienced..

Recommended Filter type: Particulates filter conforming to EN 143.

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearanceWhitePhysical StatePowder, Solid.Odorodorless

Odor Threshold No data available

pH No information available. 5.6 100g/l aq.sol.(20°C)

Melting Point/Range505°C / 941°FSoftening PointNo data availableBoiling Point/RangeNo information available.

Flash Point No information available. Method - No information available.

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available.

Explosion Limits No data available.

Vapor Pressure No data available

Vapor Density Not applicable Solid

Specific Gravity / Density 3.200

Bulk Density No data available

Water Solubility soluble

Solubility in other solventsNo information available.

Partition Coefficient (n-

octanol/water)

Autoignition Temperature No data available

Decomposition temperature > 700°C

Viscosity Not applicable Solid

Explosive Properties No information available.

Oxidizing Properties Oxidizer

9.2. Other information

Molecular FormulaBa Cl2 O8Molecular Weight336.23

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available.

10.2. Chemical stability

Stable under normal conditions. Oxidizer: Contact with combustible/organic material may

cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available None under normal processing.

10.4. Conditions to avoid

Incompatible products, Excess heat, Avoid dust formation, Combustible material.

10.5. Incompatible materials

Strong reducing agents. Combustible material. Strong oxidizing agents. Alcohols.

10.6. Hazardous decomposition products

Hydrogen chloride gas, Thermal decomposition can lead to release of irritating gases and

vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

Oral Category 4

Dermal No data available
Inhalation Category 4

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

(e) germ cell mutagenicity;

Respiratory No data available Skin No data available

No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;(h) STOT-single exposure;No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects, both acute and delayed

No information available.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effectsContains no substances known to be hazardous to the environment or that are not degradable

in waste water treatment plants

12.2. Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Not relevant for inorganic substances.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

12.5. Results of PBT and vPvB

assessment

No data available for assessment

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

ACR22127

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

Contaminated Packaging Dispose of this container to hazardous or special waste collection point...

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number 1447

14.2. UN proper shipping name BARIUM PERCHLORATE, SOLID

14.3. Transport hazard class(es)
Subsidiary Hazard Class
6.1
14.4. Packing group

ADR

14.1. UN number 1447

14.2. UN proper shipping name BARIUM PERCHLORATE, SOLID

14.3. Transport hazard class(es)
Subsidiary Hazard Class
6.1
14.4. Packing group

IATA

14.1. UN number 1447

14.2. UN proper shipping name BARIUM PERCHLORATE, SOLID

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class14.4. Packing groupII

14.5. Environmental hazardsNo hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the

Not applicable, packaged goods

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Barium perchlorate	236-710-4	-		Х	Х	-	Х	Х	Х	Х	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Barium perchlorate	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

ACR22127

Revision Date 01-Aug-2013

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R 9 - Explosive when mixed with combustible material

R20/22 - Harmful by inhalation and if swallowed

Full text of H-Statements referred to under sections 2 and 3

H271 - May cause fire or explosion; strong oxidizer

H302 - Harmful if swallowed

H332 - Harmful if inhaled

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - China Inventory of Existing Chemical Substances **KECL** - Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Industrial Hygiene

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List

ENCS - Japan Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index,

RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date 16-Nov-2010 **Revision Date** 01-Aug-2013

Revision Summary

Reason for revision Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Barium perchlorate, anhydrous

Revision Date 01-Aug-2013

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet