

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 04/25/2005

1 Identification

Product identifier

Product name: Cadmium molybdenum oxide

Stock number: 40202 CAS Number: 13972-68-4 **EC** number: 237-752-6 Index number: 048-001-00-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



Signal word Warning

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.
P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
D18 - Toxic material causing immediate and serious toxic effects

D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 13972-68-4 Cadmium molybdenum oxide Identification number(s): EC number: 237-752-6 Index number: 048-001-00-5

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

(Contd. of page 1)

Product name: Cadmium molybdenum oxide

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Toxic metal oxide fume
Corbon proposition and extend dioxide

Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Cadmium and compounds, as Cd

mg/m3
ACGIH TLV 0.01; Suspected human carcinogen

Carcinogen 0.05 Austria Belgium TWA

Denmark TWA Finland TWA France VME

0.01 0.02; Carcinogen 0.05

Germany Ireland TWA

0.05
Carcinogen
0.025; Carcinogen
0.05; Group 1 carcinogen
0.01; Suspected human carcinogen
-TGG 0.02; 0.1-MAC-K Japan OEL Korea TLV

Norea ILV Netherlands MAC-Norway TWA Poland TWA Poland TWA

Netherlands MAC-TGG 0.0'2; 0.1-MAC-K Norway TWA 0.05 Poland TWA 0.02; 0.05-STEL (fume) Poland TWA 0.04; 0.2-STEL (dust) Russia 0.01; 0.05-STEL Sweden NGV 0.05 (total dust) Sweden TWA 0.01 (resp. dust) Switzerland MAK-W 0.05; Carcinogen United Kingdom TWA 0.025 USA PEL 0.005

Molybdenum and compount
mg/m3
ACGIH TLV 10(Mo)
Austria MAK 15(Mo)
Denmark TWA 10(Mo)
Finland TWA 5(Mo)
Germany MAK 15(Mo)
Korea TLV 10(Mo)
Poland TWA 4(Mo); 10(Mo)-STEL
Sweden NGV 10(Mo)(total dust); 5(Mo)(resp. dust)

(Contd. on page 3)

(Contd. of page 2)

Product name: Cadmium molybdenum oxide

United Kingdom TWA 10(Mo); 20(Mo)-STEL OSHA PEL 15(Mo)(total dust) **Additional information:** No data

Exposure controls

Personal protective equipment

Rersonal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

Powder

Odorless

Not determined

Not applicable

Not determined Not determined

Not applicable Not determined. Not determined Not determined

Not determined.

Not determined Not determined

Not applicable. Not determined Not determined. Not applicable.

Not applicable.

Not applicable.

White

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Refer to 29CFR1910.1027 for regulations on respiratory protection required during exposure to cadmium and cadmium compounds.

1250 °C (2282 °F) ((approx) 13972-68-4);)

Product does not present an explosion hazard.

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color: Odor:

Odor threshold:

pH-value: Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Auto igniting:

Danger of explosion: Explosion limits:

Lower: Upper:

Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with

Water: Slightly soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic:

kinematic: Other information

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Not applicable. No further relevant information available.

Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Harmful if inhaled.
Harmful if contact with skin.
Harmful if swallowed.
Danger through skin absorption.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritation to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity: No enects known.

Carcinogenicity:
May cause cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
EPA-B1: Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies.

(Cor

(Contd. on page 4)

Product name: Cadmium molybdenum oxide

(Contd. of page 3)

Carcinogen as defined by OSHA.

ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans.

exposed humans.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Cadmium and cadmium compounds are highly toxic and experimental carcinogens. Exposure affects the respiratory tract, kidneys, and liver. Ingestion may cause nausea, salivation, vomiting and diarrhea. Ingestion or inhalation of cadmium/cadmium compounds may be fatal.
Acute molybdenum poisoning may cause severe gastrointestinal irritation, diarrhea, coma and death from cardiac failure.
Chronic molybdenum poisoning in laboratory animals has caused loss of weight, anorexia, anemia, deficient lactation, male sterility, osteoporosis and bone joint abnormalities.
Subacute to chronic toxicity: No effects known

abiliornalities.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Footovical effects:

Ecotoxical effects:

Remark: Very toxic for aquatic organisms
Additional ecological information:

General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

**vPvB*: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14	Trans	port	information
	UN-Nu	mber	•

DOT, IMDG, IATA	UN2570
UN proper shipping name DOT IMDG IATA	Cadmium compounds (Cadmium molybdenum oxide)

Transport hazard class(es)

DOT

.1 Toxic substances. Label 6.1 (T5) Toxic substances ĪMDG, IATA

Class 6.1 Toxic substances. Label

Packing group DOT, IMDG, IATA III

Environmentally hazardous substance, solid Environmental hazards:

Special precautions for user Warning: Toxic substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information:

DOT

Marine Pollutant (DOT): No

Item:

UN "Model Regulation": UN2570, Cadmium compounds (Cadmium molybdenum oxide), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

Product name: Cadmium molybdenum oxide

Hazard pictograms

(Contd. of page 4)



Signal word Warning

Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.
P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations
National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

13972-68-4 Cadmium molybdenum oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

13972-68-4 Cadmium molybdenum oxide

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:

Information about limitation of use:
For use only by technically qualified individuals.
This product contains cadmium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1027 for regulations concerning cadmium and cadmium compounds.
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods by Road) IMDG: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PVB: very Persistent and very Bioaccumulative VPB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) NTP: National Toxicology Program (USA)

MARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA