

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

1 Identification of substance:**Product details:****Product name:** Potassium bis(oxalato)platinate**Stock number:** 39442**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Potassium bis(oxalato)platinate, dihydrate
 (CAS# 14244-64-5); 100%

Identification number(s):**Index number:** 607-007-00-3**3 Hazards identification****Hazard description:**

Xn Harmful

Information pertaining to particular dangers for man and environment

R 21/22 Harmful in contact with skin and if swallowed.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2

Flammability = 0

Reactivity = 1

GHS label elements

Warning

3.1/4 - Harmful if swallowed.

3.1/4 - Harmful in contact with skin.

Prevention:

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific measures (see label).

Rinse mouth.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

Product name: Potassium bis(oxalato)platinate

(Contd. of page 1)

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Platinum metal and soluble salts (as Pt)

	mg/m ³
ACGIH TLV	1 (metal); 0.002 (soluble salts)
Austria MAK	1 (metal); 0.002 (soluble salts)
Belgium TWA	1 (metal); 0.002 (soluble salts)
Denmark TWA	0.002 (soluble salts)
Finland TWA	1 (metal); 0.002 (soluble salts)
France VME	1 (metal)
Germany MAK	0.002 (soluble salts)-Ceiling
Hungary TWA	0.001; 0.002-STEL (soluble salts)
Korea TLV	1 (metal); 0.002 (soluble salts)
Netherlands MAC-TTG	1 (metal); 0.002 (soluble salts)
Norway TWA	0.002
Switzerland MAK-W	0.002

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

Product name: Potassium bis(oxalato)platinate

(Contd. of page 2)

United Kingdom TWA 5 (metal); 0.002 (soluble salts)

USA PEL 0.002

Additional information: No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:** Impervious gloves**Eye protection:** Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties:****General Information**

Form:	Crystalline
Color:	Yellow
Odor:	Not determined

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point: Not applicable**Ignition temperature:** Not determined**Decomposition temperature:** Not determined**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

Lower:	Not determined
Upper:	Not determined

Vapor pressure: Not determined**Density:** Not determined**Solubility in / Miscibility with**

Water:	Soluble
---------------	---------

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Oxidizing agents**Dangerous reactions:** No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Metal oxide fume

11 Toxicological information**Acute toxicity:****Primary irritant effect:****on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:**

Platinum salts, especially ionic platinum halogeno complexes, may cause severe allergic reactions.

Subacute to chronic toxicity:

Oxalates are powerful irritants and corrosive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause severe kidney damage.

Exposure to platinum containing dusts or fumes may cause irritation, sensitization reactions and asthma. Effects include sneezing, coughing, tightness in the chest, dyspnea and wheezing. Cyanosis is possible. Chronic exposure may result in pulmonary fibrosis.

(Contd. on page 4)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

Product name: Potassium bis(oxalato)platinate

(Contd. of page 3)

Additional toxicological information:

Danger through skin absorption.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information****DOT regulations:****Hazard class:**

6.1

Identification number:

UN3288

Packing group:

III

Proper shipping name (technical name): TOXIC SOLID, INORGANIC, N.O.S. (Potassium bis(oxalato)platinate)**Label**

6.1

Land transport ADR/RID (cross-border)**ADR/RID class:**

6.1 (T5) Toxic substances

Danger code (Kemler):

60

UN-Number:

3288

Packaging group:

III

Description of goods:

3288 TOXIC SOLID, INORGANIC, N.O.S. (Potassium bis(oxalato)platinate)

Maritime transport IMDG:**IMDG Class:**

6.1

UN Number:

3288

Label

6.1

Packaging group:

III

Proper shipping name:

TOXIC SOLID, INORGANIC, N.O.S. (Potassium bis(oxalato)platinate)

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

Product name: Potassium bis(oxalato)platinate

(Contd. of page 4)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class:	6.1
UN/ID Number:	3288
Label	6.1
Packaging group:	III
Proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S. (Potassium bis(oxalato)platinate)

UN "Model Regulation": UN3288, TOXIC SOLID, INORGANIC, N.O.S., 6.1, III**15 Regulations****Product related hazard informations:****Hazard symbols:**

Xn Harmful

Risk phrases:

21/22 Harmful in contact with skin and if swallowed.

Safety phrases:

24/25 Avoid contact with skin and eyes.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

Information about limitation of use: For use only by technically qualified individuals.**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA