

Safety Data Sheet per OSHA HazCom 2012

Page 1/6 Printing date 11/24/2015 Reviewed on 09/15/2006

1 Identification

Product identifier

Product name: Copper (II) vanadium oxide

Stock number: 39230 **CAS Number:** 14958-34-0

EC number: 239-030-6

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. **Hazards not otherwise classified** No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS06


Signal word Danger

Hazard statements
H302 Harmful if swallowed.
H331 Toxic if inhaled.

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

H331 Toxic it inhaled.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor/...
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/interr



WHMIS classification
D1B - Toxic material causing immediate and serious toxic effects



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 0
Physical Hazard = 0

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 14958-34-0 Copper (II) vanadium oxide Identification number(s): EC number: 239-030-6

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

Product name: Copper (II) vanadium oxide

(Contd. of page 1)

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Toxic metal oxide fume

Advice for firefighters

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Reep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known. Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

(Contd. on page 3)

Product name: Copper (II) vanadium oxide (Contd. of page 2) Copper ACGIH TLV mg/m3 ACGIH TLV 1 (dust, mist) Austria MAK 0.1 (fume) Belgium TWA 0.2 (fume) 1 (dust) Denmark TWA 0.1 TWA 0.2 (fume) Finland TWA U.2 (turne) 1 (dust) France VME 0.1 (fume) 1 (dust) 1; 2-STEL (dust) 0.1 (fume) Germany MAK 0.1 (fume) 1 (dust) Hungary TWA 0.2; 0.4-STEL (dust) Korea TLV 1 (dust, mist) Korea TLV 0.2 (fume) Netherlands MAC-TGG 1 (dust) Norway TWA 0.05 0.1 (fume) Poland TWA 1; 2-STEL (dust) Russia 1-STEL (dust) Sweden NGV 0.2 (resp. dust) Switzerland MAK-W United Kingdom TWA 1; 2-STEL (dust) Switzerland MAK-W United Kingdom TWA 1; 1-KZG-W United Kingdom TWA 1; 3-STEL USA PEL TWA 1 (dust, mist) 1; 3-STEL USA (fume) 1 (dust, mist) USA PEL TWA 0.1 (fume) 1 (dust, mist) Copper mg/m3 1 (dust, mist); 0.2 (fume) ACGIH TLV Austria MAK Austria MAK 1 Belgium TWA 0.2 (fume); 1 (dust) Denmark TWA 0.1 (fume); 1 (dust) Finland TWA 0.2 (fume); 1 (dust) France VME 0.2 (fume); 1 (dust) 1; 2-STEL (dust) Germany MAK 0.1 (fume); 1 (dust) Hungary TWA 0.2; 0.4-STEL (dust) Norway TWA 0.05 Norway TWA 0.05 0.1 (fume) Poland TWA 0.1; 0.3-STEL (fume) 1; 2-STEL (dust) Russia 1-STEL (dust) Sweden NGV 0.2 (resp. dust); 1 (total dust) Switzerland MAK-W 0.1; 0.2-KZG-W (fume) 1; 1-KZG-W United Kingdom TWA 0.2 (fume) 1; 2-STEL (dusts and mists as Cu) 1; 3-STEL USA PEL 0.1 (fume, dusts & mists) Norway TWA 0.05

JSA PEL Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an exponentially appropriate working environment

0.1 (fume, dusts & mists)

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:
Impervious gloves

The selection of suitable gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties		
Information on basic physical and c General Information Appearance: Form: Odor: Odor threshold:	hemical properties Powder Not determined Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined	
Flash point: Flammability (solid, gaseous)	Not applicable Not determined.	
		(Contd. on page 4)

(Contd. of page 3)

Product name: Copper (II) vanadium oxide

Ignition temperature: Decomposition temperature: Auto igniting: Not determined Not determined

Not determined

Product does not present an explosion hazard.

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density:
Relative density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not determined Not determined Not applicable. Not determined Not determined Not applicable. Not applicable.

Water:

Not determined Partition coefficient (n-octanol/water): Not determined.

dvnamic: kinematic: Other information

Viscosity:

Not applicable. Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: No information known.

Hazardous decomposition products: Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritating effect.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:

Aspiration hazard: No effects known.

Subacute to chronic toxicity:
Vanadium compounds act chiefly as an irritant to the eyes and respiratory tract. Exposure may cause conjunctivitis, rhinitis and reversible irritation of the respiratory tract. More severe cases may cause bronchitis, bronchospasms and asthma like disease. May cause polycythemia, red blood cell destruction and anemia, albuminuria and hematuria, gastrointestinal disorders, nervous complaints and severe cough.

Copper compounds may be irritating to the skin, eyes and respiratory tract. They may cause metal fume fever, hemolysis of the red blood cells and injury to the liver, lungs, kidneys and pancreas. Ingestion may also cause vomiting, gastric pain, dizziness, anemia, cramps, convulsions, shock, coma and death.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

Additional ecological information.

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN3285

UN proper shipping name DOT

ĬMĎĠ, IATA

Vanadium compound, n.o.s. (Copper (II) vanadium oxide) VANADIUM COMPOUND, N.O.S. (Copper (II) vanadium oxide)

(Contd. on page 5)

Product name: Copper (II) vanadium oxide (Contd. of page 4) Transport hazard class(es) DOT Class 6.1 Toxic substances. Label (T5) Toxic substances Class IMDG, IATA Class 6.1 Toxic substances. Label Packing group DOT, IMDG, IATA 111 Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Marine Pollutant (DOT): No

UN3285, Vanadium compound, n.o.s. (Copper (II) vanadium oxide), 6.1, III

15 Regulatory information

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger Hazard statements H302 Harmful if swallowed. H331 Toxic if inhaled.

H331 Toxic ir innaled.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor/...
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains copper and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations

40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Warardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPUB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)

(Contd. on page 6)



Product name: Copper (II) vanadium oxide

NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) (Contd. of page 5)

USA -