according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

# ROTH

#### Cyclohexane D12 99,5 Atom%D

article number: **5200**Version: **2.0 en**date of compilation: 2018-05-03
Revision: 2018-05-18

Replaces version of: 2018-05-03

Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Cyclohexane D12

Article number 5200

Registration number (REACH)

This information is not available.

 Index No
 601-017-00-1

 EC number
 217-077-3

 CAS number
 1735-17-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

#### Classification acc. to GHS Section **Hazard class** Hazard class and cat-Hazard stateegory ment 2.6 flammable liquid (Flam. Liq. 2) H225 3.2 H315 skin corrosion/irritation (Skin Irrit. 2) 3.8D specific target organ toxicity - single exposure (narcotic effects, (STOT SE 3) H336 drowsiness) H304 3.10 aspiration hazard (Asp. Tox. 1)

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

## Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
4.1A	hazardous to the aquatic environment - acute hazard	(Aquatic Acute 1)	H400
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 1)	H410

The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 









#### **Hazard statements**

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P273 Avoid release to the environment.

#### **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P331 Do NOT induce vomiting.

## Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)









H304 May be fatal if swallowed and enters airways.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

#### 2.3 Other hazards

There is no additional information.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Cyclohexane D12

Index No 601-017-00-1

EC number 217-077-3

CAS number 1735-17-7

Molecular formula  $C_6D_{12}$ 

Molar mass 96,23 <sup>g</sup>/<sub>mol</sub>

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Do NOT induce vomiting. Aspiration hazard. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Drowsiness, Vertigo, Dizziness, Gastrointestinal complaints, Vomiting, Nausea, Narcosis, Aspiration hazard

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Vapours are heavier than air. Beware of reignition. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Do not allow firefighting water to enter drains or water courses.

#### <u>SECTION 6: Accidental rel</u>ease measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. When not in use, keep containers tightly closed.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice

Not required.

#### • Ventilation requirements

Use local and general ventilation.

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

Data are not available.

#### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### · type of material

NBR (Nitrile rubber)

#### material thickness

0,4 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state liquid (fluid)
Colour colourless
Odour mild sweet

Odour threshold No data available

#### Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point  $6-7 \,^{\circ}\text{C}$ Initial boiling point and boiling range  $79-81 \,^{\circ}\text{C}$ Flash point  $-18 \,^{\circ}\text{C}$ 

Evaporation rate no data available Flammability (solid, gas) not relevant (fluid)

**Explosive limits** 

lower explosion limit (LEL)
 upper explosion limit (UEL)
 8,3 vol%
 Explosion limits of dust clouds
 not relevant

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

Vapour pressure 103 hPa at 20 °C

Density  $0.89 \, {}^{9}/_{cm^3}$  at 20  ${}^{\circ}\text{C}$ 

Vapour density 3,32 (air = 1)

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility <0,1 <sup>g</sup>/<sub>l</sub> at 20 °C

Partition coefficient

n-octanol/water (log KOW) 3 – 4

Auto-ignition temperature 260 °C

Decomposition temperature no data available

Viscosity

• kinematic viscosity 1,2 – 1,3 <sup>mm²</sup>/<sub>s</sub> at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Temperature class (EU, acc. to ATEX)

T3 (Maximum permissible surface temperature

on the equipment: 200°C)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser, Nitrogen oxides (NOx)

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

Rubber articles, different plastics

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat	IUCLID
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit	IUCLID

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

gastrointestinal complaints, vomiting, nausea, aspiration hazard

#### • If in eyes

essentially non-irritating

#### • If inhaled

Irritation to respiratory tract, vertigo, dizziness, fatigue, narcosis

#### • If on skin

causes skin irritation

#### Other information

None

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Endpoint	Value	Species	Source	Exposure time
EC50	3,78 <sup>mg</sup> / <sub>l</sub>	daphnia magna	IUCLID	48 h
EC50	>500 <sup>mg</sup> / <sub>l</sub>	Grünalge	IUCLID	72 h
LC50	34 <sup>mg</sup> / <sub>l</sub>	bluegill (Lepomis mac- rochirus)	ECOTOX Database	96 h

#### **Aquatic toxicity (chronic)**

May cause long-term adverse effects in the aquatic environment.

#### 12.2 Process of degradability

The substance is readily biodegradable.

Process	Degradation rate	Time
biotic/abiotic	77 %	28 d

#### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW) 3 – 4

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number	1145
------	-----------	------

## **14.2** UN proper shipping name **CYCLOHEXANE**

Hazardous ingredients Cyclohexane D12

**14.3** Transport hazard class(es)



Class 3 (flammable liquids)

**14.4** Packing group II (substance presenting medium danger)

**14.5** Environmental hazards hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

#### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1145

Proper shipping name CYCLOHEXANE

Particulars in the transport document UN1145, CYCLOHEXANE, 3, II, (D/E), environment-

ally hazardous

Class 3
Classification code F1

Packing group II

Danger label(s) 3 + "fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

Excepted quantities (EQ)

Limited quantities (LQ)

Transport category (TC)

Tunnel restriction code (TRC)

Hazard identification No

33

Emergency Action Code

3YE

#### • International Maritime Dangerous Goods Code (IMDG)

UN number 1145

Proper shipping name CYCLOHEXANE

Particulars in the shipper's declaration UN1145, CYCLOHEXANE, 3, II, -18°C c.c., MARINE

**POLLUTANT** 

Class 3

Marine pollutant yes (P) (hazardous to the aquatic environment)

Packing group II

Danger label(s) 3 + "fish and tree"





Special provisions (SP)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category E

#### • International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1145

Proper shipping name Cyclohexane

Particulars in the shipper's declaration UN1145, Cyclohexane, 3, II

Class 3

Environmental hazards yes (hazardous to the aquatic environment)

Packing group II
Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

United Kingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cyclohexane D12 99,5 Atom%D

article number: **5200** 

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
  - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
  - Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	No
Cyclohexane D12		100	1907/2006/EC annex XVII	3
Cyclohexane D12		100	1907/2006/EC annex XVII	40

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

2	2012/18/EU (Seveso III)			
	No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

#### **National inventories**

Substance is listed in the following national inventories:

Country	National inventories	Status
EU	ECSI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed

Legend

ECSI NZIoC TCSI EC Substance Inventory (EINECS, ELINCS, NLP) New Zealand Inventory of Chemicals Taiwan Chemical Substance Inventory

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Cyclohexane D12 99,5 Atom%D

article number: 5200

Abbr.	Descriptions of used abbreviations
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

#### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H304	may be fatal if swallowed and enters airways
H315	causes skin irritation
H336	may cause drowsiness or dizziness
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

#### **Disclaimer**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14