

Creation Date 11-Mar-2011 Revision Date 28-Sep-2016 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: <u>Dimethylmethoxychlorosilane</u>

Cat No. : 432200000; 432200100

CAS-No 1825-68-9 Molecular Formula C3 H9 CI O Si

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

**Company** Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

**Physical hazards** 

Flammable liquids Category 2 (H225)

**Health hazards** 

Skin Corrosion/irritation Category 1 B (H314)
Serious Eye Damage/Eye Irritation Category 1 (H318)

**Environmental hazards** 

Based on available data, the classification criteria are not met

#### 2.2. Label elements

Revision Date 28-Sep-2016



Signal Word Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

EUH029 - Contact with water liberates toxic gas

## **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P402 + P404 - Store in a dry place. Store in a closed container

#### 2.3. Other hazards

Reacts violently with water

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Dimethylmethoxychlorosilane	1825-68-9		>80	Flam. Liq. 2 (H225) Skin Corr. 1B (H314) Eye Dam. 1 (H318) ( EUH014 ) ( EUH029 )

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. Call a physician immediately.

**Ingestion** Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

#### Dimethylmethoxychlorosilane

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

Revision Date 28-Sep-2016

medical device. Call a physician immediately.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.

#### Extinguishing media which must not be used for safety reasons

Water. Contact with water liberates toxic gas.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Contact with water liberates toxic gas. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas, Silicon dioxide.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

#### Dimethylmethoxychlorosilane

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep away from heat and sources of ignition. Protect from moisture. Keep away from water. Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL)	No information available			
Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				

\_\_\_\_\_

Revision Date 28-Sep-2016

#### Dimethylmethoxychlorosilane

Revision Date 28-Sep-2016

Inhalation

**Predicted No Effect Concentration** No information available.

(PNEC)

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eve Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments  Nitrile rubber See manufacturers - EN 374 (minimum requirement)  Neoprene recommendations  Natural rubber  PVC
---

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

@ 760 mmHg

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance Clear, colorless to yellow

Physical State Liquid

**Odor** Acrid

Odor Threshold No data available No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range77 °C / 170.6 °F

Flash Point -9 °C / 15.8 °F Method - No information available

Dimethylmethoxychlorosilane Revision Date 28-Sep-2016

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure 125 mm @ 25°C / 77°F

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.953

Bulk Density Not applicable Liquid

Water Solubility Reacts violently with water Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

Explosive Properties No information available Vapors may form explosive mixtures with air

Oxidizing Properties No information available

9.2. Other information

Molecular FormulaC3 H9 Cl O SiMolecular Weight124.64

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Water reactive, Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Reacts violently with water.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Protect from water. Exposure to moist air or water. Exposure to

moisture.

10.5. Incompatible materials

Water. Acids. Bases. Oxidizing agents. Alcohols.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas. Silicon dioxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

Oral No data available
Dermal No data available
Inhalation No data available

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

Dimethylmethoxychlorosilane Revision Date 28-Sep-2016

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

None known. **Target Organs** 

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and

danger of perforation

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Reacts with water so no ecotoxicity data for the substance is available.

12.2. Persistence and degradability Readily biodegradable

**Persistence** Persistence is unlikely, based on information available.

Degradability Reacts with water. Degradation in sewage

treatment plant

Reacts violently with water.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air

12.5. Results of PBT and vPvB

assessment

Reacts violently with water.

12.6. Other adverse effects

**Ozone Depletion Potential** 

**Endocrine Disruptor Information Persistent Organic Pollutant** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Dimethylmethoxychlorosilane

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

Revision Date 28-Sep-2016

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not dispose of waste into sewer. Can be incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm

aquatic organisms.

#### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2985

**14.2. UN proper shipping name** CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S

14.3. Transport hazard class(es)
Subsidiary Hazard Class
8
14.4. Packing group

ADR

**14.1. UN number** UN2985

**14.2. UN proper shipping name** CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S

14.3. Transport hazard class(es) 3
Subsidiary Hazard Class 8
14.4. Packing group II

<u>IATA</u>

**14.1. UN number** UN2985

14.2. UN proper shipping name CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S

14.3. Transport hazard class(es)3Subsidiary Hazard Class814.4. Packing groupII

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

**IBC Code** 

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Dimethylmethoxychlorosilane	-	-		Х	-	Х	-	Χ	-	-	- 1

## **National Regulations**

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

## Dimethylmethoxychlorosilane

work

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

EUH029 - Contact with water liberates toxic gas

H318 - Causes serious eye damage

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 28-Sep-2016

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50%

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IARC - International Agency for Research on Cancer

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

## Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 11-Mar-2011 **Revision Date** 28-Sep-2016

SDS sections updated: 2, 3, 7, 10, 16. **Revision Summary** 

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**