

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/11/2010

1 Identification

Product identifier

Product name: Thallium(I) ethoxide

Stock number: 78131 CAS Number: 20398-06-5

EC number: 243-786-2 Index number: 081-002-00-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger

Hazard statements

H3300+H330 Fatal if swallowed or if inhaled.
H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.

H3/3 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Or Precautionary statements
P273 Avoid release to the environment.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P302+P352 IF ON SKIN: Wash with plenty of water/...
P420 Store away from foodstuffs.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 20398-06-5 Thallium(I) ethoxide Identification number(s): EC number: 243-786-2

Index number: 081-002-00-9

HSA

(Contd. on page 2)

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Mast important symptoms and effects, both acute and delayed No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
Contact with water releases a flammable alcohol.
If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Carbon monoxide and carbon dioxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate vertination:

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from water/moisture.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Thallium and soluble thallium compounds (as TI)

Thallium and soluble mg/m3
ACGIH TLV (
Austria MAK 0
Belgium TWA 0
Denmark TWA Finland TWA (
Germany MAK Ireland TWA 0
Rorea TI V 0 0.1 (skin) 0.1 (skin) 0.1 0.1 (skin) 0.1 (skin) 0.1 (skin) 0.1 France VME 0.1
Germany MAK 0.1
Ireland TWA 0.1 (skin)
Korea TLV 0.1 (skin)
Netherlands MAC-TGG 0.1 (skin)
Norway TWA 0.1
Poland TWA 0.1; 0.3-STEL
Switzerland MAK-W 0.1 (skin)

(Contd. on page 3)

United Kingdom LTEL 0.1 (skin) USA PEL 0.1 (skin) 20398-06-5 Thallium(I) ethoxide (100.0%)

(Contd. of page 2)

PEL (USA) Long-term value: 0.1 mg/m⁻ as TI; Skin

REL (USA) Long-term value: 0.1 mg/m³ as TI; Skin

Long-term value: 0.02* mg/m³ as TI; *inhalable fraction; Skin TLV (USA)

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color:

Odor:

Odor threshold:

Colorless Not determined

pH-value:

Not determined.

Not determined.

Liauid

Change in condition

Melting point/Melting range: Boiling point/Boiling range:

Sublimation temperature / start: Flash point:

-3 °C (27 °F) 130 °C (266 °F) (dec) Not determined

Flammability (solid, gaseous)

> 110 °C (> 230 °F)

Ignition temperature: Decomposition temperature:

Not determined Not determined

Auto igniting:

Not determined

Not determined.

Danger of explosion: Explosion limits: Lower: Upper:

Product does not present an explosion hazard.

Not determined

Not determined

Opper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not determined 3.493 g/cm³ (29.149 lbs/gal) Not determined.

Not determined

Evaporation rate Solubility in / Miscibility with

Not determined.

Water:

Hydrolyzes Contact with water releases a flammable alcohol.

Partition coefficient (n-octanol/water): Not determined.

Viscosity

Not determined.

Not determined.

dynamic: kinematic: Other information

No further relevant information available

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Releases toxic gases when heated to decomposition.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Oxidizing agents Water/moisture

Hazardous decomposition products: Toxic metal oxide fume Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Fatal if inhaled.
Fatal if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sepsitization: No sensitizing effects known.

(Contd. on page 4)

Germ cell mutagenicity: No effects known.

(Contd. of page 3)

Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
The main symptoms of thallium poisoning are peripheral neuropathy and loss of hair. Acute poisoning causes paresthesios, ataxia, alopecia, fever, coryza, abdominal pain, nausea and vomiting. Symptoms may progress to lethargy, speech disorders, tremors, convulsions, cyanosis, pulmonary edema, bronchopneumonia and death. Kidney, liver and brain damage can occur. Thallium poisoning during the first trimester of pregnancy can cause skeletal deformaties, alopecia, low birth weight and premature birth. Chronic thallium poisoning may produce alopecia, salivation and a blue line on the gums. Damage to the gastrointestinal, endocrine system and kidneys may also occur.
Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity: The best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Fectoxical effects:

Ecotoxical effects: Remark: Toxic for aquatic organisms Additional ecological information: General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14	Transport	information

14 Transport information	
UN-Number DOT, IMDG, IATA	UN2810
UN proper shipping name DOT IMDG IATA	Toxic, liquids, organic, n.o.s. (Thallium(I) ethoxide) TOXIC LIQUID, ORGANIC, N.O.S. (Thallium(I) ethoxide), MARINE POLLUTANT TOXIC LIQUID, ORGANIC, N.O.S. (Thallium(I) ethoxide)
Transport hazard class(es)	
DOT	
Toxic Live State S	
Class	6.1 Toxic substances.
Label Class	6.1 6.1 (T1) Toxic substances
Label IMDG	6.1



6.1 Toxic substances. 6.1

Class Label	6.1 Toxic substances

Packing group DOT IMDG IATA	11

Environmental hazards:	Environmentally hazardous substance, liquid; Marine Pollutant
Marine pollutant (IMDG):	Symbol (fish and tree)

Special precautions for user EMS Number: Warning: Toxic substances F-A,S-A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

(Contd. on page 5)

(Contd. of page 4)

Transport/Additional information:

Marine Pollutant (DOT): Remarks:

Special marking with the symbol (fish and tree)

UN "Model Regulation": UN2810, Toxic, liquids, organic, n.o.s. (Thallium(I) ethoxide), 6.1, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements H300+H330 Fatal if swallowed or if inhaled.

H300+H330 Fatal it swallowed or it inhaled.
H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements
P273 Avoid release to the environment.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P302+P352 IF ON SKIN: Wash with plenty of water/...
P420 Store away from foodstuffs.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

20398-06-5 Thallium(I) ethoxide

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains thallium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations limitations and prohibition regulations. Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: The choical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (USA)
NSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)