

Safety Data Sheet
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

1 Identification

- **Product name**
- **Trade name:** Thallium(I) ethoxide, min. 95%
- **Item number:** 93-8105
- **CAS Number:**
20398-06-5
- **EC number:**
243-786-2
- **Index number:**
081-002-00-9
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Strem Chemicals, Inc.
7 Mulliken Way
NEWBURYPORT, MA 01950
USA
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**
EMERGENCY: CHEMTREC: + 1 (800) 424-9300
During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS06 GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
thallium (I) ethanolate
- **Hazard statements**
H300+H330 Fatal if swallowed or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 1)

• **Precautionary statements**

- P231 Handle under inert gas.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P411+P235 Store at temperatures not exceeding 4°C. Keep cool.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Classification system:**

• **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 2

Reactivity = 0

• **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 2

Reactivity = 0

• **Other hazards**

• **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
• **vPvB:** Not applicable.

3 Composition/information on ingredients

• **Chemical characterization: Substances**

• **CAS No. Description**

20398-06-5 thallium (I) ethanolate

• **Identification number(s)**

• **EC number:** 243-786-2

• **Index number:** 081-002-00-9

4 First-aid measures

• **Description of first aid measures**

• **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

• **After swallowing:** Do not induce vomiting; immediately call for medical help.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** Keep cool.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Recommended storage temperature:** Store at temperatures not exceeding 4 °C.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 3)

• **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

20398-06-5 thallium (I) ethanolate

PEL	Long-term value: 0.1 mg/m ³ as Tl; Skin
REL	Long-term value: 0.1 mg/m ³ as Tl; Skin
TLV	Long-term value: 0.02* mg/m ³ as Tl; *inhalable fraction; Skin

• **Additional information:** The lists that were valid during the creation were used as basis.

• **Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

• **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:	Liquid
Color:	Cloudy
Odor:	Alcohol-like

(Contd. on page 5)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 4)

· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-3 °C (27 °F)
Boiling point/Boiling range:	130 dec °C (266 dec °F)
· Flash point:	60 °C (140 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	no data hPa
· Density at 20 °C (68 °F):	3.493 g/cm ³ (29.149 lbs/gal) (20°)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 5)

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	50 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Not known to be hazardous to water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN1707

(Contd. on page 7)

Safety Data Sheet

according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 6)

• **UN proper shipping name**
• **DOT, IATA**
• **IMDG**

Thallium compounds, n.o.s.
THALLIUM COMPOUND, N.O.S., MARINE POLLUTANT

• **Transport hazard class(es)**

• **DOT**



• **Class**
• **Label**

6.1 Toxic substances
6.1

• **IMDG**



• **Class**
• **Label**

6.1 Toxic substances
6.1

• **IATA**



• **Class**
• **Label**

6.1 Toxic substances
6.1

• **Packing group**

• **DOT, IMDG, IATA**

II

• **Environmental hazards:**

• **Marine pollutant:**

No
Yes (DOT)
Symbol (fish and tree)

• **Special precautions for user**

• **EMS Number:**
• **Stowage Category**

Not applicable.
F-A,S-A
A

• **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

• **Transport/Additional information:**

• **DOT**

• **Quantity limitations**

On passenger aircraft/rail: 25 kg
On cargo aircraft only: 100 kg

• **IMDG**

• **Limited quantities (LQ)**
• **Excepted quantities (EQ)**

.5kg
Code: E4
Maximum net quantity per inner packaging: 1 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 7)

· **UN "Model Regulation":**

UN 1707 THALLIUM COMPOUNDS, N.O.S., 6.1, II

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

Substance is not listed.

- **Section 313 (Specific toxic chemical listings):**

Substance is listed.

- **TSCA (Toxic Substances Control Act):**

Substance is listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

20398-06-5 thallium (I) ethanolate

II

- **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS06 GHS08

- **Signal word Danger**

- **Hazard-determining components of labeling:**

thallium (I) ethanolate

- **Hazard statements**

H300+H330 Fatal if swallowed or if inhaled.

H373

May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P231

Handle under inert gas.

(Contd. on page 9)

Safety Data Sheet according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 8)

- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P411+P235 Store at temperatures not exceeding 4°C. Keep cool.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Technical Department.
- **Contact:** Technical Director
- **Date of preparation / last revision** 07/31/2016 / -
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 2: Acute toxicity, Hazard Category 2
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

US