

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 10/27/2004

#### 1 Identification

Product identifier

Product name: Barium thiocyanate

Stock number: 14670 **CAS Number:** 2092-17-3 **EC number:** 218-245-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

# 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin. **Hazards not otherwise classified** No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS06

Signal word Danger

Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.

H331 Toxic if inhaled.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor/...
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
D18 - Toxic material causing immediate and particular in the contents of the contents of

D1B - Toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 2092-17-3 Barium thiocyanate Identification number(s): EC number: 218-245-9

#### 4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.

(Contd. on page 2)

(Contd. of page 1)

# Product name: Barium thiocyanate

Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Sulfur oxides (SOx)
Nitrogen oxides (NOx)
Carbon monoxide and carbon dioxide
Metal oxide fume
Advice for firefighters
Protective equipment:

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

Handling

Precautions for safe handling

Recautions for sale nationing
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:
Do not store together with acids.
Store away from water/moisture.
Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Barium, and soluble compounds, as Ba

mg/m3
ACGIH TLV
Austria MAK
0 0.5; Not classified as a human carcinogen 0.5

Belgium TWA Denmark TWA Finland TWA

0.5 0.5 0.5 0.5 (total dust) 0.5-STEL

Germany MAK Hungary Ireland TWA

Ireland I WA 0.5
Korea TLV 0.5
Netherlands MAC-TGG 0.5
Norway TWA 0.5
Poland TWA 0.5; 1.5-STEL
Sweden TWA 0.5
Switzerland MAK-W 0.5
USA PEL 0.5

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

(Contd. on page 3)

(Contd. of page 2)

#### Product name: Barium thiocyanate

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impossible of lands:

Crystalline White

Not determined Not determined

Not applicable

Not determined Not determined Not determined

Not applicable Not determined Not determined Not determined

Not determined

Not determined Not determined

Not applicable. Not determined Not determined. Not applicable.

Not applicable.

Not applicable.

Impervious gloves
Check protection of manus.
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color:

Odor: Odor threshold:

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Auto igniting:

Danger of explosion: Explosion limits:

Lower: Upper:

Vapor pressure: Density: Relative density Vapor density

Evaporation rate Solubility in / Miscibility with

Water: Soluble Partition coefficient (n-octanol/water): Not determined.

Viscosity. dynamic:

kinematic: Other information

No further relevant information available.

### 10 Stability and reactivity

Reactivity Contact with acids liberates very toxic gas.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Contact with acids liberates very toxic gas.

May react with strong acids to produce very toxic hydrogen sulfide gas.

Conditions to avoid No further relevant information available.

Product does not present an explosion hazard.

Incompatible materials:
Oxidizing agents

Acids Water/moisture

Hazardous decomposition products: Sulfur oxides (SOx)

Nitrogen oxides Carbon monoxide and carbon dioxide

Metal oxide fume

Possibly Hydrogen cyanide (HCN)

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful in contact with skin.

Harmful if swallowed. Danger through skin absorption.

Danger through skin absorption.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Aspiration hazard. No enects known.

Subacute to chronic toxicity:

Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than insoluble compounds. Inhalation of times may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above

symptoms. **Subacute to chronic toxicity:** No effects known.

(Contd. on page 4)

#### Product name: Barium thiocyanate

(Contd. of page 3)

Subacute to chronic toxicity:
Thiocyanates have variable toxicity. They are not normally dissociated into cyanide. Prolonged absorption may produce skin eruptions, running nose, and occasionally dizziness, cramps, nausea, vomiting and mild or severe disturbances of the nervous system. Thiocyanates emit cyanide on contact with acids. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Harmful to aquatic organisms
Additional problems information:

Additional ecological information: General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

\*\*vPvB\*\*. Not applicable.\*\*

vPvB: Not applicable.
Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

UN proper shipping name DOT Barium compounds, n.o.s. (Barium thiocyanate) IMDG, IATA BARIUM COMPOUND, N.O.S. (Barium thiocyanate)	

#### Transport hazard class(es)

#### DOT



Class	6.1 Toxic substances.
Label	6.1
Class	6.1 (T5) Toxic substances
Label	6.1
IMDG. IATA	



Class Label	6.1 Toxic substances. 6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances

No

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

#### Transport/Additional information:

DOT

Marine Pollutant (DOT):

UN "Model Regulation": UN1564, Barium compounds, n.o.s. (Barium thiocyanate), 6.1, III

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS06

Signal word Danger

Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.

H331 I OXIC II Innaieu.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor/...

(Contd. on page 5)

#### Product name: Barium thiocyanate

P405 Store locked up. (Contd. of page 4)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

2092-17-3 Barium thiocyanate

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other requiations limitations and prohibitive regulations

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the Market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) BOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPUB: very Persistent and very Bioaccumulative
VPUB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA