

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 14.05.2010

Printing date 01.07.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Lithium tantalum tert-butoxide, 10% w/v intert-butanol

Stock number:

36574

CAS Number:

21864-30-2

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC☒ Xn; Harmful

R20: Harmful by inhalation.

☒ Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.



F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment:

Not applicable

Other hazards that do not result in classification

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS07

Danger

H225 Highly flammable liquid and vapour.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements**2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

21864-30-2 Lithium tantalum tert-butoxide, 10% w/v intert-butanol

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.

5.2 Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Lithium oxide

(Contd. on page 2)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 14.05.2010

Trade name **Lithium tantalum tert-butoxide, 10% w/v intert-butanol**

(Contd. of page 1)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.2 Environmental precautions:

6.3 Methods and material for containment and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

Prevention of secondary hazards:

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and containers:

Information about storage in one common storage facility:

Further information about storage conditions:

Store in cool location.
Store away from oxidizing agents.
Store away from water.
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and keep away from water.
No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Tantalum
mg/m³
ACGIH TLV 5
Austria MAK 5
Belgium TWA 5
Denmark TWA 5
Finland TWA 5
France VME 5
Germany MAK 5
Korea TLV 5
Netherlands MAC-TGG 5
Poland TWA 5
Russia 10-STEL
Switzerland MAK-W 5
United Kingdom TWA 5; 10-STEL
USA PEL 5

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

t-Butyl alcohol
ppm
ACGIH TLV 100; Not classified as a human carcinogen
Austria MAK 50
Belgium TWA 100; 150-STEL
France VME 100
Germany MAK 100
Japan OEL 50
Korea TLV 100
Netherlands MAC-TGG 100
Norway TWA 25
Poland TWA 300 mg/m³; 450 mg/m³-STEL
Sweden NGV 50; 75-KTV (skin)
Switzerland MAK-W 100; 200-KZG-W
United Kingdom TWA 100; 150-STEL
USA PEL 100
No data

Additional information:

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.

Breathing equipment:

(Contd. on page 3)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 14.05.2010

Trade name **Lithium tantalum tert-butoxide, 10% w/v intert-butanol**

(Contd. of page 2)

Protection of hands:	Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Material of gloves	Impervious gloves
Penetration time of glove material	Not determined
Eye protection:	Safety glasses Face protection
Body protection:	Protective work clothing.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Smell:	Slightly sweetish
Odour threshold:	Not determined.

pH-value:	Not determined.
------------------	-----------------

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	11 °C (tert-butanol)
---------------------	----------------------

Inflammability (solid, gaseous)	Not determined.
--	-----------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Self-inflammability:	Not determined.
-----------------------------	-----------------

Critical values for explosion:

Lower:	Not determined
---------------	----------------

Upper:	Not determined
---------------	----------------

Steam pressure:	Not determined
------------------------	----------------

Density	Not determined
----------------	----------------

Relative density	Not determined.
-------------------------	-----------------

Vapour density	Not determined.
-----------------------	-----------------

Evaporation rate	Not determined.
-------------------------	-----------------

Solubility in / Miscibility with

Water:	Hydrolyzes
---------------	------------

Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

Viscosity:

dynamic:	Not determined.
-----------------	-----------------

kinematic:	Not determined.
-------------------	-----------------

9.2 Other information No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity****10.2 Chemical stability**

No information known. Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No dangerous reactions known

10.5 Incompatible materials:

Oxidizing agents

Water/moisture

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

Lithium oxide

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:**

Harmful if inhaled.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

Causes skin irritation.

Eye irritation or corrosion:

Causes serious eye irritation.

Sensitization:

No sensitizing effect known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

May cause respiratory irritation.

Aspiration hazard:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information**12.1 Toxicity**

No further relevant information available.

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation** Hand over to disposers of hazardous waste.(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 14.05.2010

Trade name **Lithium tantalum tert-butoxide, 10% w/v intert-butanol**

(Contd. of page 3)

Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:
Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA	UN1120
14.2 UN proper shipping name ADR IMDG, IATA	1120 BUTANOLS BUTANOLS
14.3 Transport hazard class(es) ADR	
	
Class Label IMDG, IATA	3 (F1) Flammable liquids. 3
	
Class Label	3 Flammable liquids. 3
Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Flammable liquids. 33 F-E,S-D
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E2 1L 2 D/E
UN "Model Regulation":	UN1120, BUTANOLS, 3, II

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Australian Inventory of Chemical

Substances
Substance is not listed.

Standard for the Uniform Scheduling of

Drugs and Poisons
Substance is not listed.

National regulations

Information about limitation of use:

For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive

regulations

ELINCS (European List of Notified Chemical

Substances)
Substance is not listed.

Substances of very high concern (SVHC)

according to REACH, Article 57
Substance is not listed.

REACH - Pre-registered substances

Substance is not listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

DE/E