SAFETY DATA SHEET

Version 4.10 Revision Date 05/23/2016 Print Date 10/15/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Dibutyltin bis(acetylacetonate)

Product Number : 520586 Brand : Aldrich

CAS-No. : 22673-19-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1C), H314 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - single exposure (Category 1), thymus gland, H370

Specific target organ toxicity - repeated exposure, Oral (Category 1), thymus gland, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H228 Flammable solid. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Aldrich - 520586

H341 H360	Suspected of causing genetic defects. May damage fertility or the unborn child.
H370	Causes damage to organs (thymus gland).
H372	Causes damage to organs (thymus gland) through prolonged or repeated
	exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER/doctor.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

 $Synonyms \hspace{1.5cm} : \hspace{.5cm} Sn(acac)Bu_2$

Hazardous components

Component	Classification	Concentration
Component	Classification	Concentration
Dibutyltin bis(acetylacetonate)		
	Flam. Sol. 2; Acute Tox. 4;	<= 100 %
	Skin Corr. 1C; Eye Dam. 1;	
	Skin Sens. 1; Muta. 2; Repr.	
	1B; STOT SE 1; STOT RE 1;	
	Aquatic Acute 1; Aquatic	
	Chronic 1; H228, H302, H314,	

Aldrich - 520586 Page 2 of 9

_		
ſ	H317, H341, H360, H370,	
	H372, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

lf inhalad

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

Aldrich - 520586 Page 3 of 9

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
Component	0/10/140.	Value	parameters	Busio		
Dibutyltin	22673-19-4	TWA	0.1 mg/m3	USA. Occupational Exposure Limits		
bis(acetylacetonate)				(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values		
			o. r mg/mo	(TLV)		
	Remarks	Central nerve	ous system			
		Immune effe	cts			
		Upper Respiratory Tract irritation				
		Headache Eye irritation Nausea				
			ole as a human ca			
		Danger of cutaneous absorption				
	varies					
		STEL	0.2 mg/m3	USA. ACGIH Threshold Limit Values		
				(TLV)		
		Central nervous system				
		Immune effects Upper Respiratory Tract irritation Headache				
		Eye irritation Nausea				
		Not classifiable as a human carcinogen Danger of cutaneous absorption				
		varies	0.4 / 0	LIOA NICOLLE		
		TWA	0.1 mg/m3	USA. NIOSH Recommended		
		A1	-16:- 1:-4: 6 0 1	Exposure Limits		
		Also see specific listing for Cyhexatin.				
		+	dermal absorption			
		PEL	0.1 mg/m3	California permissible exposure		
				limits for chemical contaminants		
		01.		(Title 8, Article 107)		
		Skin				
		STEL	0.2 mg/m3	California permissible exposure		
				limits for chemical contaminants		
				(Title 8, Article 107)		
		Skin				

Aldrich - 520586 Page 4 of 9

8.2 **Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: solid a) Appearance

Colour: orange

b) Odour No data available

No data available Odour Threshold

d) рH No data available

Melting point/freezing Melting point/range: 26 °C (79 °F) - lit.

point

Initial boiling point and

boiling range

150 °C (302 °F) - lit.

g) Flash point 54.44 °C (129.99 °F) - closed cup

h) Evaporation rate No data available

Flammability (solid, gas) The substance or mixture is a flammable solid with the category 2. i)

Upper/lower j) flammability or

explosive limits

No data available

k) Vapour pressure No data available Vapour density No data available

1.22 g/cm3 at 25 °C (77 °F) m) Relative density

n) Water solubility No data available o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition >= 400 °C (>= 752 °F) at 101.61 - 101.62 hPa (76.21 - 76.22 mmHg)

Aldrich - 520586 Page 5 of 9 temperature

q) Decomposition 142 - 158 °C (288 - 316 °F) -

temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 33.05 mN/m at 20 °C (68 °F)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Tin/tin oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 1,864 mg/kg

(OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rat

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations

up to 14 days. - 24 h

(OECD Test Guideline 402)

Serious eye damage/eye irritation

Eyes - In vitro study

Result: Severe eye irritation

Remarks: rabbit eye

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

Aldrich - 520586

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male and female - Oral - NOAEL: 0.3 - 0.4 mg/kg

toxicity

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - > 2 mg/l - 96 h

(OECD Test Guideline 203)

(OECD Test Guideline 202)

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - 0.0036 mg/l - 48 h

other aquatic

Toxicity to algae

invertebrates

static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - >

2 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - 190 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2925 Class: 4.1 (8) Packing group: III

Proper shipping name: Flammable solids, corrosive, organic, n.o.s. (Dibutyltin bis(acetylacetonate))

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 2925 Class: 4.1 (8) Packing group: III EMS-No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. (Dibutyltin bis(acetylacetonate))

Marine pollutant:yes

IATA

UN number: 2925 Class: 4.1 (8) Packing group: III

Proper shipping name: Flammable solid, corrosive, organic, n.o.s. (Dibutyltin bis(acetylacetonate))

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Dibutyltin bis(acetylacetonate)

CAS-No. Revision Date
22673-19-4
1993-02-16

New Jersey Right To Know Components

CAS-No. Revision Date Dibutyltin bis(acetylacetonate) 22673-19-4 1993-02-16

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Aldrich - 520586 Page 8 of 9

Eye Dam. Serious eye damage Flam. Sol. Flammable solids Flammable solid. H228 Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H341 Suspected of causing genetic defects.

H360 May damage fertility or the unborn child.

H370

Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). Causes damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or H372

repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 2 Chronic Health Hazard: Flammability: 3 Physical Hazard 3

NFPA Rating

2 Health hazard: Fire Hazard: 3 Reactivity Hazard:

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

Version: 4.10 Revision Date: 05/23/2016 Print Date: 10/15/2019

Aldrich - 520586 Page 9 of 9