

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

1 Identification of substance:**Product details:****Product name:** 2-Methyl-3-nitrophenyl isocyanate**Stock number:** L10636**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

2-Methyl-3-nitrophenyl isocyanate (CAS# 23695-15-0): 100%

3 Hazards identification**Hazard description:**

Xn Harmful

Information pertaining to particular dangers for man and environment

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 42 May cause sensitization by inhalation.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	1
REACTIVITY	1

Health (acute effects) = 2

Flammability = 1

Reactivity = 1

GHS label elements**Danger**

3.1/3 - Toxic if inhaled.

3.1/4 - Harmful if swallowed.

3.1/4 - Harmful in contact with skin.

3.2/2 - Causes skin irritation.

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause respiratory irritation.

**Danger**

3.4/1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Contd. on page 2)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

Product name: 2-Methyl-3-nitrophenyl isocyanate

(Contd. of page 1)

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment (see label).

Specific measures (see label).

Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents Water

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Hydrogen cyanide (HCN)

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Handle under dry protective gas.

Keep container tightly sealed.

Ensure good ventilation at the workplace.

Prevent formation of dust.

Information about protection against explosions and fires: Keep ignition sources away.

(Contd. on page 3)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

Product name: 2-Methyl-3-nitrophenyl isocyanate

(Contd. of page 2)

Storage**Requirements to be met by storerooms and receptacles:** Refrigerate**Information about storage in one common storage facility:**

Protect from heat.

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

Keep container tightly sealed.

Protect from humidity and water.

Refrigerate

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.**Additional information:** No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties:****General Information**

Form:	Solid
Color:	Pale yellow
	Light brown
Odor:	Irritant

Change in condition

Melting point/Melting range:	34-37°C (93-99°F)
Boiling point/Boiling range:	118°C (244°F) (2.8mm Hg)
Sublimation temperature / start:	Not determined

Flash point:	> 110°C (> 230°F)
---------------------	-------------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapor pressure:	Not determined
------------------------	----------------

Density:	Not determined
-----------------	----------------

Solubility in / Miscibility with

Water:	Hydrolyzes
---------------	------------

USA

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

Product name: 2-Methyl-3-nitrophenyl isocyanate

(Contd. of page 3)

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Heat

Water/moisture

Alcohols

Amines

Oxidizing agents

Dangerous reactions No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrogen cyanide (prussic acid)

11 Toxicological information**Acute toxicity:****Primary irritant effect:****on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:** Sensitization possible through inhalation.**Subacute to chronic toxicity:**

Isocyanates are extremely irritating to the skin, eyes and mucous membranes. Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing, laryngitis, headache, nausea and vomiting.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Danger through skin absorption.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:**

6.1

Identification number:

UN2811

Packing group:

III

Proper shipping name (technical name): TOXIC SOLID, ORGANIC, N.O.S. (2-Methyl-3-nitrophenyl isocyanate)**Label**

6.1

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

Product name: 2-Methyl-3-nitrophenyl isocyanate

(Contd. of page 4)

Land transport ADR/RID (cross-border)

ADR/RID class: 6.1 (T2) Toxic substances
Danger code (Kemler): 60
UN-Number: 2811
Packaging group: III
Description of goods: 2811 TOXIC SOLID, ORGANIC, N.O.S. (2-Methyl-3-nitrophenyl isocyanate)

Maritime transport IMDG:

IMDG Class: 6.1
UN Number: 2811
Label 6.1
Packaging group: III
EMS Number: F-A, S-A
Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (2-Methyl-3-nitrophenyl isocyanate)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 6.1
UN/ID Number: 2811
Label 6.1
Packaging group: III
Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (2-Methyl-3-nitrophenyl isocyanate)

UN "Model Regulation": UN2811, TOXIC SOLID, ORGANIC, N.O.S., 6.1, III

15 Regulations**Product related hazard informations:****Hazard symbols:**

Xn Harmful

Risk phrases:

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

36/37/38 Irritating to eyes, respiratory system and skin.

42 May cause sensitization by inhalation.

Safety phrases:

22 Do not breathe dust.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37 Wear suitable protective clothing and gloves.

45 In case of accident or if you feel unwell, seek medical advice immediately.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use: For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished

(Contd. on page 6)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/06/2009

Reviewed on 05/05/2009

Product name: 2-Methyl-3-nitrophenyl isocyanate

(Contd. of page 5)

without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA