



Material Safety Data Sheet

| HAZARD WARNINGS | RISK PHRASES | PROTECTIVE CLOTHING |
|-----------------|--|---------------------|
| | Corrosive to eyes and skin on contact. Moisture sensitive material. | |

| Section I. | Chemical Product and Company Identification | | |
|------------------|---|---------------------------|--|
| Chemical Name | Heptadecafluoro-n-octanesulfonyl Fluoride | | |
| Catalog Number | H1176 | Supplier | TCI America 9211 N. Harborgate St. |
| Synonym | Perfluoro-n-octanesulfonyl Fluoride | | Portland OR 1-800-423-8616 |
| Chemical Formula | $C_8H_{18}O_2S$ | | |
| CAS Number | 307-35-7 | In case of Emergency Call | Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International) |
| | | | |

| Section II. Composition and Information on Ingredients | | | | | |
|--|------------------------|------------|----------------|----------------|-----------------|
| Chemic | al Name | CAS Number | Percent (%) | TLV/PEL | Toxicology Data |
| Heptadecafluoro-n-o | ctanesulfonyl Fluoride | 307-35-7 | Min. 90.0 (GC) | Not available. | Not available. |

| Section III. | Hazards Identification |
|------------------------|---|
| Acute Health Effects | Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound. |
| Chronic Health Effects | CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. |

| Section IV. | First Aid Measures |
|--------------|---|
| Eye Contact | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. |
| Skin Contact | In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention. |
| Inhalation | If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve. |
| Ingestion | DO NOT INDUCE VOMITING. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. |

| Section V. | Fire and Explosion Data | | | |
|--------------------------------------|---|---|----------------|--|
| Flammability | May be combustible at high temperature. | Auto-Ignition | Not available. | |
| Flash Points | Not available. | Flammable Limits | Not available. | |
| Combustion Products | | These products are toxic carbon oxides (CO, CO ₂), sulfur oxides (SO _x), halogenated compounds. WARNING: Highly toxic HF gas is produced during combustion. | | |
| Fire Hazards | Not available. | | | |
| Explosion Hazards | | Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. | | |
| Fire Fighting Media and Instructions | SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Consult with local fire authorities before attem | | perations. | |

H1176 Heptadecafluoro-n-octanesulfonyl Fluoride Page 2

Section VI. Accidental Release Measures

Spill Cleanup Instructions Corrosive liquid. Moisture Sensitive.

Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. DO NOT get water inside container. DO NOT touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all sources of ignition. Consult federal, state, and/or local authorities for assistance on disposal.

Section VII. Handling and Storage

Handling and Storage Information CORROSIVE. MOISTURE SENSITIVE. Keep container dry. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. Wear suitable protective clothing. If you feel unwell, seek medical attention and show the label when possible. Treat symptomatically and supportively. Always store away from incompatible compounds such as oxidizing agents, alkalis (bases), moisture.

Section VIII. Exposure Controls/Personal Protection

Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash station and safety shower is proximal to the work-station location.

Personal Protection

Splash goggles. Lab coat. Vapor respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent.



Exposure Limits

Not available.

| Section IX. Physical and Chemical Properties | | | | |
|--|------------------------------|-----------------------|----------------|--|
| Physical state @ 20°C | Liquid. (Light Yellow Clear) | Solubility | Not available. | |
| Specific Gravity | 1.85 (water=1) | | | |
| Molecular Weight | 502.12 | Partition Coefficient | Not available. | |
| Boiling Point | 155℃ (311℃) | Vapor Pressure | <1.3 kPA | |
| Melting Point | 8°C (46.4°F) | Vapor Density | >1 (Air = 1) | |
| Refractive Index | 1.3000 - 1.3040 | Volatility | Not available. | |
| Critical Temperature | Not available. | Odor | Not available. | |
| Viscosity | Not available. | Taste | Not available. | |

Section X. Stability and Reactivity Data

Stability

This material is stable if stored under proper conditions. (See Section VII for instructions)

Conditions of Instability

Moisture sensitive; keep container tightly closed.

Incompatibilities Reactive with oxidizing agents, alkalis (bases), moisture.

Section XI. Toxicological Information

RTECS Number

RG9842250

Routes of Exposure

Eye Contact. Ingestion. Inhalation. Skin contact.

Toxicity Data

Not available.

Chronic Toxic Effects

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

Acute Toxic Effects

Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.

Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

H1176 Heptadecafluoro-n-octanesulfonyl Fluoride Page 3

| Section XII. | Ecological Information | |
|--------------------|------------------------|---|
| Ecotoxicity | Not available. | |
| Environmental Fate | Not available. | ٦ |

Section XIII. Disposal Considerations

Waste Disposal Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance

Section XIV. Transport Information

DOT Classification Class 8: Corrosive material

PIN Number UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Packing Group (PG)

DOT Pictograms



Section XV. Other Regulatory Information and Pictograms

This compound is **ON** the EPA Toxic Substances Control Act (TSCA) inventory list. TSCA Chemical Inventory

(EPA)

CLASS E: Corrosive liquid.

WHMIS Classification (Canada)

On NDSL.

EINECS Number (EEC)

206-200-6

EEC Risk Statements

R34- Causes burns.

Japanese Regulatory Data

ENCS No. (2)-2803

Section XVI. Other Information

Version 1.0 Validated on 8/26/2009. Printed 8/26/2009.

Notice to Reader

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 8/26/2009.