

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 23.10.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

2-Chlorobenzylzinc chloride, 0.5M in THF

Stock number:

H58289

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
 A Johnson Matthey Company
 Zeppelinstr. 7b
 76185 Karlsruhe / Germany
 Tel: +49 (0) 721 84007 280
 Fax: +49 (0) 721 84007 300
 Email: tech@alfa.com
 www.alfa.com
 Product safety Tel + +049 (0) 7275 988687-0
 Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)
 Poison Information Center Mainz
 www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

Informing department:

1.4 Emergency telephone number:**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Water-react. 2 H261 In contact with water releases flammable gases.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34 Causes burns.



F; Highly flammable

R11 Highly flammable.

R14-19 Reacts violently with water. May form explosive peroxides.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in classification

No information known.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

Hazard pictograms

Signal word

The product is classified and labelled according to the CLP regulation.
 GHS02, GHS05, GHS07, GHS08
 Danger

Hazard-determining components of labelling:

Tetrahydrofuran
 2-Chlorobenzylzinc chloride

Hazard statements

H225 Highly flammable liquid and vapour.
 H261 In contact with water releases flammable gases.
 H314 Causes severe skin burns and eye damage.
 H351 Suspected of causing cancer.
 H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P231+P232 Handle under inert gas. Protect from moisture.
 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 EUH014 Reacts violently with water.
 EUH019 May form explosive peroxides.

Additional information:**2.3 Other hazards****Results of PBT and vPvB assessment**

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Dangerous components:**

CAS: 109-99-9 EINECS: 203-726-8	Tetrahydrofuran Xn R40; Xi R36/37; F R11 R19 Flam. Liq. 2, H225; Carc. 2, H351; Eye Irrit. 2, H319; STOT SE 3, H335	88,4%
CAS: 312624-11-6	2-Chlorobenzylzinc chloride C R34 R14 Skin Corr. 1B, H314	11,6%

(Contd. on page 2)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 23.10.2012

Trade name 2-Chlorobenzylzinc chloride, 0.5M in THF	
Additional information	None known. (Contd. of page 1)
SECTION 4: First aid measures	
4.1 Description of first aid measures	
General information	
After inhalation	Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Seek immediate medical advice.
After skin contact	Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.
After eye contact	Rinse opened eye for several minutes under running water. Then consult doctor.
After swallowing	Seek medical treatment.
4.2 Most important symptoms and effects, both acute and delayed	No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed	No further relevant information available.
SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing agents	In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents	Water.
5.2 Special hazards arising from the substance or mixture	Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl) Metal oxide
5.3 Advice for firefighters	
Protective equipment:	Wear self-contained breathing apparatus. Wear full protective suit.
SECTION 6: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources
6.2 Environmental precautions:	Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.
6.3 Methods and material for containment and cleaning up:	Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards:	Keep away from ignition sources.
6.4 Reference to other sections	See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.
Information about protection against explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.
7.2 Conditions for safe storage, including any incompatibilities	
Storage	
Requirements to be met by storerooms and containers:	Store in cool location.
Information about storage in one common storage facility:	Store away from air. Store away from water. Do not store together with acids. Store away from oxidizing agents.
Further information about storage conditions:	Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Protect from humidity and keep away from water. Store in cool, dry conditions in well sealed containers. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Check container pressure periodically to prevent explosive peroxides.
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/personal protection	
Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
8.1 Control parameters	
Components with critical values that require monitoring at the workplace:	
109-99-9 Tetrahydrofuran (88,4%)	
AGW (Germany)	150 mg/m ³ , 50 ppm
	2(l);DFG, EU, H, Y

(Contd. on page 3)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 23.10.2012

Trade name **2-Chlorobenzylzinc chloride, 0.5M in THF**

(Contd. of page 2)

PEL (USA)	590 mg/m ³ , 200 ppm
REL (USA)	Short-term value: 735 mg/m ³ , 250 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV (USA)	Short-term value: 295 mg/m ³ , 100 ppm Long-term value: 147 mg/m ³ , 50 ppm Skin

Ingredients with biological limit values:**109-99-9 Tetrahydrofuran (88,4%)**

BGW (Germany)	2 mg/l U b Tetrahydrofuran
BEI (USA)	2 mg/L urine end of shift Tetrahydrofuran

Additional information: No data**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Use breathing protection with high concentrations.

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Impervious gloves

Not determined

Tightly sealed safety glasses.

Full face protection

Protective work clothing.

Breathing equipment:**Protection of hands:****Material of gloves****Penetration time of glove material****Eye protection:****Body protection:****SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	Yellow to brown to black
Smell:	Not determined
Odour threshold:	Not determined.

pH-value: Not determined.**Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	-17 °C (THF)
Inflammability (solid, gaseous)	Not determined.
Ignition temperature:	230 °C (THF)
Decomposition temperature:	Not determined
Self-inflammability:	Product is not selfigniting.

Danger of explosion: May form explosive peroxides.
Do not distill to dryness.**Critical values for explosion:**

Lower:	1,5 Vol % (THF)
Upper:	12,0 Vol % (THF)
Steam pressure at 20 °C:	200 hPa (THF)
Density at 20 °C	0,975 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Reacts violently
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.

Solvent content:
Organic solvents: 88,4 %**Solids content:** 11,6 %**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity**Reacts violently with water.
May form explosive peroxides.
Stable under recommended storage conditions.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactionsReacts with strong oxidizing agents
Reacts violently with water
Forms peroxides**10.5 Incompatible materials:**Acids
Air
Oxidizing agents
Water/moisture**10.6 Hazardous decomposition products:**Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Metal oxide

DE/E

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 23.10.2012

Trade name **2-Chlorobenzylzinc chloride, 0.5M in THF**

(Contd. of page 3)

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:**109-99-9 Tetrahydrofuran**

Oral	LD50	1650 mg/kg (rat)
Inhalative	LC50/2H	72000 mg/m ³ /2H (rat)

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effect known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Corrosive

SECTION 12: Ecological information**12.1 Toxicity**

No further relevant information available.

Aquatic toxicity:

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Additional ecological information:

Do not allow material to be released to the environment without proper governmental permits.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Avoid transfer into the environment.

General notes:**12.5 Results of PBT and vPvB assessment**

Not applicable.

PBT:

Not applicable.

vPvB:

No further relevant information available.

12.6 Other adverse effects**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:**Recommendation:**

Disposal must be made according to official regulations.

SECTION 14: Transport information**UN-Number****ADR, IMDG, IATA**

UN3399

14.2 UN proper shipping name**ADR**

3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (2-Chlorobenzylzinc chloride, TETRAHYDROFURAN)
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (2-Chlorobenzylzinc chloride, TETRAHYDROFURAN)

IMDG, IATA**14.3 Transport hazard class(es)****ADR****Class**

4.3 (WF1) Substances which, in contact with water, emit flammable gases.
4.3+3

Label**IMDG, IATA****Class**

4.3 Substances which, in contact with water, emit flammable gases.
4.3+3

Label**Packing group****ADR, IMDG, IATA**

II

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user**Kemler Number:**

Warning: Substances which, in contact with water, emit flammable gases.
323

EMS Number:

F-G,S-M

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC**Code**

Not applicable.

Transport/Additional information:**ADR****Excepted quantities (EQ):**

E2

Limited quantities (LQ)

500 ml

Transport category

0

(Contd. on page 5)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 23.10.2012

Trade name **2-Chlorobenzylzinc chloride, 0.5M in THF**

(Contd. of page 4)

Tunnel restriction code

D/E

UN "Model Regulation":

UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,
FLAMMABLE (2-Chlorobenzylzinc chloride, TETRAHYDROFURAN), 4.3 (3), II**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical Substances**

109-99-9 Tetrahydrofuran

Standard for the Uniform Scheduling of Drugs and Poisons

None of the ingredients is listed.

National regulations

Information about limitation of use:

For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.

Classification according to VbF:

A I

Technical instructions (air):

Class	Share in %
NK	88,4

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations**ELINCS (European List of Notified Chemical Substances)**

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

REACH - Pre-registered substances

109-99-9 Tetrahydrofuran

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases

H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

R11 Highly flammable.
R14 Reacts violently with water.
R19 May form explosive peroxides.
R34 Causes burns.
R36/37 Irritating to eyes and respiratory system.
R40 Limited evidence of a carcinogenic effect.

Department issuing data specification sheet:

Health, Safety and Environmental Department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

DE/E