

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

1 Identification of substance:**Product details:****Product name:** Aluminum fluoride, hydrate**Stock number:** 10623**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Aluminum fluoride, hydrate (CAS# 32287-65-3), 100%

Identification number(s):**EINECS Number:** 232-051-1**3 Hazards identification****Hazard description:**

T Toxic

Information pertaining to particular dangers for man and environment

R 25 Toxic if swallowed.

R 34 Causes burns.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2

Flammability = 0

Reactivity = 1

GHS label elements**Danger**

3.1/2 - Fatal if swallowed.

**Danger**

3.2/1B - Causes severe skin burns and eye damage.

Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see label).

Rinse mouth.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

Product name: Aluminum fluoride, hydrate

(Contd. of page 1)

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**General information**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; immediately call for medical help.

Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Hydrogen fluoride (HF)

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Reacts with alkali metals.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

USA

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

Product name: Aluminum fluoride, hydrate

(Contd. of page 2)

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Fluorides (as F)

	mg/m3
ACGIH TLV	2.5
Austria MAK	2.5
Belgium TWA	2.5
Finland TWA	2.5
France TWA	2.5
Germany MAK	2.5
Hungary TWA	1; 2-STEL
Netherlands MAC-K	3.5
Norway TWA	0.6
Poland TWA	1; 3-STEL
Sweden NGV	2
Switzerland MAK-W	1.5; 3-KZG-W
United Kingdom TWA	2.5
Russia TWA	2
Denmark TWA	2.5
USA PEL	2.5

Additional information: No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection:

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties:**General Information**

Form:	Powder
Color:	White
Odor:	Odorless

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point: Not applicable

Ignition temperature: Not determined

Decomposition temperature: Not determined

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapor pressure: Not determined

Density: Not determined

Solubility in / Miscibility with

Water:	Slightly soluble
---------------	------------------

- USA -

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

Product name: Aluminum fluoride, hydrate

(Contd. of page 3)

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Alkali metals**Dangerous reactions** Reacts with alkali metals.**Dangerous products of decomposition:** Hydrogen fluoride (HF)**11 Toxicological information****Acute toxicity:****Primary irritant effect:****on the skin:**

Corrosive effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

on the eye:

Strong corrosive effect.

Irritating effect.

Sensitization: No sensitizing effects known.**Subacute to chronic toxicity:**

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:**

8

Identification number:

UN3260

Packing group:

III

Proper shipping name (technical name): CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (aluminum fluoride)

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

Product name: Aluminum fluoride, hydrate

(Contd. of page 4)

Label 8**Land transport ADR/RID (cross-border)**

ADR/RID class: 8 (C2) Corrosive substances
Danger code (Kemler): 80
UN-Number: 3260
Packaging group: III
Description of goods: 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Aluminum fluoride)

Maritime transport IMDG:

IMDG Class: 8
UN Number: 3260
Label 8
Packaging group: III
Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Aluminum fluoride)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 8
UN/ID Number: 3260
Label 8
Packaging group: III
Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Aluminum fluoride)

UN "Model Regulation": UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III**15 Regulations****Product related hazard informations:****Hazard symbols:**

T Toxic

Risk phrases:

25 Toxic if swallowed.

34 Causes burns.

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of water

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use: For use only by technically qualified individuals.**16 Other information:**

(Contd. on page 6)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 01/24/2007

Product name: Aluminum fluoride, hydrate

(Contd. of page 5)

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA