SAFETY DATA SHEET

Version 4.9 Revision Date 01/04/2018 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Cadmium carbonate

 Product Number
 : 229504

 Brand
 : Aldrich

 Index-No.
 : 048-001-00-5

CAS-No. : 513-78-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 4), H312 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H312 Harmful if swallowed or in contact with skin.

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

Aldrich - 229504 Page 1 of 10

H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) Obtain special instructions before use. P201 P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271 Avoid release to the environment. P273 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Wear respiratory protection. P284 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Store locked up.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

P405

P501

Formula : CCdO₃

Molecular weight : 172.42 g/mol
CAS-No. : 513-78-0
EC-No. : 208-168-9
Index-No. : 048-001-00-5

Hazardous components

Component	Classification	Concentration
Cadmium carbonate		
	Acute Tox. 4; Acute Tox. 2;	90 - 100 %
	Acute Tox. 4; Muta. 2; Carc.	
	1B; Repr. 2; STOT RE 1;	
	Aquatic Acute 1; Aquatic	
	Chronic 1; H302 + H312,	
	H330, H341, H350, H361,	
	H372, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Aldrich - 229504 Page 2 of 10

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 229504 Page 3 of 10

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

CAS-No.	Value	Control	Basis	
		parameters		
513-78-0	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Remarks				
rtomanto	Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies			
			(TLV)	
	Kidney dama			
	Substances for which there is a Biological Exposure Ind			
	(see BEI® section) Suspected human carcinogen varies			
		sted; for more info	mation see OSHA document	
	1910.1017			
	TWA	0.010000	USA. ACGIH Threshold Limit Values	
		mg/m3	(TLV)	
			Biological Exposure Index or Indices	
	`	,		
	Confirmed human carcinogen			
	Potential Occ	cupational Carcino	gen	
	See Appendi	x A		
	Potential Occupational Carcinogen			
	See Appendix A			
	PEL	0.005000	OSHA Specifically Regulated	
		mg/m3	Chemicals/Carcinogens	
	1910.1027 This standard applies to all occupational exposures to cadmiu cadmium compounds, in all forms, and in all industries covere			
		e Occupational Safety and Health Act, except the construction		
	the Occupati		ealth Act, except the construction-	
	the Occupati related indus	tries, which are co	ealth Act, except the construction- vered under 29 CFR 1926.63.	
	the Occupati related indus OSHA specif	tries, which are co ically regulated ca	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen	
	the Occupati related indus OSHA specif PEL	tries, which are co ically regulated ca 0.005000	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated	
	the Occupati related indus OSHA specif PEL	tries, which are co ically regulated ca	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen	
	the Occupati related indus OSHA specif PEL	tries, which are co ically regulated ca 0.005000 mg/m3	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard	tries, which are co fically regulated ca 0.005000 mg/m3 d applies to all occ	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium cor	tries, which are co fically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati	tries, which are co fically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and He	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction-	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus	tries, which are co ically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and Ho tries, which are co	ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction-vered under 29 CFR 1926.63.	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus OSHA specif	tries, which are co ically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and Ho tries, which are co ically regulated ca	ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus OSHA specif	tries, which are co ically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and Ho tries, which are co ically regulated ca	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction- vered under 29 CFR 1926.63.	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium condition the Occupation related indus OSHA specif Substance list	tries, which are co ically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and Ho tries, which are co ically regulated ca	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen mation see OSHA document	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus OSHA specif Substance list 1910.1018	tries, which are co fically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and He tries, which are co fically regulated ca sted; for more infor	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen rmation see OSHA document USA. ACGIH Threshold Limit Values	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus OSHA specif Substance lis 1910.1018 TWA Kidney dama	tries, which are co fically regulated ca 0.005000 mg/m3 d applies to all occ mpounds, in all for onal Safety and He tries, which are co fically regulated ca sted; for more infor	ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen rmation see OSHA document USA. ACGIH Threshold Limit Values (TLV)	
	the Occupati related indus OSHA specif PEL 1910.1027 This standard cadmium conthe Occupati related indus OSHA specif Substance lis 1910.1018 TWA Kidney dama	tries, which are co- fically regulated ca- 0.005000 mg/m3 d applies to all occupounds, in all for- onal Safety and He- tries, which are co- fically regulated ca- sted; for more infor- 0.01 mg/m3 age for which there is a	ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction-vered under 29 CFR 1926.63. rcinogen rmation see OSHA document USA. ACGIH Threshold Limit Values (TLV)	
	the Occupatine related industrial of the Occupatine of the Occupatine related industrial of the Occupatine of the Occupation of the Occupa	tries, which are co- fically regulated ca- 0.005000 mg/m3 d applies to all occupounds, in all for- onal Safety and He- tries, which are co- fically regulated ca- sted; for more infor- 0.01 mg/m3 age for which there is a	ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen OSHA Specifically Regulated Chemicals/Carcinogens upational exposures to cadmium and ms, and in all industries covered by ealth Act, except the construction- vered under 29 CFR 1926.63. rcinogen rmation see OSHA document USA. ACGIH Threshold Limit Values	
	CAS-No.	CAS-No. Value 513-78-0 TWA Remarks Kidney dama Substances if (see BEI® see Suspected he varies TWA Kidney dama Substances if (see BEI® see Suspected he varies Substance list 1910.1017 TWA Lung cancer Substances if (see BEI® see Confirmed he varies Potential Occ See Appendition Potential Occ See Appendition PEL 1910.1027 This standard	parameters 513-78-0 TWA 0.010000 mg/m3 Remarks Kidney damage Substances for which there is a (see BEI® section) Suspected human carcinogen varies TWA 0.002000 mg/m3 Kidney damage Substances for which there is a (see BEI® section) Suspected human carcinogen varies Substance listed; for more infor 1910.1017 TWA 0.010000 mg/m3 Lung cancer Substances for which there is a (see BEI® section) Confirmed human carcinogen varies Potential Occupational Carcino See Appendix A Potential Occupational Carcino See Appendix A Potential Occupational Carcino See Appendix A PEL 0.005000 mg/m3 1910.1027 This standard applies to all occ	

Aldrich - 229504 Page 4 of 10

TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
(see BEI® s	for which there is a	a Biological Exposure Index or Indices
TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies		
PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen		
PEL	0.01 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
This section applies to all occupational exposures to inorganic arsenic except that this section does not apply to employee exposures in agriculture or resulting from pesticide application, the treatment of wood with preservatives or the utilization of arsenically preserved wood. OSHA specifically regulated carcinogen		
Potential Occupational Carcinogen See Appendix A		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	-	cadmium	5 μg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical		•	
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Aldrich - 229504 Page 5 of 10

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white

odourless b) Odour

c) Odour Threshold No data available No data available d) pH

Melting point/freezing

point

Melting point/freezing point: 343 - 412 °C (649 - 774 °F)

Initial boiling point and

boiling range

No data available

Not applicable g) Flash point

h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower j) flammability or explosive limits No data available

Vapour pressure No data available No data available Vapour density

m) Relative density 4.258 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available o) Partition coefficient: n-No data available

octanol/water

p) Auto-ignition No data available

Aldrich - 229504 Page 6 of 10 temperature

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 310 mg/kg

Remarks: Behavioral:Tremor. Behavioral:Change in motor activity (specific assay). Nutritional and Gross

Metabolic:Weight loss or decreased weight gain.

LC50 Inhalation - Rat - male and female - 4 h - 0.06 mg/l

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium carbonate)

1 - Group 1: Carcinogenic to humans (Cadmium carbonate)

NTP: Known - Known to be human carcinogenThe reference note has been added by TD based on

the background information of the NTP. (Cadmium carbonate)

Known - Known to be human carcinogen (Cadmium carbonate)

Aldrich - 229504 Page 7 of 10

OSHA: OSHA specifically regulated carcinogen (Cadmium carbonate)

OSHA specifically regulated carcinogen (Cadmium carbonate)

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2570 Class: 6.1 Packing group: II Proper shipping name: Cadmium compounds (Cadmium carbonate)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2570 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: CADMIUM COMPOUND (Cadmium carbonate)

Aldrich - 229504 Page 8 of 10

Marine pollutant:yes

IATA

UN number: 2570 Class: 6.1 Packing group: II Proper shipping name: Cadmium compound (Cadmium carbonate)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 513-78-0 2007-03-01

Cadmium carbonate SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Cadmium carbonate	CAS-No. 513-78-0	Revision Date 2007-03-01
Gadillani Galbonato	010100	2007 00 01
	CAS-No.	Revision Date
Cadmium carbonate	513-78-0	2007-03-01
	CAS-No.	Revision Date
Cadmium carbonate	513-78-0	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Cadmium carbonate	513-78-0	2007-03-01
	CAS-No.	Revision Date
Cadmium carbonate	513-78-0	2007-03-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	513-78-0	2007-09-28
Cadmium carbonate		

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Carc. Carcinogenicity
H302 Harmful if swallowed.
H302 + H312 Harmful if swallowed or in contact with skin.
H312 Harmful in contact with skin.

ns 12 namilui in contact with skin.

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

Aldrich - 229504 Page 9 of 10

H372 Causes damage to organs through prolonged or repeated exposure.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 01/04/2018 Print Date: 11/10/2018

Aldrich - 229504 Page 10 of 10