

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 08/31/2006

1 Identification of substance:**Product details:****Product name:** Barium oxalate**Stock number:** 13009**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Barium oxalate (CAS# 516-02-9); 100%

Identification number(s):**EINECS Number:** 208-216-9**3 Hazards identification****Hazard description:**

Xn Harmful

Information pertaining to particular dangers for man and environment

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2

Flammability = 0

Reactivity = 1

GHS label elements

Danger

3.1/3 - Toxic if swallowed.

3.1/3 - Toxic in contact with skin.

3.1/3 - Toxic if inhaled.

Prevention:

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment (see label).

Specific measures (see label).

Rinse mouth.

Remove/Take off immediately all contaminated clothing.

Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 08/31/2006

Product name: Barium oxalate

(Contd. of page 1)

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Store away from oxidizing agents.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Barium, and soluble compounds, as Ba

mg/m³

ACGIH TLV 0.5; Not classified as a human carcinogen

Austria MAK 0.5

Belgium TWA 0.5

Denmark TWA 0.5

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 08/31/2006

Product name: Barium oxalate

(Contd. of page 2)

Finland TWA 0.5
 Germany MAK 0.5 (total dust)
 Hungary 0.5-STEEL
 Ireland TWA 0.5
 Korea TLV 0.5
 Netherlands MAC-TGG 0.5
 Norway TWA 0.5
 Poland TWA 0.5; 1.5-STEEL
 Sweden TWA 0.5
 Switzerland MAK-W 0.5
 United Kingdom LTEL 0.5
 USA PEL 0.5

Additional information: No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:** Impervious gloves**Eye protection:** Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties:****General Information**

Form: Crystalline
Color: White
Odor: Odorless

Change in condition

Melting point/Melting range: 400 dec°C (752 dec°F)
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: Not applicable**Ignition temperature:** Not determined**Decomposition temperature:** Not determined**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

Lower: Not determined
Upper: Not determined

Vapor pressure: Not determined**Density at 20°C (68°F):** 2.658 g/cm³**Solubility in / Miscibility with****Water at 18°C (64°F):** 0.093 g/l**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Oxidizing agents**Dangerous reactions** No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Metal oxide fume

11 Toxicological information**Acute toxicity:****Primary irritant effect:****on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 08/31/2006

Product name: Barium oxalate

(Contd. of page 3)

Subacute to chronic toxicity:

Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than insoluble compounds. Inhalation of fumes may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above symptoms.

Oxalates are powerful irritants and corrosive to tissue. They have a caustic effect on the mouth, esophagus and stomach. Readily absorbed, they can cause severe kidney damage.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:**

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information**DOT regulations:**

Hazard class: 6.1
Identification number: UN1564
Packing group: II
Proper shipping name (technical name): BARIUM COMPOUND, N.O.S.
Label: 6.1

Land transport ADR/RID (cross-border)

ADR/RID class: 6.1 (T5) Toxic substances
Danger code (Kemler): 60
UN-Number: 1564
Packaging group: II
Description of goods: 1564 BARIUM COMPOUND, N.O.S. (Barium oxalate)

Maritime transport IMDG:

IMDG Class: 6.1
UN Number: 1564
Label: 6.1
Packaging group: II

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/01/2009

Reviewed on 08/31/2006

Product name: Barium oxalate

(Contd. of page 4)

Proper shipping name: BARIUM COMPOUND, N.O.S.**Air transport ICAO-TI and IATA-DGR:**

ICAO/IATA Class:	6.1
UN/ID Number:	1564
Label	6.1
Packaging group:	II
Proper shipping name:	BARIUM COMPOUND, N.O.S.

UN "Model Regulation": UN1564, BARIUM COMPOUND, N.O.S., 6.1, II**15 Regulations****Product related hazard informations:****Hazard symbols:**

Xn Harmful

Risk phrases:

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

Safety phrases:

24/25 Avoid contact with skin and eyes.

28 After contact with skin, wash immediately with plenty of soap and water

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use:

For use only by technically qualified individuals.

This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA