

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 11.05.2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Tungsten(VI) isopropoxide, 5% w/v in isopropanol

Stock number:

41843

CAS Number:

52321-90-1

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
 A Johnson Matthey Company
 Zeppelinstr. 7b
 76185 Karlsruhe / Germany
 Tel: +49 (0) 721 84007 280
 Fax: +49 (0) 721 84007 300
 Email: tech@alfa.com
 www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2, H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/38: Irritating to eyes and skin.



F; Highly flammable

R11: Highly flammable.

R67: Vapours may cause drowsiness and dizziness.

Information concerning particular hazards

for human and environment:

Has a narcotizing effect.

Other hazards that do not result in

classification

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS07

Danger

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280

Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Precautionary statements**2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

52321-90-1 Tungsten(VI) isopropoxide, 5% w/v in isopropanol

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

After skin contact

After eye contact

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

5.2 Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Trade name **Tungsten(VI) isopropoxide, 5% w/v in isopropanol**

(Contd. of page 1)

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

6.2 Environmental precautions:**6.3 Methods and material for containment and cleaning up:**

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Keep away from ignition sources.

Prevention of secondary hazards:**6.4 Reference to other sections**

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Handle under dry protective gas.

Keep containers tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and containers:**

Store in cool location.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from water.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and keep away from water.

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:**

Tungsten and compounds (as W)

mg/m³

ACGIH TLV 1; 3-STEL (soluble compounds)

5; 10-STEL (insoluble compounds)

Belgium TWA 5; 10-STEL

Denmark TWA 5

Finland TWA 5

Korea TLV 5; 10-STEL

Netherlands MAC-TGG 5

Norway TWA 5

Poland TWA 5

Russia 2-STEL

Sweden NGV 5

Switzerland MAK-W 5

United Kingdom TWA 5; 10-STEL

Isopropyl alcohol (2-Propanol)

ppm

ACGIH TLV 400; 500-STEL

Austria MAK 400

Belgium TWA 400; 500-STEL

Denmark TWA 200

France VLE 400

Germany MAK 400

Ireland TWA 400; 500-STEL (skin)

Japan TWA 400-STEL

Korea TWA 400; 500-STEL

Netherlands MAC-TGG 400 (skin)

Norway TWA 100

Poland TWA 900; 1200-STEL

Russia TWA 400-STEL

Sweden NGV 150; 250-STEL

Switzerland MAK-W 400

United Kingdom TWA 400; 500-STEL

OSHA PEL 400

No data

Additional information:**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Use breathing protection with high concentrations.

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Impervious gloves

Not determined

Material of gloves**Penetration time of glove material**(Contd. on page 3)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 11.05.2010

Printing date 01.07.2013

Trade name **Tungsten(VI) isopropoxide, 5% w/v in isopropanol**

Eye protection: Safety glasses
Face protection

Body protection: Protective work clothing.

(Contd. of page 2)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form: Solution
Colour: Yellow
Smell: Alcohol-like
Odour threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: 12 °C (isopropanol)

Inflammability (solid, gaseous) Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Self-inflammability: Not determined.

Critical values for explosion:

Lower: Not determined

Upper: Not determined

Steam pressure: Not determined

Density Not determined

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Hydrolyzes

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not determined.

kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No information known.

10.2 Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No dangerous reactions known

10.5 Incompatible materials:

Oxidizing agents

Water/moisture

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Metal oxide

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:**

No effects known.

LD/LC50 values that are relevant for**classification:**

No data

Skin irritation or corrosion:

Causes skin irritation.

Eye irritation or corrosion:

Causes serious eye irritation.

Sensitization:

No sensitizing effect known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

No effects known.

Reproductive toxicity:**Specific target organ system toxicity -****repeated exposure:**

No effects known.

Specific target organ system toxicity - single**exposure:**

May cause drowsiness or dizziness.

Aspiration hazard:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:**

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Additional ecological information:**General notes:**

Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment**PBT:**

Not applicable.

vPvB:

Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal.

(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 11.05.2010

Trade name **Tungsten(VI) isopropoxide, 5% w/v in isopropanol**Uncleaned packagings:
Recommendation:

Disposal must be made according to official regulations.

(Contd. of page 3)

SECTION 14: Transport informationUN-Number
ADR, IMDG, IATA

UN1219

14.2 UN proper shipping name
ADR
IMDG, IATA1219 ISOPROPANOL (ISOPROPYL ALCOHOL)
ISOPROPANOL (ISOPROPYL ALCOHOL)14.3 Transport hazard class(es)
ADRClass
Label
IMDG, IATA3 (F1) Flammable liquids.
3Class
Label3 Flammable liquids.
3Packing group
ADR, IMDG, IATA

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user
Kemler Number:
EMS Number:Warning: Flammable liquids.
338
F-E,S-D14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC
Code

Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ):
Limited quantities (LQ)
Transport category
Tunnel restriction codeE2
1L
2
D/E

UN "Model Regulation":

UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical

Substances
Substance is not listed.

Standard for the Uniform Scheduling of

Drugs and Poisons
Substance is not listed.

National regulations

Information about limitation of use:

For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical

Substances)
Substance is not listed.Substances of very high concern (SVHC)
according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances

Substance is not listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

DE/E