

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 04/25/2005

1 Identification

Product identifier

Product name: (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

Stock number: 39628 **CAS Number:** 56713-38-3 Index number: 081-002-00-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.


2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger
Hazard statements
H300+H330 Fatal if swallowed or if inhaled.
H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.

H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: On Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

M41 Very taxis metarial equains immediate and egricue taxis effects.

D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH B Health (acute effects) = 3
Flammability = 1
Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 56713-38-3 (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I) Identification number(s): Index number: 081-002-00-9

4 First-aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

(Contd. on page 2)

(Contd. of page 1)

Product name: (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Seek Immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide
Toxic metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Recautions for sale naturing
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Thallium and soluble thallium compounds (as TI)

Mg/m3
ACGIH TLV ACGIH TLV 0.1 (skin)
Austria MAK 0.1
Belgium TWA 0.1 (skin)
Denmark TWA 0.1 (skin)
Finland TWA 0.1 (skin)
France VME 0.1
Germany MAK 0.1
Ireland TWA 0.1 (skin)
Korea TLV 0.1 (skin)
Norway TWA 0.1
Poland TWA 0.1; 0.3-STEL
Switzerland MAK-W 0.1 (skin)
United Kingdom LTEL 0.1 (skin)
Additional information: No data 0.1 (skin)

Additional information: No data

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.

(Contd. on page 3)

Product name: (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

Breathing equipment: Use self-contained respiratory protective device in emergency situations. **Protection of hands:**

Not applicable.

(Contd. of page 2)

Impervious gloves
Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

pH-value:

Appearance: Form: Color: Crystalline White Not determined Odor: Odor threshold: Not determined.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

159-164 °C (318-327 °F) 260 °C (500 °F) (dec) 110 °C (230 °F) (0.1mm Hg) Flash point: Flammability (solid, gaseous) Not applicable Not determined Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined

Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined Not applicable. Not determined Vapor pressure: Density: Relative density Not determined. Napor density

Evaporation rate

Solubility in / Miscibility with Not applicable. Not applicable.

Insoluble Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic: Not applicable.

Not applicable. No further relevant information available Other information

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Fatal if inhaled.
Fatal if swallowed.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritation to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - repeated exposure: May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Aspiration nazard: No effects known.

Subacute to chronic toxicity:

The main symptoms of thallium poisoning are peripheral neuropathy and loss of hair. Acute poisoning causes paresthesios, ataxia, alopecia, fever, coryza, abdominal pain, nausea and vomiting. Symptoms may progress to lethargy, speech disorders, tremors, convulsions, cyanosis, pulmonary edema, bronchopneumonia and death. Kidney, liver and brain damage can occur. Thallium poisoning during the first trimester of pregnancy can cause skeletal deformaties, alopecia, low birth weight and premature birth. Chronic thallium poisoning may produce alopecia, salivation and a blue line on the gums. Damage to the gastrointestinal, endocrine system and kidneys may also occur.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Toxic for aquatic organisms

(Contd. on page 4)

Product name: (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

(Contd. of page 3)

Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Toxic for aquatic organisms
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Transpo	rt information

UN-Number DOT, IMDG, IATA	UN1707
UN proper shipping name DOT IMDG, IATA	Thallium compounds, n.o.s. ((2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)) THALLIUM COMPOUND, N.O.S. ((2,2,6,6-Tetramethyl-3,5-heptanedionato) thallium (I))
Transport hazard class(es)	

DOT



6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1 Label Class Label IMDG, IATA



6.1 Toxic substances. Class Label

Packing group DOT, IMDG, IATA

Environmental hazards: Environmentally hazardous substance, solid

Special precautions for user Warning: Toxic substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN1707, Thallium compounds, n.o.s. ((2,2,6,6-Tetramethyl-3,5-heptanedionato) thallium (I)), 6.1, II UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements

Hazard statements
H300+H330 Fatal if swallowed or if inhaled.
H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) 56713-38-3 (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)



Product name: (2,2,6,6-Tetramethyl-3,5-heptanedionato)thallium (I)

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains thallium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance in set listed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
DOT: US Department of Transport accordance of Dangerous Goods DOT: US Department of Transport Association
ATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)