

1 Identification

Product identifier

Product name: Phenylselenenyl chloride

Stock number: 15702

CAS Number:

5707-04-0

EC number:

227-196-2

Index number:

034-002-00-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06 GHS08

Signal word

Danger

Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 1 Flammability = 1

REACTIVITY 2 Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

5707-04-0 Phenylselenenyl chloride

Identification number(s):

EC number: 227-196-2

Product name: Phenylselenyl chloride	
Index number: 034-002-00-8	(Contd. of page 1)
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl) Toxic metal oxide fume Hydrogen selenide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Selenium and selenium compounds (as Se) mg/m3 ACGIH TLV 0.2 Austria MAK 0.1 Belgium TWA 0.2 Denmark TWA 0.1 Finland TWA 0.1; 0.3-STEL Germany MAK 0.1 Hungary 0.1-STEL Ireland TLV 0.1 Japan OEL 0.1 Korea TLV 0.2 Netherlands MAC-TGG 0.1 Poland TWA 0.1; 0.3-STEL Sweden NGV 0.1	

Product name: Phenylselenyl chloride	
Switzerland MAK-W 0.1 United Kingdom TWA 0.1 USA PEL 0.2	
(Contd. of page 2)	
5707-04-0 Phenylselenyl chloride (100.0%)	
PEL (USA)	Long-term value: 0.2 mg/m³ as Se
REL (USA)	Long-term value: 0.2 mg/m³ as Se
TLV (USA)	Long-term value: 0.2 mg/m³ as Se
EL (Canada)	Long-term value: 0.1 mg/m³ as Se
Additional information: No data	
Exposure controls	
Personal protective equipment	
General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed.	
Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work.	
Store protective clothing separately.	
Avoid contact with the eyes and skin.	
Maintain an ergonomically appropriate working environment.	
Breathing equipment: Use self-contained respiratory protective device in emergency situations.	
Protection of hands:	
Impervious gloves	
Check protective gloves prior to each use for their proper condition.	
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Eye protection:	
Tightly sealed goggles	
Full face protection	
Body protection: Protective work clothing.	
9 Physical and chemical properties	
Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Crystalline
Color:	Yellow-brown
Odor:	Stench
Odor threshold:	Not determined.
pH-value: Not applicable.	
Change in condition	
Melting point/Melting range:	63-65 °C (145-149 °F)
Boiling point/Boiling range:	120 °C (248 °F) (20mm Hg)
Sublimation temperature / start:	Not determined
Flash point: Not applicable	
Flammability (solid, gaseous) Not determined.	
Ignition temperature: Not determined	
Decomposition temperature: Not determined	
Auto igniting: Not determined.	
Danger of explosion: Product does not present an explosion hazard.	
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure at 60 °C (140 °F):	31 hPa (23 mm Hg)
Density at 20 °C (68 °F):	1.42 g/cm³ (11.85 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Hydrolyzes
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information No further relevant information available.	
10 Stability and reactivity	
Reactivity No information known.	
Chemical stability Stable under recommended storage conditions.	
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions No dangerous reactions known	
Conditions to avoid No further relevant information available.	
Incompatible materials: Oxidizing agents	
Hazardous decomposition products:	
Carbon monoxide and carbon dioxide	
Hydrogen chloride (HCl)	
Toxic metal oxide fume	
Hydrogen selenide	
11 Toxicological information	
Information on toxicological effects	
Acute toxicity:	
Toxic if inhaled.	
Toxic if swallowed.	
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.	
(Contd. on page 4)	

Product name: **Phenylselenenyl chloride**

(Contd. of page 3)

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
IARC-3: Not classifiable as to carcinogenicity to humans.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure:
May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.



12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxicological effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	UN2928
UN proper shipping name DOT IMDG, IATA	Toxic solids, corrosive, organic, n.o.s. (Phenylselenenyl chloride) TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S. (Phenylselenenyl chloride)
Transport hazard class(es) DOT	
Class Label Class Label IMDG, IATA	6.1 Toxic substances. 6.1+8 6.1 (TC2) Toxic substances 6.1+8
	
Class Label	6.1 Toxic substances. 6.1+8
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Environmentally hazardous substance, solid
Special precautions for user	Warning: Toxic substances
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN2928, Toxic solids, corrosive, organic, n.o.s. (Phenylselenenyl chloride), 6.1 (8), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)
USA

Product name: Phenylselenenyl chloride

Hazard pictograms



GHS06 GHS08

Signal word *Danger*

Hazard statements

H301+H331 *Toxic if swallowed or if inhaled.*

H373 *May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.*

Precautionary statements

P260 *Do not breathe dust/fume/gas/mist/vapours/spray.*

P261 *Avoid breathing dust/fume/gas/mist/vapours/spray.*

P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...*

P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

P405 *Store locked up.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

5707-04-0 | Phenylselenenyl chloride

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/23/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)