

*A*lfa *A*esar

Page 1/5 Printing date 11/24/2015 Reviewed on 09/05/2003

1 Identification

Product identifier

Product name: Nickel Chromium Iron slug

Stock number: 36299 CAS Number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Alia Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com
Information Department: Health, Safety and Environmental Department
Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction. **Hazards not otherwise classified** No information known.

I abel elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P363 Wash contaminated clothing before reuse.
P365 State legical up.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = *0
Flammability = 0
Physical Hazard = 0

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 61106-39-6 Nickel Chromium Iron slug

4 First-aid measures

Description of first aid measures

General information No special measures required.

After inhalation

Supply fresh air and to be sure call for a doctor.

Seek medical treatment in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing If symptoms persist consult doctor.

Product name: Nickel Chromium Iron slug

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Advice for firefiahters Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Prevent formation of dust.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

```
Chromium metal
```

mg/m3 ACGIH TLV 0.5; Not classifiable as a human carcinogen Belgium TWA 0.5

Denmark TWA Finland TWA France VME 0.5

0.01 0.5

Japan OEL Korea TLV 0.5 0.5

Netherlands MAC-TGG 0.5 Norway TWA Poland TWA 0.5 0.5

Sweden NGV 0.5

United Kingdom TWA 0.5 USA PEL

Nickel and inorganic compounds, as Ni

Nickel and inorganic compounds, as Ni mg/m3

ACGIH TLV

1.5; A5 (metal)

0.2; A1 (insoluble compounds)

0.1; A4 (soluble compounds)

Carcinogen

Denmark TWA

0.5

Finland TWA

France VME

Germany

Hungary

1: C3-Carcinogen

Carcinogen

Carcinogen

Carcinogen

Carcinogen

Carcinogen

Carcinogen

Carcinogen

Carcinogen

1: C3-Carcinogen (insoluble compounds)

Japan OEL

1: 2B-Carcinogen

Hungary Japan OEL Korea TLV

1, 2B-Carcinogen

Netherlands MAC-TGG 1; Carcinogen

Norway TWA 0.05
Poland TWA 0.25
Russia

roland TWA 0.25
Russia 0.05-STEL
Sweden NGV 0.5 (dust)
Switzerland MAK-W 0.5; Carcinogen
United Kingdom TWA 0.1
USA PEL 1
Additional:

Additional information: No data

Exposure controls

Personal protective equipment

General protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Not required.
Protection of hands: Not required.

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/24/2015 Reviewed on 09/05/2003

Product name: Nickel Chromium Iron slug

Eye protection: Safety glasses Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color: Slug Silver-colored Odor: Odorless Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Not determined Not determined Sublimation temperature / start: Not determined

Flash point: Not applicable Fine powder: highly flammable Not determined Flammability (solid, gaseous) Ignition temperature:

Decomposition temperature: Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits:

Lower: Not determined Upper: Not determined Vapor pressure: Not applicable. Density: Relative density Not determined Not determined. Vapor density Not applicable. Not applicable.

Evaporation rate Solubility in / Miscibility with

Water Insoluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dvnamic: Not applicable. Not applicable. kinematic:

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Very fine powder: spontaneously flammable in air.

Conditions to avoid No further relevant information available.

Product does not present an explosion hazard.

Incompatible materials:

Oxidizing agents Interhalogens Halogenš Sulfür

Hazardous decomposition products: Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion:

No irritant effect Powder: irritant effect

Eye irritation or corrosion:

No irritant effect. Powder: irritant effect **Sensitization:** May cause an allergic skin reaction.

Germ cell mutagénicity: No effects known.

Carcinogenicity:
Suspected of causing cancer.
EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.
IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
ACCIU AA: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. ACGIH A4: Not classifiable as a human carcinogen: Innied evidence from studies in numaris of sufficient evidence from studies in experimental animals. Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Chromium powder, chromium (II) and chromium (III) compounds may cause nausea, diarrhea, vomiting, skin and eye irritation and pneumoconiosis. Although less likely than Cr(VI) compounds, the NTP considers all chromium to be potentially carcinogenic.

Iron compounds may cause vomiting, diarrhea, pink urine, black stool, and liver damage. May cause damage to the kidneys. Irritating to the respiratory tract, they may cause pulmonary fibrosis if dusts are inhaled.

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

(Contd. of page 3)

Product name: Nickel Chromium Iron slug

Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

Transport information

Not a hazardous material for transportation.

UN-Number DOT, IMDG, IATA UN proper shipping name DOT, IMDG, IATA

None

Transport hazard class(es)

None

DOT, ADR, IMDG, IATA Class

None

Packing group DOT, IMDG, IATA

None

Environmental hazards: Special precautions for user Not applicable. Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

DOT


Marine Pollutant (DOT): No

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Hazard statements
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

Precautionary statements

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. This product contains a chemical known to the state of California to cause cancer and/or reproductive toxicity.

SARA Section 313 (specific toxic chemical listings)

61106-39-6 Nickel Chromium Iron slug

California Proposition 65

Prop 65 - Chemicals known to cause cancer

61106-39-6 Nickel Chromium Iron slug

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains chromium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA (Contd. on page 5) Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/24/2015 Reviewed on 09/05/2003

Product name: Nickel Chromium Iron slug

(Contd. of page 4)

16 Other information
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in con Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Ali Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)