# SAFETY DATA SHEET

Version 6.1 Revision Date 07/13/2018 Print Date 09/12/2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Methane-d<SB>1</>

Product Number : 490237 Brand : Aldrich

CAS-No. : 676-49-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Gases under pressure (Compressed gas), H280

Flammable gases (Category 1), H220

Gases under pressure (Compressed gas), H280

Simple Asphyxiant,

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

 $\langle \rangle$ 

Signal word Warning

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated.

Aldrich- 490237 Page 1 of 8

Precautionary statement(s)

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Pictogram



Signal word Danger

Hazard statement(s)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : CDH<SB>3</>
Molecular weight : 17.05 g/mol
CAS-No. : 676-49-3

**Hazardous components** 

Component	Classification	Concentration
Methane-d <sb>1</sb>		
	Flam. Gas 1; Press. Gas Compr. Gas; SA; H220,	<= 100 %
	H280,	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic Storage class (TRGS 510): 2A: Gases

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Methane-d1	676-49-3	TWA	1,000.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment Cardiac sensitization		
		See Append Asphyxia 2017 Adoption	ix F: Minimal Oxyg on	en Content

Aldrich- 490237 Page 3 of 8

TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits	
'Ca' in the presence of formaldehyde, acetaldehyde, or			
malonaldehyde. See Appendices A & C (Aldehydes).			
TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits	
'Ca' in the presence of formaldehyde, acetaldehyde, or malonaldehyde. See Appendices A & C (Aldehydes).			
See Appendix F: Minimal Oxygen Content Asphyxia			
TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits	
'Ca' in the presence of formaldehyde, acetaldehyde, or malonaldehyde. See Appendices A & C (Aldehydes).			
A number of gases and vapors, when present in high concentrations, act primarily as asphyxiants without other adverse effects. A concentration limit is not included for each material because the limiting factor is the available oxygen. (Several of these materials present fire or explosion hazards.)			

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: Compressed gasb) Odour No data availablec) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing point

Melting point/range: -183 °C (-297 °F) - lit.

f) Initial boiling point and boiling range

-161 °C (-258 °F) - lit.

bolling range

g) Flash point -188.00 °C (-306.40 °F)

Aldrich- 490237 Page 4 of 8

No data available h) Evaporation rate Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 15.00 %(V) flammability or Lower explosion limit: 5.00 %(V)

explosive limits

k) Vapour pressure No data available Vapour density No data available m) Relative density No data available n) Water solubility No data available Partition coefficient: n-No data available

octanol/water

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available Viscosity s) Explosive properties No data available No data available Oxidizing properties

#### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong oxidizing agents

#### Hazardous decomposition products 10.6

No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

# Skin corrosion/irritation

No data available

Aldrich- 490237 Page 5 of 8

## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

## Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

# **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available(Methane-d1)

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

## Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Aldrich- 490237 Page 6 of 8

### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1971 Class: 2.1

Proper shipping name: Methane, compressed

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1971 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: METHANE, COMPRESSED

**IATA** 

UN number: 1971 Class: 2.1

Proper shipping name: Methane, compressed IATA Passenger: Not permitted for transport

## 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No

Revision Date

### SARA 311/312 Hazards

Fire Hazard, Sudden Release of Pressure Hazard

# **Massachusetts Right To Know Components**

	I (CVISION Date
676-49-3	1993-04-24
CAS-No.	Revision Date
676-49-3	1993-04-24
CAS-No.	Revision Date
676-49-3	1993-04-24
	CAS-No. 676-49-3 CAS-No.

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

May displace oxygen and cause rapid suffocation.

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling

Aldrich- 490237 Page 7 of 8

or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.1 Revision Date: 07/13/2018 Print Date: 09/12/2019

Aldrich- 490237 Page 8 of 8