# SAFETY DATA SHEET

Version 5.5 Revision Date 06/02/2016 Print Date 10/23/2019

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Methane-d<sub>3</sub>-thiol

Product Number : 614904 Brand : Aldrich

CAS-No. : 73142-81-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable gases (Category 1), H220 Gases under pressure (Liquefied gas), H280 Acute toxicity, Inhalation (Category 3), H331 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Aldrich - 614904 Page 1 of 8

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P311 Call a POISON CENTER /doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical characterization : Isotopically labeled Synonyms : Methyl-d<sub>3</sub> mercaptan Methyl-d<sub>3</sub> mercaptan

Formula : CD<sub>3</sub>HS Molecular weight : 51.13 g/mol CAS-No. : 73142-81-1

Hazardous components

Component	Classification	Concentration
Methane-d3-thiol		
	Flam. Gas 1; Press. Gas Liquefied gas; Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic 1; H220, H280, H331, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# **6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

	Components than the replace control parameters					
Component	CAS-No.	Value	Control	Basis		
			parameters			
Methane-d3-thiol	73142-81-1	TWA	0.500000 ppm	USA. ACGIH Threshold Limit Values		
				(TLV)		
	Remarks	Liver damage				
		С	0.500000 ppm	USA. NIOSH Recommended		
			1.000000	Exposure Limits		
			mg/m3			
		15 minute ceiling value				

Aldrich - 614904 Page 3 of 8

С	10.000000 ppm 20.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.		
PEL	0.5 ppm 1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methane-d3-thiol	73142-81-1	Methemoglob in	1.500 %	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	During or end	of shift		-

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: Liquefied gas
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing

point

Melting point/range: -123 °C (-189 °F)

f) Initial boiling point and

6 °C (43 °F) at 1,013 hPa (760 mmHg)

boiling range

g) Flash point -18 °C (0 °F) - closed cup

Aldrich - 614904 Page 4 of 8

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 21.9 %(V) at 1013 hPa (760 mmHg) flammability or Lower explosion limit: 3.9 %(V) at 1013 hPa (760 mmHg)

explosive limits

k) Vapour pressure
l) Vapour density
m) Relative density
n) Water solubility
No data available
No data available
No data available

o) Partition coefficient: n-

octanol/water

log Pow: 5.0

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

# 10.5 Incompatible materials

Oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

Aldrich - 614904 Page 5 of 8

### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Cyanosis, anemia, Nausea, Headache, Vomiting, Dizziness, Weakness, Incoordination., Tremors, Unconsciousness

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Aldrich - 614904 Page 6 of 8

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1064 Class: 2.3 (2.1) Proper shipping name: Methyl mercaptan Reportable Quantity (RQ): 100 lbs

Marine pollutant:yes

Poison Inhalation Hazard: Hazard zone C

**IMDG** 

UN number: 1064 Class: 2.3 (2.1) EMS-No: F-D, S-U

Proper shipping name: METHYL MERCAPTAN

Marine pollutant: yes Marine pollutant: yes

**IATA** 

UN number: 1064 Class: 2.3 (2.1)
Proper shipping name: Methyl mercaptan
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 73142-81-1 2008-11-03

# **SARA 313 Components**

Methane-d3-thiol

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Massachusetts Right To Know Components**

 CAS-No.
 Revision Date

 Methane-d3-thiol
 73142-81-1
 2008-11-03

Pennsylvania Right To Know Components

CAS-No. Revision Date

Methane-d3-thiol 73142-81-1 2008-11-03

**New Jersey Right To Know Components** 

 Methane-d3-thiol
 CAS-No.
 Revision Date

 2008-11-03
 73142-81-1
 2008-11-03

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Flam. Gas
Flammable gases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Press. Gas Gases under pressure

Aldrich - 614904 Page 7 of 8

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 4
Physical Hazard 3

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 4
Reactivity Hazard: 0

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5 Revision Date: 06/02/2016 Print Date: 10/23/2019

Aldrich - 614904 Page 8 of 8