

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 04/25/2005

1 Identification

Product identifier

Product name: Propyne

Stock number: 43754 CAS Number: 74-99-7

EC number: 200-828-4

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapour.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS04


Signal word Danger Hazard statements

H280 Contains gas under pressure; may explode if heated. H224 Extremely flammable liquid and vapour.

H224 EXITERIES INCLUDED INTERIOR IN INT Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
Ground/bond container and receiving equipment.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P410 Protect from sunlight.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification A - Compressed gas B2 - Flammable liquid





HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 74-99-7 Propyne Identification number(s): EC number: 200-828-4

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

(Contd. on page 2)

Product name: Propyne

After skin contact

(Contd. of page 1)

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Carbon monoxide and carbon dioxide

Advice for firefighters

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Recautions for sare nandling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Keep away from heat and direct sunlight.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keen intition sources away.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Keep away from heat and direct sunlight.

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with limit values that require monitoring at the workplace:

1-propyne (CAS# 74-99-7)

ACGIH TLV
Belgium TWA
Denmark TWA
Finland TWA
France TWA 1000 1000 1000 1000 1000 1000 1000 1000 Germany TWA Ireland TWA Netherlands TWA Switzerland TWA USA PEL

Control parameters

Components with limit values that require monitoring at the workplace:

74-99-7 Propyne (100.0%)

Long-term value: 1650 mg/m³, 1000 ppm Long-term value: 1650 mg/m³, 1000 ppm PEL (USA) REL (USA) TLV (USA) Long-term value: 1640 mg/m³, 1000 ppm

EL (Canada) Long-term value: 1000 ppm Short-term value: 1.250 ppm Long-term value: 1.000 ppm EV (Canada)

1000

Additional information: No data

(Contd. on page 3)

Product name: Propyne

(Contd. of page 2)

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feet.

Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Wash manus before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protection of nancs:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:
Form:
Color:

Liquefied gas Not determined

Odor:

Not determined Not determined.

Odor threshold: pH-value:

Not determined.

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

-103 °C (-153 °F) -23 °C (-9 °F) Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

-60 °C (-76 °F)

Not applicable. Not determined

Not determined Not determined.

Auto igniting:

Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Danger of explosion: Explosion limits: Lower:

Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

2.5 Vol % 80 Vol %

Not determined 0.706 g/cm³ (5.892 lbs/gal) Not determined.

Not determined.

Evaporation rate Solubility in / Miscibility with Water:

Not determined.

Partly miscible

Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: kinematic:

Not determined.

Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: Air

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects Acute toxicity: No effects known.

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: Propyne acts as a general anesthetic and can lead to ataxia and death when inhaled in large concentrations Subacute to chronic toxicity: Propyne acts as a general anesthetic and can lead to ataxia and death when inhaled in large concentrations. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Propyne

Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.
Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport informati	or
------------------------	----

UN-Number DOT, IMDG, IATA	UN3161
UN proper shipping name DOT IMDG, IATA	Liquefied gas, flammable, n.o.s. (Propyne) LIQUEFIED GAS, FLAMMABLE, N.O.S. (Propyne)
Transport hazard class(es)	

DOT



2.1 2.1 2 2F Gases Label IMDG, IATA



Class Label

Packing group DOT, IMDG, IATA Not applicable Environmental hazards: Not applicable. Special precautions for user Warning: Gases

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

UN "Model Regulation": UN3161, Liquefied gas, flammable, n.o.s. (Propyne), 2.1

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS04

Signal word Danger

Hazard statements
H280 Contains gas under pressure; may explode if heated.
H224 Extremely flammable liquid and vapour.

H224 Extremely flammable liquid and vapour.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P410 Protect from sunlight.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

(Contd. on page 5)



Product name: Propyne

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LPOS: Lethal dose, 50 percent