Safety Data Sheet acc. to OSHA HCS



Page 1/6 Printing date 04/30/2018 Revision date 04/27/2018 Version 1

1 Identification

Product identifier

Product name: Carbon disulfide

Stock number: 38993 CAS Number: 75-15-0 EC number: 200-843-6 Index number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the peripheral nervous system, the kidneys, the liver, the heart, the digestive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.




Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified Stench

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





Hazard statements

Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements
Hazard statements

through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

WHMIS classification

B2 - Flammable liquid
D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 3 Physical Hazard = 1

(Contd. of page 1)

Product name: Carbon disulfide

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 75-15-0 Carbon disulfide Concentration: ≤100% Identification number(s): EC number: 200-843-6 Index number: 006-003-00-3

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes skin irritation.
Harmful if swallowed.

Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.
Causes damage to the peripheral nervous system, the kidneys, the liver, the heart, the digestive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen sulfide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Protective Action Criteria for Chemicals PAC-1: 13 ppm PAC-2: 160 ppm PAC-3: 480 ppm

7 Handling and storage

Handling Precautions for safe handling

Recautions for safe nandling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from amines.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

Product name: Carbon disulfide

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

75-15-0 Carbon disulfide (100.0%)

PEL (USA)

Long-term value: 20 ppm Ceiling limit value: 30; 100* ppm Skin; *30-min peak per 8-hr shift Short-term value: 30 mg/m³, 10 ppm Long-term value: 3 mg/m³, 1 ppm Skin REL (USA)

Long-term value: 3.13 mg/m³, 1 ppm Skin, BEI TLV (USA)

Short-term value: 12 ppm Long-term value: 4 ppm Skin EL (Canada)

Long-term value: 1 ppm Skin EV (Canada)

Ingredients with biological limit values:

75-15-0 Carbon disulfide (100.0%)

BEI (USA) 0.5 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: 2-Thioxothiazolidine-4-carboxylic acid (background, nonspecific)

Exposure controls Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (FI)

Protection of hands:

Protection of names:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Fluorocarbon rubber (Viton)
Penetration time of glove material (in minutes) 480

Glove thickness: 0.7 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Odor: Liquid Unpleasant Odor threshold: Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -112 °C (-170 °F) 46 °C (115 °F) Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: -30 °C (-22 °F) Not determined 95 °C (203 °F) Not determined

Auto igniting:

Not determined. Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Not determined

Danger of explosion: Explosion limits:

1 Vol %

Lower: Upper:

1 Vol % 60 Vol % 400 hPa (300 mm Hg) 1.26 g/cm³ (10.515 lbs/gal) Not determined.

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Not determined Evaporation rate
Solubility in / Miscibility with
Water at 20 °C (68 °F): Not determined.

Water at 20 °C (68 °F): 2.2 g/l
Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic:

Not determined.

Other information

Not determined. No further relevant information available.

Product name: Carbon disulfide

(Contd. of page 3)

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Amines

Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen sulfide

11 Toxicological information

Information on toxicological effects
Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

LD/LC50 values that are relevant for classification:
Oral | LD50 | 1200 mg/kg (rat)

Inhalative LC50/2H 25000 mg/m3/2H (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell majeralicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: Suspected of damaging fertility or the unborn child. The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:
Causes damage to the peripheral nervous system, the kidneys, the liver, the heart, the digestive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

Do not allow undiluted product or large quantities to reach ground water, in

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

VPvB: Not applicable.

Other solve professes.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN proper shipping name DOT

ADR IMDG, IATA

UN1131

Carbon disulfide 1131 Carbon disulfide CARBON DISULPHIDE

3 Flammable liquids 3, 6.1

Transport hazard class(es)

DOT









Class

3 (FT1) Flammable liquids

(Contd. on page 5)

Product name: Carbon disulfide (Contd. of page 4) 3+6.1 Label IMDG Ü 3 Flammable liquids 3/6.13 Flammable liquids 3 (6.1) Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user EMS Number: Warning: Flammable liquids F-E,S-D Stowage Category Stowage Code Segregation Code SW2 Clear of living quarters. SG63 Stow "separated longitudinally by an intervening complete compartment or hold from" Class 1. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden 100 lbs, 45.4 kg Hazardous substance: Marine Pollutant (DOT): IMDG Limited quantities (LQ Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity

UN 1131 CARBON DISULFIDE, 3 (6.1), I

15 Regulatory information

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to the peripheral nervous system, the kidneys, the liver, the heart, the digestive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Precautionary statements

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Mational regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

75-15-0 Carbon disulfide

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity

75-15-0 Carbon disulfide

Prop 65 - Developmental toxicity, female

75-15-0 Carbon disulfide

Prop 65 - Developmental toxicity, male

75-15-0 Carbon disulfide

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.

Appear XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA

Product name: Carbon disulfide

(Contd. of page 5)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Workplace Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
DBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
INTP: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4. Acute toxicity — Category 2
Acute Tox. 4. Acute toxicity — Category 2
Acute Tox. 5. Peocline target organ toxicity (repeated exposure) — Category 1
STOT RE 1: Specific target organ toxicity (repeated exposure) — Category 1

IISA