Safety Data Sheet acc. to OSHA HCS



Page 1/6 Printing date 08/09/2016 Revision date 08/08/2016

1 Identification

Product identifier

Product name: Nickel(II) chloride, anhydrous

Stock number: 14687 **CAS Number:** 7718-54-9 EC number:

231-743-0 Index number: 028-011-00-6

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.

H372 Causes damage to the lung, the endocrine system and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative. STOT RE 1



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H315 Causes skin irritation.
H334 May cause allergy or asthma sy
H317 May cause an allergic skin reach Toxic if swallowed of it illinated.
Causes skin irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing genetic defects.

H350

May cause cancer.
May damage fertility or the unborn child.

H360 May damage fertility or the unborn child.
H372 Causes damage to the lung, the endocrine system and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
In case of inadequate ventilation wear respiratory protection.
Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection.
Use personal protective equipment as required.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Store locked up.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
D1A - Very toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



(Contd. of page 1)

Product name: Nickel(II) chloride, anhydrous

Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 0 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7718-54-9 Nickel(II) chloride Identification number(s): EC number: 231-743-0 Index number: 028-011-00-6

4 First-aid measures

Description of first aid measures

Description of first aid measures
General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Most important symptoms and effects, both acute and delayed
Causes skin irritation.
Toxic if inhaled.
Toxic if swallowed

Toxic if swallowed.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

May cause an allergic skill reaction. May cause cancer. Suspected of causing cancer by inhalation. May damage fertility or the unborn child. Causes damage to the lung, the endocrine system and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

High products inved in a in Hydrogen chloride (HCI) Nickel oxides Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions: Store under dry inert gas.

(Contd. on page 3)

(Contd. of page 2)

Product name: Nickel(II) chloride, anhydrous

This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7718-54-9 Nickel(II) chloride (100.0%)

PEL (USA) Long-term value: 1 mg/m³ as Ni

Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A REL (USA)

Long-term value: 0.1 mg/m³ as Ni; inhalable fraction TLV (USA)

Long-term value: 0.05 mg/m³ as Ni; ACIGH A1, IARC 1 EL (Canada)

Long-term value: 0.1 mg/m³ Inhalable fraction, as Ni EV (Canada)

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Powder Odor: Odor threshold: Odorless Not determined.

pH-value: Not applicable.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: 1001 °C (1834 °F) Not determined Not determined Not determined Not determined Not determined Auto igniting: Not determined.

Danger of explosion:

Not determined.

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure at 671 °C (1240 °F):
Density at 20 °C (68 °F):
Relative density

Not determined

Not determined 1.33 hPa (1 mm Hg) 3.55 g/cm³ (29.625 lbs/gal) Not determined.

Vapor density

Not applicable.

Evaporation rate

Solubility in / Miscibility with

Water at 20 °C (68 °F):

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Viscosity: dynamic: kinematic:

Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Nickel(II) chloride, anhydrous

Incompatible materials:

Water/moisture

Watermioratine Oxidizing agents **Hazardous decomposition products:** Hydrogen chloride (HCl) Nickel oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity: Toxic if inhaled.

Toxic if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

LD/LC50 values that are relevant for classification:

Oral LD50 105 mg/kg (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Irritating effect. Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

May cause an allergic skill reaction.

Germ cell mutagenicity:
Suspected of causing genetic defects.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

Carcinogenicity:
May cause cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
NTP-K: Known to be carcinogenic: sufficient evidence from human studies.
Reproductive toxicity:
May damage fertility or the unborn child.
The Registry of Toxic Effects of Chairs and Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:
Causes damage to the lung, the endocrine system and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms

Very toxic for aquatic organisms
Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN proper shipping name DOT

RQ Toxic solid, inorganic, n.o.s. (Nickel(II) chloride, anhydrous) TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) chloride, anhydrous) IMDG, I<u>ATA</u>

Transport hazard class(es)

DOT



Class

Class 6.1 Toxic substances

UN3288

6.1 6.1 (T5) Toxic substances

(Contd. on page 5)

Product name: Nickel(II) chloride, anhydrous (Contd. of page 4) Label IMDG, IATA 6.1 Class Label 6.1 Toxic substances. 6.1 Packing group DOT, IMDG, IATA Environmentally hazardous substance, solid Environmental hazards: Special precautions for user EMS Number: Warning: Toxic substances F-A,S-A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Hazardous substance 100 lbs, 45.4 kg Marine Pollutant (DOT): No UN "Model Regulation": UN3288, Toxic solid, inorganic, n.o.s. (Nickel(II) chloride, anhydrous), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements

H301+H331 Toxic if swallowed or if inhaled. H315 Causes skin irritation.

H334 H317 H341

H360 H372

Causes skin initiation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing genetic defects.
May cause cancer.
May cause cancer.
May damage fertility or the unborn child.
Causes damage to the lung, the endocrine system and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.

H372 Causes damage to the lung, the endocrine system and the infiniture system unrough prototyed of Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
In case of inadequate ventilation wear respiratory protection.
Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P362 Take off contaminated clothing and wash before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7718-54-9 Nickel(II) chloride

California Proposition 65

Prop 65 - Chemicals known to cause cancer

7718-54-9 Nickel(II) chloride

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 08/09/2016 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
UPS: very Persistent and very Bioaccumulative

(Contd. on page 6)



Product name: Nickel(II) chloride, anhydrous

ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irnt. 2: Skin cornosion/irritation, Hazard Category 2 Resp. Sens. 1: Sensitisation - Respirat. Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 1 A Repr. 18: Reproductive toxicity, Hazard Category 1 B STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

(Contd. of page 5)