

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

1 Identification of substance:

Product details:

Product name: Arsenic (III) fluoride

Stock number: 31471

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
Johnson Matthey Catalog Company, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Emergency Phone: (978) 521-6300
CHEMTREC: (800) 424-9300
Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

Arsenic (III) fluoride (CAS# 7784-35-2): 100%

Identification number(s):

EINECS Number: 232-060-0

Index number: 033-002-00-5

3 Hazards identification

Hazard description:



T Toxic

N Dangerous for the environment

Information pertaining to particular dangers for man and environment

R 23/25 Toxic by inhalation and if swallowed.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	3
FIRE	0
REACTIVITY	1

Health (acute effects) = 3

Flammability = 0

Reactivity = 1

GHS label elements



Danger

3.1/2 - Fatal if swallowed.

3.1/2 - Fatal if inhaled.



Warning

4.1/1 - Very toxic to aquatic life with long lasting effects.

Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear respiratory protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment is urgent (see label).

Specific treatment (see label).

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Arsenic (III) fluoride

(Contd. of page 1)

Rinse mouth.
Collect spillage.

Storage:

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures**General information**

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; immediately call for medical help.
Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.
Special hazards caused by the material, its products of combustion or resulting gases:
In case of fire, the following can be released:

Toxic metal oxide fume
Hydrogen fluoride (HF)

Protective equipment:

Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Arsenic (III) fluoride

(Contd. of page 2)

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Fluorides (as F)

	mg/m3
ACGIH TLV	2.5
Austria MAK	2.5
Belgium TWA	2.5
Finland TWA	2.5
France TWA	2.5
Germany MAK	2.5
Hungary TWA	1; 2-STEL
Netherlands MAC-K	3.5
Norway TWA	0.6
Poland TWA	1; 3-STEL
Sweden NGV	2
Switzerland MAK-W	1.5; 3-KZG-W
United Kingdom TWA	2.5
Russia TWA	2
Denmark TWA	2.5
USA PEL	2.5

Arsenic, elemental, and inorganic compounds (except arsine), as As

	mg/m3
ACGIH TLV	0.01; Carcinogen
Belgium TWA	0.2
Denmark TWA	0.05
Finland	Carcinogen
France VME	0.2
Hungary TWA	0.5; Carcinogen
Ireland TWA	0.1; Carcinogen
Korea TLV	0.01; Carcinogen
Netherlands TWA	0.05; 0.1-STEL
Norway TWA	0.02
Poland TWA	0.1
Sweden NGV	0.03; Carcinogen
Switzerland TWA	0.1; Carcinogen
United Kingdom TWA	0.1; Carcinogen
USA PEL	0.5

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Refer to 29CFR1910.1018 for regulations on respiratory protection required during exposure to inorganic arsenic.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form: Liquid

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Arsenic (III) fluoride

(Contd. of page 3)

Odor:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not determined
Density:	Not determined

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Oxidizing agents

Dangerous reactions No dangerous reactions known

Dangerous products of decomposition:

Toxic metal oxide fume

Hydrogen fluoride

11 Toxicological information

Acute toxicity:

LD/LC50 values that are relevant for classification:

Inhalative	LCLo/10M	2000 mg/m3 (mouse)
------------	----------	--------------------

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death.

Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-1: Known to be carcinogenic: sufficient evidence from human studies.

Carcinogen as defined by OSHA.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

12 Ecological information:

Ecotoxicological effects:

Remark: Very toxic for fish

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

(Contd. on page 5)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Arsenic (III) fluoride

Very toxic for aquatic organisms

(Contd. of page 4)

13 Disposal considerations

Product:

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

DOT regulations:



Hazard class: 6.1
 Identification number: UN1556
 Packing group: I
 Poison inhalation hazard: Yes
 Proper shipping name (technical name): ARSENIC COMPOUND, LIQUID, N.O.S.
 Label: 6.1

Land transport ADR/RID (cross-border)



ADR/RID class: 6.1 (T4) Toxic substances
 Danger code (Kemler): 66
 UN-Number: 1556
 Packaging group: I
 Description of goods: 1556 ARSENIC COMPOUND, LIQUID, N.O.S. (Arsenic (III) fluoride)

Maritime transport IMDG:



IMDG Class: 6.1
 UN Number: 1556
 Label: 6.1
 Packaging group: I
 Proper shipping name: ARSENIC COMPOUND, LIQUID, N.O.S.

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 6.1
 UN/ID Number: 1556
 Label: 6.1
 Packaging group: I
 Proper shipping name: ARSENIC COMPOUND, LIQUID, N.O.S.

UN "Model Regulation": UN1556, ARSENIC COMPOUND, LIQUID, N.O.S., 6.1, I

Environmental hazards: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID

- USA

(Contd. on page 6)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Arsenic (III) fluoride

(Contd. of page 5)

15 Regulations

Product related hazard informations:
Hazard symbols:

T Toxic

N Dangerous for the environment

Risk phrases:

23/25 Toxic by inhalation and if swallowed.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

20/21 When using do not eat, drink or smoke.

28 After contact with skin, wash immediately with plenty of water

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use:

For use only by technically qualified individuals.

This product contains arsenic and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1018 for regulations concerning inorganic arsenic.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA