according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

ROTH

DL-α-Pinene ROTICHROM® GC

article number: **3858** date of compilation: 2015-11-24 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **DL-α-Pinene**

Article number 3858

Registration number (REACH)

This information is not available.

EC number 201-291-9
CAS number 80-56-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS Section **Hazard class** Hazard class and cat-Hazard stateegory ment 2.6 flammable liquid (Flam. Liq. 3) H226 3.2 skin corrosion/irritation (Skin Irrit. 2) H315 3.45 skin sensitisation (Skin Sens. 1) H317 3.10 aspiration hazard (Asp. Tox. 1) H304 4.1A hazardous to the aquatic environment - acute hazard (Aquatic Acute 1) H400 4.1C H410 hazardous to the aquatic environment - chronic hazard (Aquatic Chronic 1)

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms









Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P273 Avoid release to the environment. P280 Wear protective gloves/eye protection.

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

P331 Do NOT induce vomiting.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)









H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

P331 Do NOT induce vomiting.

2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance DL- α -Pinene EC number 201-291-9 CAS number 80-56-8 $Molecular formula <math>C_{10}H_{16}$ Molar mass 136,2 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Aspiration hazard. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Nausea, Aspiration hazard

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provide adequate ventilation. Avoid exposure. When not in use, keep containers tightly closed.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

When using do not smoke. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 4 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	cycloalkanes (>C7)	80-56-8		WEL	800		EH40/2005

Notation

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average TWA

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	5,98 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	PNEC 4 µg/l freshwater		short-term (single instance)
PNEC	0,4 μg/l	marine water	short-term (single instance)
PNEC	3,26 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	1,033 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,103 mg/kg	marine sediment	short-term (single instance)
PNEC	1,35 mg/kg	water	short-term (single instance)
PNEC	0,539 mg/kg	soil	short-term (single instance)

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

8.2 Exposure controls

Individual protection measures (personal protective equipment)







Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Splash protection - Protective gloves

Type of material

NBR (Nitrile rubber).

Material thickness

>0.11 mm.

Breakthrough times of the glove material

>30 minutes (permeation: level 2).

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid) Colour colourless Odour characteristic

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point -64 °C

Initial boiling point and boiling range 155 - 156 °C

Flash point 32 °C

no data available **Evaporation rate** Flammability (solid, gas) not relevant (fluid)

Explosive limits

 lower explosion limit (LEL) 0,8 vol% • upper explosion limit (UEL) 6 vol%

Explosion limits of dust clouds not relevant

Vapour pressure This information is not available.

Density $0.86 \, ^{\rm g}/_{\rm cm^3}$

Vapour density This information is not available.

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

no data available Water solubility

Partition coefficient

4,83 (exp.) (TOXNET) n-octanol/water (log KOW)

Auto-ignition temperature 255 °C

no data available Decomposition temperature Viscosity not determined

Explosive properties shall not be classified as explosive

Oxidising properties none

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air, risk of ignition

10.2 Chemical stability

May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	3.700 ^{mg} / _{kg}	rat	TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause sensitisation by skin contact.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

abdominal pain, gastrointestinal complaints, aspiration hazard

• If in eyes

causes slight to moderate irritation

If inhaled

cough, nausea, breathing difficulties, pulmonary oedema, renal impairment

• If on skin

causes skin irritation, risk of absorption via the skin

Other information

None.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

Theoretical Oxygen Demand: 3,288 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3,23 ^{mg}/_{mg}

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)

4,83

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Strongly hazardous to water.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	2368
------	-----------	------

14.2 UN proper shipping name alpha-PINENE

Hazardous ingredients DL-α-Pinene

14.3 Transport hazard class(es)

Class 3 (flammable liquids)

14.4 Packing group III (substance presenting low danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2368

Proper shipping name Alpha-PINENE

Particulars in the transport document UN2368, alpha-PINENE, 3, III, (D/E), environment-

ally hazárdous

Class 3
Classification code F1
Packing group III

Danger label(s) 3 + "fish and tree"

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) D/E
Hazard identification No 30

• International Maritime Dangerous Goods Code (IMDG)

UN number 2368

Proper shipping name Alpha-PINENE

Particulars in the shipper's declaration UN2368, alpha-PINENE, (DL-alpha-Pinen), 3, III,

32°C c.c., MARINE POLLUTANT

Class

Marine pollutant yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 3 + "fish and tree"





Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-E, S-E

Stowage category A

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.

United Kingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

96/8	96/82/EC (Seveso II)				
No	Dangerous substance/hazard categories	egories Qualifying quantity (tonnes)		Notes	
9b	dangerous for the environment (R51/53)	200	500	27)	

Notation

27) Risk phrases R51/53: Toxic to aquatic organisms; may cause long term adverse effects in the aquatic environment'

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)			

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



DL-α-Pinene ROTICHROM® GC

article number: 3858

Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

- Regulation (EC) No. 1272/2008 (CLP, EÚ GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226 flammable liquid and vapour	
H304	may be fatal if swallowed and enters airways
H315	causes skin irritation
H317	may cause an allergic skin reaction
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14