

SAFETY DATA SHEET
(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier : MUSK XYLOL

Chemical name: 5-Tert-butyl-2,4,6-trinitro-m-xylene

CAS: 81-15-2

EC Number: 201-329-4

Index No.: 609-068-00-1

REACH Registration number: {?/REACH}

1.2 Relevant identified uses of the substance or mixture: Industrial uses. Formulation [mixing] of preparations..

Uses advised against: Other uses than those recommended.

1.3 Details of the supplier of the safety data sheet:

LLUCH ESSENCE, SL
C/ Lo Gaiter de Llobregat 160
08820 – El Prat de Llobregat- Barcelona (Spain)
Spain
Phone Number. +(34) 93 379 38 49 Fax. +(34) 93 478 27 54
e-mail: she@lluche.com

1.4 Emergency telephone number: +34 (0) 93 379 38 49.

Timetable: Monday to Thursday: 8.00h to 17.15h, Friday: 8.00h to 15.00h (winter).
Monday to Friday: 8.00h to 15.00h (summer).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to the Regulation (EC) No 1272/2008.

Explosives, Division 1.1; H201

Carcinogenicity, Hazard Category 2; H351

Hazardous to the aquatic environment — acute hazard, category acute 1; H400

Hazardous to the aquatic environment — long-term hazard, category chronic 1; H410.

2.2 Label elements

Nº Indice: 609-068-00-1

5-Tert-butyl-2,4,6-trinitro-m-xylene



Signal word: Danger

SAFETY DATA SHEET (according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

Hazard Statements:

H201: Explosive; mass explosion hazard.

H351: Suspected of causing cancer.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

P201: Obtain special instructions before use.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234: Keep only in original container.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P372: Explosion risk in case of fire.

P501: Dispose of contents/container to an approved waste disposal plant.

2.3 Other hazards

The product contains substances included in the Substances of Very High Concern list (> 0,1 % w/w).

SECTION 3: Composition/information on ingredients

3.1 Substances

Concentration range of the constituent (% weight/weight)	CE Number / Registration Number	CAS	Chemical name
≥50% and ≤100	201-329-4	81-15-2	5-Tert-butyl-2,4,6-trinitro-m-xylene ^{[1],[4]}

[1] Substance classified with a health or environmental hazard.

[4] vPvB Substance.

SECTION 4: First aid measures

4.1 Description of first aid measures

Consumption: If swallowed, rinse mouth with water.

Seek medical advice immediately and show this container or label.

Do NOT induce vomiting.

Eye contact: First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

Inhalation: Remove person to fresh air and keep at rest.

SAFETY DATA SHEET
(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

Skin contact: Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.

4.2 Most important symptoms and effects, both acute and delayed:

Not described.

4.3 Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

5.2 Special hazards arising from the substance or mixture: Not applicable.

5.3 Advice for firefighters:

In case of fire in the surrounding area, follow the recommendations below:

- Avoid inhalation of fumes or vapours. Use appropriate respiratory protection.
- Prevent run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate gloves to prevent skin exposure.

Avoid dust formation and prevent scattering by moistening with water.

Maintain adequate ventilation in the working area after spilling.

6.2 Environmental precautions:

Avoid contaminating the environment via the sewers or water sources.

6.3 Methods and material for containment and cleaning up:

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Ventilate area and wash spill site after material pickup is complete.

Dispose of in accordance with current laws and regulations.

6.4 Reference to other sections:

See section 13.

SAFETY DATA SHEET
(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Keep away from food, drink and animal feedingstuffs. Do not smoke.

Avoid contact with skin and eyes.

Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities:

Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.

7.3 Specific end use(s):

Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Declaration of substances is not required.

8.2 Exposure controls

Personal protection equipment: Use personal protection equipment according to Directive 89/686/EEC.

Engineering Controls-Ventilation: The areas where the product is handled and stored should be adequately ventilated.

Respiratory Protection: Use personal breathing apparatus whenever deemed necessary.

Skin Protection: Avoid contact with skin. Compatible chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: SOLID

Color: YELLOW

Odour: MUSKY, FATTY

Flash Point: 93 °C

SAFETY DATA SHEET
(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

Melting Point: 112,0000 - 116,0000 °C

Additional information: Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity: Not available.

10.2 Chemical stability: Stable under normal operating conditions.

10.3 Possibility of hazardous reactions:

Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.

10.4 Conditions to avoid: Heat, flames and other sources of ignition.

No special precautions other than good housekeeping of chemicals.

10.5 Incompatible materials: Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.

10.6 Hazardous decomposition products: Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: See also sections 2 and 3.

SECTION 12: Ecological information

12.1 Acute aquatic toxicity: Not determined

12.2 Persistence and degradability: Not available.

12.3 Bioconcentration Factor:

12.4 Mobility in soil: Not available.

12.5 Results of PBT and vPvB assessment: Very Persistent and Very Bioaccumulative

12.6 Other adverse effects: Do not allow the material to enter streams, sewers or other waterways.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

SAFETY DATA SHEET

(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

Container disposal: Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site.

Disposal conditions: Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

SECTION 14: Transport information


International Carriage of Dangerous Goods by Road (ADR)

UN No.: UN2956
 Proper Shipping Name: 5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE (MUSK XYLENE)
 Packing Group: III
 Class: 4.1
 Tunnel restriction code: (D)
 Label:



Sea Transport (IMDG)

UN No.: UN2956
 Proper Shipping Name: 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)
 Packing Group: III
 Class: 4.1
 Marine Pollutant: Yes
 Label:



Air Transport (ICAO/IATA)

UN No.: UN2956
 Proper Shipping Name: Musk xylene
 Packing Group: III
 Class: 4.1
 Label:



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Substances are either included in EINECS, ELINCS, NLP inventories or exempt.

SAFETY DATA SHEET
(according to Regulation (EU) No. 1907/2006)

PRODUCT: MUSK XYLOL

Revision date: 31-08-2015

Emission date: 17-01-2018

Version: 10

15.2 Chemical safety assessment:

Not available.

SECTION 16: Other information

This material should only be used for industrial purposes.

Key literature references and sources for data:

1. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
2. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
3. Occupational Exposure Limits by the INSHT (Spanish National Institute of Safety and Hygiene at Work).

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this SDS. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment and must determine suitability of this information for his application.

Reason for Change: No reason